- US -

Safety Data Sheet acc. to OSHA HCS

Printing date 08/11/2023

Reviewed on 08/11/2023

Product identifier			
Trade name: <u>Hexanethio</u> <u>1-hexaneth</u>			
• Article number: H1975			
• CAS Number:			
111-31-9 • EC number:			
203-857-0			
Details of the supplier of	the safety data sheet		SOLUTIONS
Manufacturer/Supplier:	·····		
Aqua Solutions, Inc.			
6913 Highway 225			
DEER PARK, TX 77536			
USA 800-256-2586			
• Information department:			
Technical Coordinator			
Sherman Nelson sherman	n@aquasolutions.org		
• Emergency telephone nu			
Chemtrec: 800-424-9300			
Canutec: 613-996-6666			
		and vapor.	
Classification of the subs GHS02 Flame Flammable Liquids 3	tance or mixture H226 Flammable liquid	and vapor.	
Classification of the subs	tance or mixture H226 Flammable liquid	and vapor.	
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an	tance or mixture H226 Flammable liquid	and vapor.	
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an	tance or mixture H226 Flammable liquid nd crossbones	and vapor.	
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an	tance or mixture H226 Flammable liquid nd crossbones	and vapor.	
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an Acute Toxicity - Inhalatio	tance or mixture H226 Flammable liquid nd crossbones		
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an Acute Toxicity - Inhalation GHS07 Acute Toxicity - Oral 4	tance or mixture H226 Flammable liquid nd crossbones n 3 H331 Toxic if inhaled.		
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an Acute Toxicity - Inhalatio GHS07 Acute Toxicity - Oral 4 Label elements	tance or mixture H226 Flammable liquid nd crossbones n 3 H331 Toxic if inhaled. H302 Harmful if swallov	ved.	Globally Harmonized System (GH
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an Acute Toxicity - Inhalation GHS07 Acute Toxicity - Oral 4 Label elements GHS label elements The s	tance or mixture H226 Flammable liquid nd crossbones n 3 H331 Toxic if inhaled. H302 Harmful if swallov	ved.	Globally Harmonized System (GH
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an Acute Toxicity - Inhalation GHS07 Acute Toxicity - Oral 4 Label elements GHS label elements The s	tance or mixture H226 Flammable liquid nd crossbones n 3 H331 Toxic if inhaled. H302 Harmful if swallov	ved.	· · · · · · · · · · · · · · · · · · ·
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an Acute Toxicity - Inhalation GHS07 Acute Toxicity - Oral 4 Label elements GHS label elements The s	tance or mixture H226 Flammable liquid nd crossbones n 3 H331 Toxic if inhaled. H302 Harmful if swallov	ved.	Globally Harmonized System (GH
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an Acute Toxicity - Inhalation Acute Toxicity - Oral 4 Label elements GHS label elements The s Hazard pictograms	tance or mixture H226 Flammable liquid nd crossbones n 3 H331 Toxic if inhaled. H302 Harmful if swallov	ved.	Globally Harmonized System (GH
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an Acute Toxicity - Inhalation GHS07 Acute Toxicity - Oral 4 Label elements GHS label elements The s	tance or mixture H226 Flammable liquid nd crossbones n 3 H331 Toxic if inhaled. H302 Harmful if swallov	ved.	Globally Harmonized System (GH
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an Acute Toxicity - Inhalation Acute Toxicity - Oral 4 Label elements GHS label elements The s Hazard pictograms	tance or mixture H226 Flammable liquid nd crossbones n 3 H331 Toxic if inhaled. H302 Harmful if swallov	ved.	Globally Harmonized System (GH
Classification of the subs GHS02 Flame Flammable Liquids 3 GHS06 Skull an Acute Toxicity - Inhalation Acute Toxicity - Oral 4 Label elements GHS label elements The s Hazard pictograms	tance or mixture H226 Flammable liquid nd crossbones n 3 H331 Toxic if inhaled. H302 Harmful if swallov substance is classified and la	ved.	Globally Harmonized System (GH

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Hexanethiol 96% 1-hexanethiol

	(Contd. of page 1)
Harmful if swallowed.	
Toxic if inhaled.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/	shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Call a poison center.	
Rinse mouth.	
In case of fire: Use CO2, sand, extinguishing powder to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international reg	gulations.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
$\frac{2}{Fire = 2}$	
$\begin{array}{c} 3 \\ \hline 0 \\ \hline Reactivity = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
$\frac{\text{HEALTH}}{3} Health = 3$	
FIRE 2 $Fire = 2$	
REACTIVITY 0 Reactivity = 0	
· Other hazards	
· Other nazaras · Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• $\mathbf{P}\mathbf{V}\mathbf{B}$: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Substances	
· CAS No. Description	
CAS: 111-31-9 Hexanethiol 96%	
· Identification number(s)	

Identification number(s)
EC number: 203-857-0

(Contd. on page 3)

US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Hexanethiol 96% 1-hexanethiol

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: 0.045 ppm · PAC-2: 0.5 ppm · PAC-3: 48 ppm (Contd. on page 4)

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Hexanethiol 96% 1-hexanethiol

(Contd. of page 3)

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 111-31-9 Hexanethiol 96%

REL Ceiling limit value: 2.7* mg/m³, 0.5* ppm *15-min

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.

Store protective clothing separately.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Hexanethiol 96% 1-hexanethiol

(Contd. of page 4)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Stench
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-8180 °C (-113.8112 °F)
Boiling point/Boiling range:	150-154 °C (302-309.2 °F)
Flash point:	30 °C (86 °F)
Flammability (solid, gaseous):	Flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	>3 hPa (>2.3 mm Hg)
Density at 20 °C (68 °F):	0.838 g/cm ³ (6.99311 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not determined.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

(Contd. on page 6)

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Hexanethiol 96% 1-hexanethiol

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 500 mg/kg (ATE) Inhalative LC50/4h 3 mg/l (ATE)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Hexanethiol 96% 1-hexanethiol

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

UN-Number DOT, IMDG, IATA	UN3071
UN proper shipping name DOT IMDG, IATA	Mercaptans, liquid, toxic, flammable, n.o.s. MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O. (Hexanethiol 96%)
Transport hazard class(es)	
DOT	
Class	6.1 Toxic substances
Label	6.1, 3
IMDG	
Class	6.1 Toxic substances
Label	6.1/3
Class Label	6.1 Toxic substances 6.1 (3)
Packing group	\-/
DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code, EMS Number:	Warning: Toxic substances): 63 F-E,S-D

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Hexanethiol 96% 1-hexanethiol

	(Contd. of page
· Stowage Category	С
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG57 Stow "separated from" odour-absorbing cargoes
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
~ .	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3071 MERCAPTANS, LIQUID, TOXIC, FLAMMABLE
0	N.O.S. (HEXANETHIOL 96%), 6.1 (3), II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). + Hazard pictoarams
- · Hazard pictograms



- Signal word Danger
 Hazard statements
 Flammable liquid and vapor.
 Harmful if swallowed.
- Toxic if inhaled.

(Contd. on page 9)

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Hexanethiol 96% 1-hexanethiol

	(Contd. of page 8)
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Call a poison center.	
Rinse mouth.	
In case of fire: Use CO2, sand, extinguishing powder to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	5.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of preparation / last revision Revision 1.0, 08/11/2023: Reviewed SDS for Accuracy.. STN Creation date for SDS 10-21-2014. STN 08/11/2023
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Acute Toxicity - Inhalation 3: Acute toxicity - Category 3 \cdot * Data compared to the previous version altered.

us -