Printing date 08/11/2023

Reviewed on 08/11/2023

1 Identification

- · Product identifier
- · Trade name: Methanol 1.00% w/w Solution
- Article number: GEN147
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements

If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. · Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH *0 Health = *00 Fire = 0**REACTIVITY O** Reactivity = 0

· Other hazards

FIRE

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.



(Contd. on page 2)

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

1.00% w/w Solution

(Contd. of page 1)

1.0%

99.0%

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

 \cdot Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions: Dilute with plenty of water.

• Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 67-56-1 Methanol	530 ppm
· PAC-2:	
CAS: 67-56-1 Methanol	2,100 ppm
	(Contd. on page 3)

US -

Printing date 08/11/2023

Reviewed on 08/11/2023

(Contd. of page 2)

7200* ppm

Trade name: Methanol

1.00% w/w Solution

· PAC-3:

CAS: 67-56-1 Methanol

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components	with limi	t values	that	reauire	monitoring	at the	workplace:
r				1 1 1 1 1			···· · · · · · · · · · · · · · · · · ·

- CAS: 67-56-1 Methanol
- PEL Long-term value: 260 mg/m³, 200 ppm
- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI

· Ingredients with biological limit values:

CAS: 67-56-1 Methanol

BEI 15 mg/L

LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

(Contd. on page 4)

US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

1.00% w/w Solution

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

· Body protection: Protective work clothing

9 Physical and chemical properties

Appearance:Form:LiquidColor:ClearOdor:Slight alcoholOdor:Not determined.• Dator threshold:Not determined.• pH-value:Not determined.• Change in condition Melting point/Boiling range:0 °C (32 °F) Boiling point/Boiling range:100 °C (212 °F)Boiling point/Boiling range:100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Jonger of explosion:Product is not selfigniting.• Danger of explosion:Vot determined.• Lower:Not determined.• Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):0.99737 g/cm³ (8.32305 lbs/gal)• Relative densityNot determined.• Vapor markFully	Information on basic physical and ch General Information	
Color:ClearOdor:Slight alcoholOdor threshold:Not determined. <i>pH-value:</i> Not determined. <i>pH-value:</i> Not determined. <i>pH-value:</i> 0°C (32°F)Boiling point/Boiling range:100°C (212°F) <i>Flash point:</i> Not applicable. <i>Flammability</i> (solid, gaseous):Not applicable. <i>Pecomposition temperature:</i> Not determined. <i>Ignition temperature:</i> Product is not selfigniting. <i>Danger of explosion:</i> Product does not present an explosion hazard. <i>Explosion limits:</i> Not determined. <i>Upper:</i> Not determined. <i>Vapor pressure at 20°C</i> (68°F):23 hPa (17.3 mm Hg)Density at 20°C (68°F):0.99737 g/cm³ (8.32305 lbs/gal) <i>Relative density</i> Not determined. <i>Vapor ation rate</i> Not determined. <i>Solubility in / Miscibility with</i> Water:Fully miscible. <i>Partition coefficient (n-octanol/water):</i> Not determined. <i>Viscosity:</i> Viscosity:		
Odlor:Slight alcoholOdlor threshold:Not determined.• PH-value:Not determined.• Change in condition Melting point/Melting range: Boiling point/Molting range:0 °C (32 °F) Boiling point/Boiling range:• IO0 °C (212 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Janger of explosion:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower: Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):0.99737 g/cm³ (8.32305 lbs/gal)• Relative density • Vot determined.Not determined.• Vapor density • Not determined.Not determined.• Vapor density • Not determined.Not determined.• Vapor density • Vapor densityNot determined.• Vapor density • Vator:Not determined.• Viscosity:Viscosity:	Form:	Liquid
Odor threshold:Not determined.• PH-value:Not determined.• Change in condition Melting point/Melting range: Boiling point/Melting range:0 °C (32 °F) 100 °C (212 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Jgnition temperature:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower: Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):0.99737 g/cm³ (8.32305 lbs/gal)• Relative density • Not determined.Not determined.• Vapor density • Not determined.Not determined.• Solubility in / Miscibility with Water:Fully miscible.• Vaicosity:Fully miscible.		
• pH-value: Not determined. • Change in condition Melting point/Melting range: 0 °C (32 °F) Boiling point/Melting range: • Flash point: Not applicable. • Flash point: Not applicable. • Flammability (solid, gaseous): Not applicable. • Decomposition temperature: Not determined. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Lower: Lower: Not determined. Upper: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 0.99737 g/cm³ (8.32305 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. . • Viscosity: Viscosity:		0
- Change in condition 0 °C (32 °F) Boiling point/Melting range: 100 °C (212 °F) - Flash point: Not applicable. - Flammability (solid, gaseous): Not applicable. - Decomposition temperature: Not determined. - Ignition temperature: Product is not selfigniting. - Danger of explosion: Product does not present an explosion hazard. - Explosion limits: Lower: Lower: Not determined. - Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) - Density at 20 °C (68 °F): 0.99737 g/cm³ (8.32305 lbs/gal) - Relative density Not determined. - Vapor density Not determined. - Solubility in / Miscibility with Water: - Fully miscible. - - Partition coefficient (n-octanol/water): Not determined. - Viscosity: -	Odor threshold:	Not determined.
Meting point/Melting range:0 °C (32 °F) 100 °C (212 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Jgnition temperature:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower: Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):0.99737 g/cm³ (8.32305 lbs/gal)• Relative density Evaporation rateNot determined.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not determined.• Viscosity:	pH-value:	Not determined.
Boiling point/Boiling range:100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Ignition temperature:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits:Not determined.Lower:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):0.99737 g/cm³ (8.32305 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Vapor frescultyNot determined.• Vapor densityNot determined.• Vapor densityNot determined.• Vapor densityNot determined.• Vapor consityNot determined.• Vapor densityNot determined. <t< td=""><td>Change in condition</td><td></td></t<>	Change in condition	
Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vappr pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 0.99737 g/cm³ (8.32305 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Fully miscible. Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Viscosity:		
Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Image: Not determined. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 0.99737 g/cm³ (8.32305 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Viscosity:	Boiling point/Boiling range:	100 °C (212 °F)
Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Image: Not determined. Lower: Not determined. Upper: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 0.99737 g/cm³ (8.32305 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water: • Fully miscible. Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not determined.	Flash point:	Not applicable.
• Ignition temperature: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Itermined. Lower: Not determined. Upper: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 0.99737 g/cm³ (8.32305 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water: • Fully miscible. Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Viscosity:	Flammability (solid, gaseous):	Not applicable.
• Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 0.99737 g/cm³ (8.32305 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Not determined. • Solubility in / Miscibility with Fully miscible. • Partition coefficient (n-octanol/water): Not determined. Not determined.	Decomposition temperature:	Not determined.
• Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 0.99737 g/cm³ (8.32305 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Wot determined. • Vater: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • Viscosity:	Ignition temperature:	Product is not selfigniting.
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):0.99737 g/cm³ (8.32305 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.	Danger of explosion:	Product does not present an explosion hazard.
Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):0.99737 g/cm³ (8.32305 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.	Explosion limits:	
• Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 0.99737 g/cm ³ (8.32305 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water: • Partition coefficient (n-octanol/water): Not determined. • Viscosity:	Lower:	Not determined.
 Density at 20 °C (68 °F): 0.99737 g/cm³ (8.32305 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: 	Upper:	Not determined.
• Relative density Not determined. • Vapor density Not determined. • Evaporation rate Not determined. • Solubility in / Miscibility with Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • Viscosity:	Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible. Vater: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Viscosity:	Density at 20 °C (68 °F):	0.99737 g/cm ³ (8.32305 lbs/gal)
• Evaporation rate Not determined. • Solubility in / Miscibility with Fully miscible. • Water: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • Viscosity:	Relative density	Not determined.
 Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: 		Not determined.
Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity:	Evaporation rate	Not determined.
• Partition coefficient (n-octanol/water): Not determined. • Viscosity:	Solubility in / Miscibility with	
· Viscosity:	Water:	Fully miscible.
•	Partition coefficient (n-octanol/water): Not determined.
•	Viscosity:	
	•	Not determined

US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

1.00% w/w Solution

		(Contd. of page 4)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	1.0 %	
Water:	99.0 %	
VOC content:	1.00 %	
	10.0 g/l / 0.08 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	10,000 mg/kg
Dermal	LD50	30,000 mg/kg
Inhalative	LC50/4h	300 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

US-

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

1.00% w/w Solution

(Contd. of page 5)

$\cdot \textit{OSHA-Ca} (\textit{Occupational Safety \& Health Administration})$

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name		
DOT, ADN, IATA	Not regulated	
IMDG	Not Regulated	
	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
· Class	Not regulated	
Packing group		
· DOT, IMDG, IATA	Not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

Printing date 08/11/2023

Reviewed on 08/11/2023

(Contd. of page 6)

Trade name: Methanol

1.00% w/w Solution

· UN ''Model Regulation'':

Not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
• TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Methanol	ACTIVE
· Hazardous Air Pollutants	<u> </u>
CAS: 67-56-1 Methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
• GHS label elements Not Applicable	
• Hazard pictograms Not Applicable	
• Signal word Not Applicable	
• Hazard statements Not Applicable	
· Precautionary statements	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	_
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese	nt and easy to do
Continue rinsing.	(Contd. on page 8
	(on puge 0

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

1.00% w/w Solution

(Contd. of page 7)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 1.0, 08/11/2023: Reviewed SDS for Accuracy.. STN Creation date for SDS 07-16-2015. STN 08/11/2023
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit \cdot * Data compared to the previous version altered.