Printing date 08/07/2023 Reviewed on 08/07/2023

### 1 Identification

· Product identifier

· Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

· Article number: FIS014

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 1

H224 Extremely flammable liquid and vapor.



GHS08 Health hazard

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure 2 H371 May cause damage to the central nervous system and the visual organs.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





- GHS02
- 011300
- · Signal word Danger
- · Hazard-determining components of labeling:

Methanol

cyclohexylamine

· Hazard statements

Extremely flammable liquid and vapor.

Suspected of damaging fertility or the unborn child.

May cause damage to the central nervous system and the visual organs.

(Contd. on page 2)

Printing date 08/07/2023 Reviewed on 08/07/2023

Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

(Contd. of page 1)

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

*Use only non-sparking tools.* 

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*1Fire = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	89.554%
CAS: 67-56-1	Methanol	4.975%
CAS: 67-63-0	Isopropanol	4.975%
CAS: 108-91-8	cyclohexylamine	0.496%

### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

Printing date 08/07/2023 Reviewed on 08/07/2023

Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

(Contd. of page 2)

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

 $\cdot \textit{Environmental precautions:}$ 

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	•	
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 67-56-1	Methanol	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 108-91-8	cyclohexylamine	1.8 ppm
· PAC-2:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppm
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 108-91-8	cyclohexylamine	8.6 ppm
· PAC-3:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
	•	(Contd. on page 4

Reviewed on 08/07/2023 Printing date 08/07/2023

Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

		(Contd. of page 3)
CAS: 67-56-1	Methanol	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 108-91-8	cyclohexylamine	30 ppm

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Com	· Components with limit values that require monitoring at the workplace:		
CAS.	CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof		
PEL	PEL Long-term value: 1900 mg/m³, 1000 ppm		
REL	Long-term value: 1900 mg/m³, 1000 ppm		
TLV	Short-term value: 1000 ppm		
	A3		
CAS.	: 67-56-1 Methanol		
PEL	Long-term value: 260 mg/m³, 200 ppm		
REL	Short-term value: 325 mg/m³, 250 ppm		
	Long-term value: 260 mg/m³, 200 ppm		
	Skin		
TLV	Short-term value: 250 ppm		
	Long-term value: 200 ppm		
	Skin; BEI		
	(Contd. on page 5)		

Printing date 08/07/2023 Reviewed on 08/07/2023

Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

	(Contd. of	f pag
CAS.	: 67-63-0 Isopropanol	
PEL	Long-term value: 980 mg/m³, 400 ppm	
REL	Short-term value: 1225 mg/m³, 500 ppm	
	Long-term value: 980 mg/m³, 400 ppm	
TLV	Short-term value: 400 ppm	
	Long-term value: 200 ppm	
	BEI, A4	
CAS.	: 108-91-8 cyclohexylamine	
REL	Long-term value: 40 mg/m³, 10 ppm	
TLV	Long-term value: 10 ppm	
	A4	
Ingre	edients with biological limit values:	
CAS.	: 67-56-1 Methanol	
BEI	15 mg/L	
	LD50 Intraperitoneal: urine	
	Time: end of shift	
	LD50: Methanol (background, nonspecific)	
CAS.	: 67-63-0 Isopropanol	
BEI	40 mg/L	
	LD50 Intraperitoneal: urine	
	Time: end of shift at end of workweek	
	LD50: Acetone (background, nonspecific)	

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 08/07/2023 Reviewed on 08/07/2023

Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

(Contd. of page 5)

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and chemical properties		
General Information		
Appearance:	F1: J	
Form: Color:	Fluid According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	<35 °C (<95 °F)	
Flash point:	11 °C (51.8 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.	
Explosion limits:		
Lower:	3.5 Vol %	
Upper:	19 Vol %	
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)	
Density at 20 °C (68 °F):	0.78958 g/cm³ (6.58905 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e <b>r</b> ): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

(Contd. on page 7)

Printing date 08/07/2023 Reviewed on 08/07/2023

Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

	(Contd. of page 6
· Solvent content: Organic solvents: VOC content:	99.5 % 99.50 % 785.7 g/l / 6.56 lb/gal
Solids content:	89.6 %
· Other information	No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

<ul> <li>LD/LC50 values that are relevant for classification</li> </ul>	alues that are relevant for classification
---	--

# ATE (Acute Toxicity Estimate) Oral LD50 2,010 mg/kg Dermal LD50 6,030 mg/kg

Inhalative LC50/4h 60.3 mg/l

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	
CAS: 67-63-0	Isopropanol	

### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

3

Printing date 08/07/2023 Reviewed on 08/07/2023

Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

(Contd. of page 7)

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name · DOT	Flammable liquids, n.o.s. (Ethanol, Methanol, Isopropanol
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Ethanol, Methanol, Isopropanol)

- · Transport hazard class(es)
- $\cdot DOT$



· Class 3 Flammable liquids

(Contd. on page 9)

Reviewed on 08/07/2023 Printing date 08/07/2023

Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

	(Contd. of page
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	: 33
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	E
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
-	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E3
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 300 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANO
-	METHANOL, ISOPROPANOL
	), 3, II

### 15 Regulatory information

- $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture}}$ No further relevant information available.

· Sara		
· Section 355 (extremely hazardous substances):		
CAS: 108-91-8 cyclohexylamine		
· Section 313 (Specific toxic chemical listings):		
CAS: 67-56-1 Methanol		
CAS: 67-63-0 Isopropanol		
· TSCA (Toxic Substances Control Act):		
Ethyl Alcohol, Absolute 200 Proof	ACTIVE	
Methanol	ACTIVE	
Isopropanol	ACTIVE	

(Contd. on page 10)

Printing date 08/07/2023 Reviewed on 08/07/2023

Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

cyclohexylamii	ne	(Contd. of page 9)  ACTIVE
· Hazardous Air	Pollutants	
CAS: 67-56-1	Methanol	
· Proposition 65		
· Chemicals kno	wn to cause cancer:	
None of the ing	redients is listed.	
· Chemicals kno	wn to cause reproductive toxicity for females:	
None of the ingredients is listed.		
· Chemicals kno	wn to cause reproductive toxicity for males:	
	redients is listed.	
· Chemicals kno	wn to cause developmental toxicity:	
	Ethyl Alcohol, Absolute 200 Proof	
CAS: 67-56-1	Methanol	
· Carcinogenic	categories	
· EPA (Environ	mental Protection Agency)	
None of the ing	redients is listed.	
· TLV (Thresho	ld Limit Value)	
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	<i>A3</i>
CAS: 67-63-0	Isopropanol	A4
CAS: 108-91-8	cyclohexylamine	A4
· NIOSH-Ca (N	ational Institute for Occupational Safety and Health)	
None of the ing	redients is listed.	

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

· Signal word Danger

· Hazard-determining components of labeling:

Methanol

cyclohexylamine

#### · Hazard statements

Extremely flammable liquid and vapor.

Suspected of damaging fertility or the unborn child.

May cause damage to the central nervous system and the visual organs.

### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

Use only non-sparking tools.

Printing date 08/07/2023 Reviewed on 08/07/2023

Trade name: Cyclohexylamine 0.05 Normal in Ethanol Certified Solution

(Contd. of page 10)

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 1.0, 08/07/2023: Reviewed SDS for Accuracy.. STN

Revision 0.0. 08-04-2016: creation date for SDS. STN

08/07/2023

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

 ${\it IATA: International Air Transport Association}$ 

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 $HMIS: Hazardous\ Materials\ Identification\ System\ (USA)$ 

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 1: Flammable liquids - Category 1

Toxic to Reproduction 2: Reproductive toxicity – Category 2

Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2

\* Data compared to the previous version altered.

US ·