Printing date 10/05/2023

Reviewed on 10/05/2023

## **1** Identification

- · Product identifier
- Trade name: <u>n-Pentane (99+%)</u>, Reagent Grade
- · Article number: P1033-500ML
- CAS Number: 109-66-0
- **EC number:** 203-692-4
- Index number: 601-006-00-1
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536 USA
  800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
   Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

## **2** *Hazard*(*s*) *identification*

\*

· Classification of the substance or mixture

GHS02 Flame

Flammable Liquids 2

GHS08 Health hazard

H225 Highly flammable liquid and vapor.

Aspiration Hazard 1

H304 May be fatal if swallowed and enters airways.

GHS07

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



(Contd. on page 2)

<sup>-</sup> US

Printing date 10/05/2023

Reviewed on 10/05/2023

# Trade name: n-Pentane (99+%), Reagent Grade

| Stand word Danson   | (Contd. of page 1) |
|---|--------------------|
| Signal word Danger  |                    |
| · Hazard statements   |                    |
| Highly flammable liquid and vapor.  |                    |
| May cause drowsiness or dizziness.  |                    |
| May be fatal if swallowed and enters airways.   |                    |
| · Precautionary statements  |                    |
| Keep away from heat/sparks/open flames/hot surfaces No smoking.                                   |                    |
| Ground/bond container and receiving equipment.  |                    |
| Use explosion-proof electrical/ventilating/lighting/equipment.                                    |                    |
| Use only non-sparking tools.  |                    |
| Take precautionary measures against static discharge.   |                    |
| Avoid breathing dust/fume/gas/mist/vapors/spray   |                    |
| Use only outdoors or in a well-ventilated area.   |                    |
| Wear protective gloves/protective clothing/eye protection/face protection.                        |                    |
| If swallowed: Immediately call a poison center/doctor.  |                    |
| Do NOT induce vomiting.   |                    |
| If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/showe | r                  |
| IF INHALED: Remove person to fresh air and keep comfortable for breathing.                        | 7.                 |
|   |                    |
| Call a poison center/doctor if you feel unwell.   |                    |
| In case of fire: Use CO2, powder or water spray to extinguish.                                    |                    |
| Store in a well-ventilated place. Keep container tightly closed.                                  |                    |
| Store in a well-ventilated place. Keep cool.  |                    |
| Store locked up.  |                    |
| Dispose of contents/container in accordance with local/regional/national/international regulation | ns.                |
| · Classification system:  |                    |
| · NFPA ratings (scale 0 - 4)  |                    |
|   |                    |
| $\frac{4}{100} Health = 2$  |                    |
| Fire = 4  |                    |
| 2 $0$ Reactivity = 0  |                    |
| · HMIS-ratings (scale 0 - 4)  |                    |
| HEALTH 2 $H_{ealth} = 2$  |                    |
| 11eutin - 2   |                    |
| FIRE 4 $Fire = 4$   |                    |
| <b>REACTIVITY</b> $o$ <b>Reactivity</b> = 0   |                    |
|   |                    |
| · Other hazards   |                    |
| · Results of PBT and vPvB assessment  |                    |
| · <b>PBT:</b> Not applicable.   |                    |
| • <b>vPvB:</b> Not applicable.  |                    |
|   |                    |
|   |                    |
| 3 Composition/information on ingredients  |                    |
|   |                    |
| · Chemical characterization: Substances   |                    |
| · CAS No. Description   |                    |
| CAS: 109-66-0 Pentane   |                    |
| · Identification number(s)  |                    |
|   |                    |

- EC number: 203-692-4
- Index number: 601-006-00-1

(Contd. on page 3)

US

Printing date 10/05/2023

Reviewed on 10/05/2023

#### Trade name: n-Pentane (99+%), Reagent Grade

(Contd. of page 2)

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1: 3000\* ppm
- · PAC-2: 33000\*\*\* ppm
- · PAC-3: 200000\*\*\* ppm

### 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Printing date 10/05/2023

Reviewed on 10/05/2023

#### Trade name: n-Pentane (99+%), Reagent Grade

(Contd. of page 3)

- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- $\cdot$  Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

### $\cdot$ Components with limit values that require monitoring at the workplace:

- CAS: 109-66-0 Pentane
- PEL Long-term value: 2950 mg/m<sup>3</sup>, 1000 ppm
- REL Long-term value: 350 mg/m<sup>3</sup>, 120 ppm Ceiling limit value: 1800\* mg/m<sup>3</sup>, 610\* ppm \*15-min
- TLV Long-term value: 1000 ppm
- Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic phy<br>General Information | vsical and chemical properties |  |
|---|--------------------------------|--|
| Appearance:                                     |                                |  |
| Form:   | Liquid                         |  |
| Color:  | Colorless                      |  |

Printing date 10/05/2023

Reviewed on 10/05/2023

Trade name: n-Pentane (99+%), Reagent Grade

|   | (Contd. of page 4  |
|---|--|
| · Odor:                                 | Aromatic   |
| · Odor threshold:                       | Not determined.  |
| · pH-value:                             | Not determined.  |
| · Change in condition                   |  |
| Melting point/Melting range:            | -129.7 °C (-201.5 °F)  |
| Boiling point/Boiling range:            | 36.1 °C (97 °F)  |
| · Flash point:                          | -35 °C (-31 °F)  |
| · Flammability (solid, gaseous):        | Highly flammable.  |
| · Auto igniting:                        | 285 °C (545 °F)  |
| · Decomposition temperature:            | Not determined.  |
| · Ignition temperature:                 | Not determined.  |
| · Danger of explosion:                  | Product is not explosive. However, formation of explosive air/vapo |
|   | mixtures are possible.   |
| · Explosion limits:                     |  |
| Lower:                                  | 1.4 Vol %  |
| Upper:                                  | 7.8 Vol %  |
| · Vapor pressure at 20 °C (68 °F):      | 573 hPa (429.8 mm Hg)  |
| • Density at 20 •C (68 •F):             | 0.62624 g/cm <sup>3</sup> (5.22597 lbs/gal)                        |
| · Relative density                      | Not determined.  |
| · Vapor density                         | Not determined.  |
| · Evaporation rate                      | Not determined.  |
| · Solubility in / Miscibility with      |  |
| Water at 20 °C (68 °F):                 | 0.01 g/l   |
| · Partition coefficient (n-octanol/wate | e <b>r):</b> Not determined.                                       |
| · Viscosity:                            |  |
| Dynamic:                                | Not determined.  |
| Kinematic:                              | Not determined.  |
| • Other information                     | No further relevant information available.                         |

## **10 Stability and reactivity**

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 10/05/2023

Reviewed on 10/05/2023

#### Trade name: n-Pentane (99+%), Reagent Grade

(Contd. of page 5)

### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- $\cdot$  on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

#### **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

| · UN-Number               |          |  |
|---------------------------|----------|--|
| · DOT, IMDG, IATA         | UN1265   |  |
| · UN proper shipping name |          |  |
| $\cdot DOT$               | Pentanes |  |
| · IMDG, IATA              | PENTANES |  |

Printing date 10/05/2023

Reviewed on 10/05/2023

Trade name: n-Pentane (99+%), Reagent Grade

|  | (Contd. of pag                                    |
|--|---|
| Transport hazard class(es)   |   |
| · DOT  |   |
|  |   |
|  |   |
| 3  |   |
|  |   |
| · Class<br>· Label   | 3 Flammable liquids<br>3                          |
|  | 5   |
| · IMDG, IATA   |   |
|  |   |
|  |   |
| 3  |   |
| · Class  | 3 Flammable liquids                               |
| · Label  | 3   |
|  |   |
| · Packing group<br>· DOT, IMDG, IATA   | II  |
|  |   |
| • Environmental hazards:   | Environmentally hazardous substance, liquid<br>No |
| · Marine pollutant:  |   |
| • Special precautions for user   | Warning: Flammable liquids                        |
| <ul> <li>Hazard identification number (Kemler code).</li> <li>EMS Number:</li> </ul> | : 33<br>F-E,S-D                                   |
| · Stowage Category   | E   |
| 5 5 <b>.</b>   |   |
| • Transport in bulk according to Annex II of<br>MARPOL73/78 and the IBC Code         | Not applicable.                                   |
|  | Νοι αρριτασιε.                                    |
| • Transport/Additional information:  |   |
| ·DOT   |   |
| · Quantity limitations   | On passenger aircraft/rail: 1 L                   |
|  | On cargo aircraft only: 30 L                      |
| ·IMDG  |   |
| $\cdot$ Limited quantities (LQ)  | 0   |
| $\cdot$ Excepted quantities (EQ)   | Code: E3  |
|  | Maximum net quantity per inner packaging: 30 ml   |
|  | Maximum net quantity per outer packaging: 300 ml  |
| · UN ''Model Regulation'':   | UN 1265 PENTANES, 3, II                           |

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

\*

• Section 355 (extremely hazardous substances): Substance is not listed.

• Section 313 (Specific toxic chemical listings): Substance is not listed.

• TSCA (Toxic Substances Control Act): ACTIVE

· Hazardous Air Pollutants Substance is not listed.

(Contd. on page 8)

US

Printing date 10/05/2023

Reviewed on 10/05/2023

(Contd. of page 7)

Trade name: n-Pentane (99+%), Reagent Grade

· Proposition 65

- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



· Signal word Danger · Hazard statements Highly flammable liquid and vapor. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- · Date of preparation / last revision
- *Revision 1.1, 10-05-2023: Revised DOT infformation based on Supplier SDS. STN/CMC Revision 0.2, 03-14-2019: updated hazard information based on new information. STN*

(Contd. on page 9)

US

Printing date 10/05/2023

Reviewed on 10/05/2023

(Contd. of page 8)

US

### Trade name: n-Pentane (99+%), Reagent Grade

| 1000  |        |
|-------|--------|
| 10/05 | 5/2023 |

• Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Aspiration Hazard 1: Aspiration hazard – Category 1  $\cdot$  \* Data compared to the previous version altered.