

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: 230-04F			
SULFURIC ACID 0.02 NORMAL (N/50) AQUEOUS			
Test	Target/UOM	Range	Result
PREPARED TO FORMULATION ON	YES		YES
FILE	YES		
Sample ID			
Tested 10/23/23			
Tester JENC			
Recorded 10/23/23			
SAMPLE COLLECTION & HANDLING	YES		YES
PER LAB040	YES		
Sample ID			
Tested 10/23/23			
Tester JENC			
Recorded 10/23/23			
Actual Normality	0.0200 EQ/L	0.0195 - 0.0205	0.0199
Sample ID			
Tested 10/23/23			
Tester JENC			
Recorded 10/23/23			
QCSP5: STANDARDIZATION OF	YES		YES
AQUEOUS ACIDS	METHOD		
Sample ID			
Tested 10/23/23			
Tester JENC			
Recorded 10/23/23			
Actual Density	0.99904 GM/ML	0.99847 - 0.99961	0.99905
Sample ID			
Tested 10/23/23			
Tester JENC			
Recorded 10/23/23			
N.I.S.T. Traceable to SRM 723 THAM	YES YES		YES
Sample ID			
Tested 10/23/23			
Tester JENC			
Recorded 10/23/23			
APPEARANCE AND COLOR	CLEAR LIQUID APPEARANCE		PASS
Sample ID			
Tested 10/23/23			
Tester JENC			
Recorded 10/23/23			
INSTRUMENTS USED DURING	INSTRUMENT		GC,T-246,M55,BID06419,PIDM
PREPARATION			91
Sample ID			
Tested 10/23/23			
Tester JENC			
Recorded 10/23/23			



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 10/23/23 at 8:12 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

SHELF LIFE

2 YEARS
TIME

2 YEARS

Sample ID
Tested 10/23/23
Tester JENC
Recorded 10/23/23

EXPIRATION DATE

MM/DD/YYYY
MM/DD/YYYY

10/30/2025

Sample ID
Tested 10/23/23
Tester JENC
Recorded 10/23/23

Lot # 3101802
Made 10/23/23

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Quality Manager