



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 8625			
SODIUM HYDROXIDE 0.1 NORMAL NIST TRACEABLE			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID			
Tested 10/24/23			
Tester MHUS			
Recorded 10/24/23			
<b>SAMPLE COLLECTION &amp; HANDLING PER LAB040</b>	YES		YES
Sample ID			
Tested 10/24/23			
Tester MHUS			
Recorded 10/24/23			
<b>DATE OF SAMPLING FOR TEST PURPOSES</b>	MM/DD/YYYY		10/24/2023
Sample ID			
Tested 10/24/23			
Tester MHUS			
Recorded 10/24/23			
<b>AMBIENT TEMPERATURE DURING SAMPLING DEGC</b>	25.0	10.0 - 35.0	25.0
Sample ID			
Tested 10/24/23			
Tester MHUS			
Recorded 10/24/23			
<b>DATE OF TESTING OF SAMPLE</b>	MM/DD/YYYY		10/24/2023
Sample ID			
Tested 10/24/23			
Tester MHUS			
Recorded 10/24/23			
<b>AMBIENT TEST TEMPERATURE DEGC</b>	20.0	15.0 - 30.0	22.0
Sample ID			
Tested 10/24/23			
Tester MHUS			
Recorded 10/24/23			
<b>Actual Normality</b>	0.1000	0.0995 - 0.1005	0.1001
	EQ/L		
Sample ID			
Tested 10/24/23			
Tester MHUS			
Recorded 10/24/23			
<b>QCSP7: STANDARDIZATION OF AQUEOUS BASES</b>	YES		YES
	METHOD		
Sample ID			
Tested 10/24/23			
Tester MHUS			
Recorded 10/24/23			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>N.I.S.T. Traceable to SRM 84 (KHP)</b>	YES	YES
	YES	
Sample ID		
Tested	10/24/23	
Tester	MHUS	
Recorded	10/24/23	
<b>APPEARANCE AND COLOR</b>	<b>CLEAR WATER WHITE</b>	<b>PASS</b>
	<b>LIQUID</b>	
	<b>APPEARANCE</b>	
Sample ID		
Tested	10/24/23	
Tester	MHUS	
Recorded	10/24/23	
<b>Actual Density</b>	<b>1.00279</b>	<b>1.00255 - 1.00303</b>
	<b>GM/ML</b>	
Sample ID		
Tested	10/24/23	
Tester	MHUS	
Recorded	10/24/23	
<b>INSTRUMENTS USED DURING PREPARATION</b>	<b>INSTRUMENT</b>	<b>M113,TIV,M55,M91,BID3902,TI D41123</b>
Sample ID		
Tested	10/24/23	
Tester	MHUS	
Recorded	10/24/23	
<b>EXPIRATION DATE</b>	<b>MM/DD/YY</b>	<b>10/30/25</b>
	<b>MM/DD/YYYY</b>	
Sample ID		
Tested	10/24/23	
Tester	MHUS	
Recorded	10/24/23	
<b>SHELF LIFE OF PRODUCT</b>	<b>2 YEARS</b>	<b>2 YEARS</b>
	<b>TIME</b>	
Sample ID		
Tested	10/24/23	
Tester	MHUS	
Recorded	10/24/23	
<b>Lot #</b>	3102347	
<b>Made</b>	10/24/23	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 10/24/23 at 5:06 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**