Printing date 12/29/2023

Reviewed on 12/29/2023

Product identifier		
Trade name: Iodide Sta in Acetic		
Article number: LY514		
Details of the supplier of		
Manufacturer/Supplier		0110
Aqua Solutions, Inc. 6913 Highway 225		SOLUTIONS
DEER PARK, TX 77536	5	
USA		
800-256-2586		
Information department Technical Coordinator	ıt:	
Sherman Nelson sherma	ann@aquasolutions.org	
Emergency telephone n	number:	
Chemtrec: 800-424-930 Canutec: 613-996-6666		
	·	
Hazard(s) identifica	anon	
Classification of the su	bstance or mixture	
GHS02 Flam	e	
	e H226 Flammable liquid and vapor.	
Flammable Liquids 3	H226 Flammable liquid and vapor.	
	H226 Flammable liquid and vapor.	
Flammable Liquids 3	H226 Flammable liquid and vapor.	e damage.
Flammable Liquids 3 GHS05 Corre Skin Corrosion 1A	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey	e damage.
Flammable Liquids 3	H226 Flammable liquid and vapor.	e damage.
Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey	e damage.
Flammable Liquids 3 GHS05 Corre Skin Corrosion 1A	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey	e damage.
Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey	e damage.
Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage.	-
Flammable Liquids 3 Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derman Sensitization - Skin 1 Label elements	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin react	tion.
Flammable Liquids 3 Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Dermal Sensitization - Skin 1 Label elements GHS label elements Th	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin react	tion.
Flammable Liquids 3 Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derman Sensitization - Skin 1 Label elements	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin react	tion.
Flammable Liquids 3 Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Dermal Sensitization - Skin 1 Label elements GHS label elements Th	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin react	tion.
Flammable Liquids 3 Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Dermal Sensitization - Skin 1 Label elements GHS label elements Th	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin react	tion.
Flammable Liquids 3 Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derman Sensitization - Skin 1 Label elements GHS label elements Th Hazard pictograms	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin react	tion.
Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derman Sensitization - Skin 1 Label elements GHS label elements Th Hazard pictograms GHS02 GHS05 G	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin react e product is classified and labeled accordu	-
Flammable Liquids 3 Flammable Liquids 3 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derman Sensitization - Skin 1 Label elements GHS label elements Th Hazard pictograms	H226 Flammable liquid and vapor. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin react e product is classified and labeled accordu	tion.

Printing date 12/29/2023

Reviewed on 12/29/2023

Trade name: Iodide Standard 10.0 ppb w/v in Acetic Acid

(Contd. of page 1)
· Hazard statements
Flammable liquid and vapor.
Harmful in contact with skin.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3
Fire = 2
3 0 Reactivity = 0
• HMIS-ratings (scale 0 - 4)
HEALTH 3 $Health = 3$
FIRE 2 $Fire = 2$
REACTIVITY O Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
• PBT : Not applicable.
• vPvB: Not applicable.
3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Printing date 12/29/2023

Reviewed on 12/29/2023

Trade name: Iodide Standard 10.0 ppb w/v in Acetic Acid

(Contd. of page 2)

100.0%

· Dangerous components:

CAS: 64-19-7 Acetic Acid, Glacial

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. (Contd. on page 4)

Printing date 12/29/2023

Reviewed on 12/29/2023

Trade name: Iodide Standard 10.0 ppb w/v in Acetic Acid

· Protective Action	Criteria for Chemicals	(Contd. of page 3
· PAC-1:		
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm
CAS: 7681-82-5	Sodium Iodide	13 mg/m ³
· PAC-2:		
CAS: 64-19-7	Acetic Acid, Glacial	35 ppm
CAS: 7681-82-5	Sodium Iodide	140 mg/m ³
· PAC-3:		
CAS: 64-19-7	Acetic Acid, Glacial	250 ppm
CAS: 7681-82-5	Sodium Iodide	860 mg/m ³

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- $\cdot \textit{Further information about storage conditions: Keep receptacle tightly sealed.}$
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 64-19-7 Acetic Acid, Glacial

- PEL Long-term value: 25 mg/m³, 10 ppm
- REL Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
- *TLV* Short-term value: 15 ppm Long-term value: 10 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

(Contd. on page 5)

[–] US

Printing date 12/29/2023

Reviewed on 12/29/2023

Trade name: Iodide Standard 10.0 ppb w/v in Acetic Acid

(Contd. of page 4)

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Pungent	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	2.5	
Change in condition		
Melting point/Melting range:	16.6 °C (61.9 °F)	
Boiling point/Boiling range:	118 °C (244.4 °F)	
Flash point:	40 °C (104 °F)	
Flammability (solid, gaseous):	Flammable.	
Auto igniting:	485 °C (905 °F)	
Decomposition temperature:	Not determined.	

Printing date 12/29/2023

Reviewed on 12/29/2023

Trade name: Iodide Standard 10.0 ppb w/v in Acetic Acid

	(Contd. of page 3
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	4 Vol %
Upper:	17 Vol %
Vapor pressure at 20 °C (68 °F):	16 hPa (12 mm Hg)
Density at 20 °C (68 °F):	1.053 g/cm ³ (8.78729 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
<i>Dynamic at 20 •C (68 •F):</i>	1.24 mPas
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100.0 %
VOC content:	100.00 %
	1,053.0 g/l / 8.79 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 1,060 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

(Contd. on page 7)

US

Printing date 12/29/2023

Reviewed on 12/29/2023

Trade name: Iodide Standard 10.0 ppb w/v in Acetic Acid

(Contd. of page 6)

- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 8)

Printing date 12/29/2023

Reviewed on 12/29/2023

Trade name: Iodide Standard 10.0 ppb w/v in Acetic Acid

(Contd. of page 7)

TINT NT	
UN-Number DOT, IMDG, IATA	UN2789
UN proper shipping name	
DOT	Acetic acid solution
IMDG, IATA	ACETIC ACID SOLUTION
Transport hazard class(es)	
DOT	
CORROSIVE PLANMABLE LIQUID	
8	
Class	8 Corrosive substances
Label	<i>8, 3</i>
IMDG	
Class	8 Corrosive substances
Label	8/3
ΙΑΤΑ	
Class	8 Corrosive substances
Label	8 (3)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	83
EMS Number:	F-E,S-C
Segregation groups	(SGG1) Acids
Stowage Category	A SC26 Stow "appropriated from" SCC18 alkalia
Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
	5677 Slow separated from 5000-cyanates
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
	On passenger aircraft/rail: 1 L
Quantity limitations	

Printing date 12/29/2023

Reviewed on 12/29/2023

Trade	name:	Iodide	Standard	10.0 ppb w/v	
		in Ace	tic Acid		

	(Contd. of page 8)
· IMDG	11.
· Limited quantities (LQ) · Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
• UN ''Model Regulation'':	UN 2789 ACETIC ACID SOLUTION, 8 (3), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
Acetic Acid, Glacial	ACTIVE
Sodium Iodide	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

— US —

Printing date 12/29/2023

Reviewed on 12/29/2023

Trade name: Iodide Standard 10.0 ppb w/v in Acetic Acid

	(Contd. of page
Hazard pictograms	
$\bigwedge \land \land$	
$\langle \langle \langle \rangle \rangle \langle \overline{\langle \omega \rangle} \rangle \langle \langle $	
$\nabla \vee \nabla$	
GHS02 GHS05 GHS07	
Signal word Danger	
Hazard-determining components of labeling:	
Acetic Acid, Glacial	
Hazard statements	
Flammable liquid and vapor.	
Harmful in contact with skin.	
Causes severe skin burns and eye damage.	
May cause an allergic skin reaction.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/sho	wer.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pre-	sent and easy to d
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	itions.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- · Date of preparation / last revision
- Revision 0.0, 12-29-2023: creation date for SDS STN/CMC 12/29/2023

(Contd. on page 11)

Printing date 12/29/2023

Reviewed on 12/29/2023

Trade name: Iodide Standard 10.0 ppb w/v in Acetic Acid

	(Contd. of page 10
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 3: Flammable liquids – Category 3	
Acute Toxicity - Dermal 4: Acute toxicity – Category 4	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Sensitization - Skin 1: Skin sensitisation – Category 1	