Printing date 11/17/2023

Reviewed on 11/17/2023

Product identifier Troduct identifier Troduct identifier Product identifier Variale admer: H-607 Details of the sapplier of the safety data sheet Manufacturer/Supplier: Agas Solutions, Inc. Spials of the sapplier of the safety data sheet Manufacturer/Supplier: Agas Solutions, Inc. Spials of the sampler of the safety data sheet Manual Solutions, Inc. Spials of the sampler of the safety data sheet Manual Solutions, Inc. Spials of the sampler of the safety data sheet Manual Solutions, Inc. Spials of the sampler of the safety data sheet Manual Solutions, Inc. Spials of the substance or mixture Scale Control Solutions Caute: Colicity - Oral 3 Harden Solutions 3 H311 Toxic if swallowed. Kaute Toxicity - Oral 3 Harden Coracity - Single Exposure 1 Marce Organ Toxicity - Single Exposure 1 Marce Hements Subsol Elements Marce Hements Marce Hements Marce Hements Marce Organ Toxicity - Single Exposure 1	nting date 11/17/2023	Reviewed on 11/17/20
Trade name: Ferrozine 0.1% w/v in Methanol Arricle number: M-607 Details of the sappier of the safety data sheet Manufacturer/Supplier: Agaa Solutions, Inc. Splat Highway 225 DEER PARK, TX 77336 USA SW0-256-2586 Information department: Rechnical Coordinator Sherman Nelson shermann@ aquasolutions.org Emergency telephone number: Charactelly) identification Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture Vor GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. Vor GHS06 Skull and crossbones Acute Toxicity - Oral 3 H301 Toxic if swallowed. Acute Toxicity - Dermal 3 H311 Toxic in contact with skin. Acute Toxicity - Inholation 3 H321 Toxic if inhaled. Vor GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and visual organs. Label elements Stabel elements Miss Label elements GHS06 GHS06	Identification	
In Methanol Vrticle number: M-607 Details of the supplier of the safety data sheet ManufacturerSupplier: Apua Solutions, Inc. Apua Solutions, Inc. Spi 31 Highway 225 DEER PARK, TX 77536 USA Sub-256-2586 Information department: Technical Coordinator Sherman Nelson shermann Reaquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Caute: (513-996-6666 Hazard(s) identification Caute: (513-996-6666 Hazard(s) identification Classification of the substance or mixture Image: GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. Image: GHS06 Skull and crossbones Acute Toxicity - Oral 3 H301 Toxic if swallowed. Acute Toxicity - Inhalation 3 H331 Toxic if inhaled. Image: GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and visual organs. Label elements GHS08 Hated elements GHS08 GHS09 GHS08 Signal word Danger Hazard dete	Product identifier	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. Image: Construct of the safety data sheet Manufacturer/Supplier: System System Image: Construct of the substance of mixture System Image: Construct of the substance or mixture Chemre: Construct of the substance or mixture Out: Image: Construct of the substance or mixture Out: Construct of the substance or mixture Cout: Cont	Trade name: <u>Ferrozine 0.1% w/v</u> in Methanol	
Manufacturer:Supplier: Aqua Solutions, Inc. Systems SUSA S00-256-2586 Information department: Fechnical Coordinator Sherman Nelson shermann@aquasolutions.org Smergency telephone number: Chemiter: 800-244-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture Classification of the substance or mixture Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and visual organs. Classification organs. Classif	Article number: M-607	
Aqua Solutions, Inc. 5913 Highway 225 DER PARK, TX 77536 USA Store The Constant of Section 1990-6666 Forman Network shermann@ aquasolutions.org Emergency telephone number: Chemice: 800-424-9300 Canutee: 613-990-6666 Flactard(s) identification Classification of the substance or mixture Comments: 618-990-6666 Flactard(s) identification Classification of the substance or mixture Comments: 618-990-6666 Flactard Toxicity - Oral 3 H301 Toxic if swallowed. Acute Toxicity - Oral 3 H301 Toxic if swallowed. Acute Toxicity - Oral 3 H301 Toxic if inhaled. Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and visual organs. Cabel elements Flastabel elements Flastabel elements The product is classified and labeled according to the Globalty Harmonized System (GH. Harard picograms Flastard picograms Figual word Damger Harard-determining components of labeling: Wethanol	Details of the supplier of the safety data sheet	
SOLUTIONS SOLUTIONS SDEER PARK, TX 77536 SM SOCORIMATE SPECTION OF CONTRACT OF CONTRACT OF CONTRACT OF CONTRACT SPECTION OF CONTRACT		
DEER PARK, TX 77536 USA S00-250-2586 Information department: Technical Coordinator Sherman Neison shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture	A	SOLUTIONS
800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Cantee: 613-996-6666 Hazard(s) identification Classification of the substance or mixture	DEER PARK, TX 77536	
Information department: Fechnical Coordinator Sherman Nelson shermann@aquasolutions.org Shermann Nelson shermann Shermann Nelson shermann Shermann Shermann Shermann Shermann Shermann Shermann Shermann Shermann Shermannn Shermannn Shermann Shermann Shermann Shermann Sherm	USA	
Ferebraical Coordinator Sherman Nelson sherman@aquasolutions.org Sherragency telephone number: Chemtree: 800-424-9300 Canute: 613-996-6666 Hazard(s) identification Classification of the substance or mixture Image: Classification of the substance Classification of the substance or mixture Image: Classification of the substance Classification of the substance Classification of the substance Classification of the substance State of the substance Classe dements The product	800-256-2586	
Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture	Information department:	
Emergency telephone number: Chemtre: 800-424-9300 Canuec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture for an analysis of the for an an analysis of the for an analy		
Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture		
Canutee: 613-996-6666 Hazard(s) identification Classification of the substance or mixture	<i>Chemtrec: 800-424-9300</i>	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. Flammable Harded H200 H200 H200 H200 H200 H200 H200 H20	Canutec: 613-996-6666	
Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and visual organs. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GH: Hazard pictograms GHS02 GHS06 GHS08 Signal word Danger Hazard-determining components of labeling: Methanol	Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
visual organs. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GH. Hazard pictograms GHS02 GHS06 GHS08 Signal word Danger Hazard-determining components of labeling: Methanol	GHS08 Health hazard	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GH. Hazard pictograms GHS02 GHS06 GHS08 Signal word Danger Hazard-determining components of labeling: Methanol	Specific Target Organ Toxicity - Single Exposure	
S ignal word Danger Hazard-determining components of labeling: Methanol	Label elements GHS label elements The product is classified and Hazard pictograms	labeled according to the Globally Harmonized System (GHS).
Hazard-determining components of labeling: Methanol	GHS02 GHS06 GHS08	
Methanol	Signal word Danger	
Methanol	Hazard-determining components of labeling:	
	Methanol	(Contd. on page

Printing date 11/17/2023

Reviewed on 11/17/2023

Trade name: Ferrozine 0.1% w/v in Methanol

Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to the central nervous system and the visual organs. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.	
Toxic if swallowed, in contact with skin or if inhaled. Causes damage to the central nervous system and the visual organs. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Causes damage to the central nervous system and the visual organs. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventitated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	5.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 2	
$\frac{3}{Fire = 3}$	
$\frac{2}{Reactivity} = 0$	
HMIS-ratings (scale 0 - 4)	
HEALTH ^{*2} $Health = *2$	
FIRE 3 $Fire = 3$	
REACTIVITY O Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
Composition/information on ingredients	

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

(Contd. on page 3)

99.874%

(Contd. of page 2)

0.126%

Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2023

Reviewed on 11/17/2023

Trade name: Ferrozine 0.1% w/v in Methanol

· Table of Nonhazardous Ingredients

CAS: 28048-33-1 Ferrozine

Disodium 4,4'-[3-(Pyridin-2-yl)-1,2,4-Triazine-5,6-Diyl]bis(Benzenesulphonate)

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation. • **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

⁻ U

Printing date 11/17/2023

Reviewed on 11/17/2023

Trade name: Ferrozine 0.1% w/v in Methanol

· Protective Action Criteria for Chemicals	(Contd. of page 3)
· PAC-1:	
CAS: 67-56-1 Methanol	530 ppm
· PAC-2:	
CAS: 67-56-1 Methanol	2,100 ppm
· PAC-3:	
CAS: 67-56-1 Methanol	7200* ppm

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

-	· Control parameters
---	----------------------

· Com	ponents with limit values that require monitoring at the workplace:
CAS:	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
· Ingre	edients with biological limit values:
CAS:	: 67-56-1 Methanol
	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)
	(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

• Additional information: The lists that were valid during the creation were used as basis.

Printing date 11/17/2023

Reviewed on 11/17/2023

Trade name: Ferrozine 0.1% w/v in Methanol

• Exposure controls • Personal protective equipment:	
• General protective and hygienic me	asures.
Keep away from foodstuffs, beverage	
Immediately remove all soiled and c	
Wash hands before breaks and at the	
Store protective clothing separately.	
Avoid contact with the eyes and skin	
• Breathing equipment:	
	lution use respiratory filter device. In case of intensive or longer exposure use
respiratory protective device that is	independent of circulating air.
· Protection of hands:	
Protective gloves	
The alove material has to be imperm	neable and resistant to the product/ the substance/ the preparation.
	ation to the glove material can be given for the product/ the preparation.
chemical mixture.	
Selection of the glove material on co	onsideration of the penetration times, rates of diffusion and the degradation
· Material of gloves	
	does not only depend on the material, but also on further marks of quality an
The selection of the suitable gloves of	
The selection of the suitable gloves a varies from manufacturer to manufa	cturer. As the product is a preparation of several substances, the resistance of
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula	
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material	
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a	cturer. As the product is a preparation of several substances, the resistance of
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has observed.	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application.
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application.
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has observed.	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application.
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has observed. • Eye protection:	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application.
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has observed.	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application.
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has observed. • Eye protection:	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application.
 The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calculated. Penetration time of glove material. The exact break through time has a observed. Eye protection: Tightly sealed goggles 	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has observed. • Eye protection:	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b
 The selection of the suitable gloves of varies from manufacturer to manufathe glove material can not be calculated. Penetration time of glove material. The exact break through time has a observed. Eye protection: Tightly sealed goggles Body protection: Protective work closed. 	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b othing
 The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calculated. Penetration time of glove material. The exact break through time has a observed. Eye protection: Tightly sealed goggles 	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b othing
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a observed. • Eye protection: • Eye protection: • Body protection: Protective work close • Body protection: Protective work close • Physical and chemical proper • Information on basic physical and compared the suitable of the suitable glove and the suita	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b othing
The selection of the suitable gloves of varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Body protection: Protective work close • Physical and chemical proper • Information on basic physical and of • General Information	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b othing
The selection of the suitable gloves of varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Body protection: Protective work close 9 Physical and chemical proper • Information on basic physical and of General Information • Appearance:	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to be othing ties chemical properties
The selection of the suitable gloves of varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Body protection: Protective work close • Physical and chemical proper • Information on basic physical and of • General Information	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to be othing
The selection of the suitable gloves of varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Body protection: Protective work close 9 Physical and chemical proper • Information on basic physical and of General Information • Appearance:	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to be othing ties chemical properties
The selection of the suitable gloves of varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Body protection: Protective work close 9 Physical and chemical proper • Information on basic physical and of • General Information • Appearance: Form:	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b othing ties chemical properties Liquid Colorless
The selection of the suitable gloves of varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a observed. • Eye protection: • Tightly sealed goggles • Body protection: Protective work close 9 Physical and chemical proper • Information on basic physical and a • General Information • Appearance: Form: Color:	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to be othing the second secon
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Body protection: Protective work close 9 Physical and chemical proper • Information on basic physical and a • General Information • Appearance: Form: Color: • Odor threshold:	acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b othing ties chemical properties Liquid Colorless
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has observed. • Eye protection: • Tightly sealed goggles • Body protection: Protective work cla 9 Physical and chemical proper • Information on basic physical and a • General Information • Appearance: • Form: Color: • Odor threshold: • pH-value:	ecturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b othing the second secon
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has a observed. • Eye protection: • Eye protection: • Tightly sealed goggles • Body protection: Protective work cla 9 Physical and chemical proper • Information on basic physical and a • General Information • Appearance: • Form: Color: • Odor threshold: • pH-value: • Change in condition	ecturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b othing cties chemical properties Liquid Colorless Alcohol Not determined. Not determined.
The selection of the suitable gloves a varies from manufacturer to manufa the glove material can not be calcula • Penetration time of glove material The exact break through time has observed. • Eye protection: • Tightly sealed goggles • Body protection: Protective work cla 9 Physical and chemical proper • Information on basic physical and a • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value:	ecturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application. to be found out by the manufacturer of the protective gloves and has to b othing tries chemical properties Liquid Colorless Alcohol Not determined.

(Contd. on page 6)

US

Printing date 11/17/2023

Reviewed on 11/17/2023

Trade name:	Ferrozine 0.1% w/v		
in Methanol			

	(Contd. of page 5
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
• Auto igniting:	455 °C (851 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
• Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 •C (68 •F):	128 hPa (96 mm Hg)
• Density at 20 •C (68 •F):	0.79176 g/cm³ (6.60724 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	99.9 %
VOC content:	99.87 %
	790.8 g/l / 6.60 lb/gal
Solids content:	0.1 %
• Other information	No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 11/17/2023

Reviewed on 11/17/2023

Trade name: Ferrozine 0.1% w/v in Methanol

(Contd. of page 6)

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
Oral	LD50	100 mg/kg	
Dermal	LD50	300 mg/kg	

Inhalative LC50/4h 3 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available.}$
- \cdot **Mobility in soil** No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

US

Printing date 11/17/2023

Trade name: Ferrozine 0.1% w/v in Methanol Reviewed on 11/17/2023

(Contd. of page 7)

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)
Transport hazard class(es)	
DOT	
RAMMARE LOOD	
Class	3 Flammable liquids
Label	3
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	B SW2 Clean of living suggeons
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L

ACTIVE

ACTIVE

Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2023

Reviewed on 11/17/2023

Trade name: Ferrozine 0.1% w/v in Methanol

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol

• **TSCA** (**Toxic Substances Control Act**): Methanol

Ferrozine

Disodium 4,4'-[3-(*Pyridin*-2-yl)-1,2,4-*Triazine*-5,6-*Diyl*]*bis*(*Benzenesulphonate*)

· Hazardous Air Pollutants

CAS: 67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Printing date 11/17/2023

Reviewed on 11/17/2023

Trade name: Ferrozine 0.1% w/v in Methanol

· Signal word Danger	(Contd. of page 9)
• Hazard-determining components of labeling:	
Methanol	
· Hazard statements	
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes damage to the central nervous system and the visual organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	<i>i.</i>
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision: • Date of preparation / last revision Creation date for SDS 11-17-2023. CMC/STN 11/17/2023
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

(Contd. on page 11)

Printing date 11/17/2023

Reviewed on 11/17/2023

Trade name: Ferrozine 0.1% w/v in Methanol

(Contd. of page 10)

US

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1