Printing date 11/14/2023 Reviewed on 11/14/2023

1 Identification

· Product identifier

· Trade name: Nickel 10 PPM, Copper 20 PPM, Lead 40 PPM

Aqueous

· Article number: ODP140S1

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0
 Fire = 0
 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 7697-37-2 Nitric Acid

0.392%

(Contd. on page 2)

Printing date 11/14/2023 Reviewed on 11/14/2023

Trade name: Nickel 10 PPM, Copper 20 PPM, Lead 40 PPM

Aqueous

(Contd. of page 1)

· Table of Nonhaza	· · · · · · · · · · · · · · · · · · ·	ita. or page 1)
CAS: 7732-18-5	Water	99.593%
CAS: 19004-19-4	Cupric Nitrate Hydrate	0.007%
CAS: 10099-74-8	Lead Nitrate	0.006%
CAS: 7440-02-0	Nickel Metal	0.001%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

1 rolective riction C	iteria for Chemicais	
· PAC-1:		
CAS: 7697-37-2 N	^l itric Acid	0.16 ppm
CAS: 19004-19-4 (Supric Nitrate Hydrate	42 mg/m³
CAS: 10099-74-8 I	ead Nitrate	0.24 mg/m ³
CAS: 7440-02-0 N	ickel Metal	$4.5 mg/m^3$
· PAC-2:		
CAS: 7697-37-2 N	^l itric Acid	24 ppm
CAS: 19004-19-4 (Supric Nitrate Hydrate	150 mg/m ³
•		(Contd. on page 3

Printing date 11/14/2023 Reviewed on 11/14/2023

Trade name: Nickel 10 PPM, Copper 20 PPM, Lead 40 PPM Aqueous

CAS:	10099-74-8	Lead Nitrate	Contd. of page 2) 180 mg/m ³
CAS:	7440-02-0	Nickel Metal	50 mg/m ³
· PAC	-3:		
	7697-37-2		92 ppm
CAS:	19004-19-4	Cupric Nitrate Hydrate	240 mg/m³
CAS:	10099-74-8	Lead Nitrate	$1,100 \ mg/m^3$
CAS:	7440-02-0	Nickel Metal	99 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
CAS.	: 7697-37-2 Nitric Acid
PEL	Long-term value: 5 mg/m³, 2 ppm
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
TLV	Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor, NIC-A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 11/14/2023 Reviewed on 11/14/2023

Trade name: Nickel 10 PPM, Copper 20 PPM, Lead 40 PPM Aqueous

(Contd. of page 3)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

Information on basic physical and c	rhemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.00153 g/cm³ (8.35777 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	99.6 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	

(Contd. on page 5)

Printing date 11/14/2023 Reviewed on 11/14/2023

Trade name: Nickel 10 PPM, Copper 20 PPM, Lead 40 PPM Aqueous

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

LD/LC50	values	that are	relevant	for	classi	fication:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 765 mg/l

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

,	nal Agency for Research on Cancer)	
CAS: 10099-74-8	Lead Nitrate	2A
CAS: 7440-02-0	Nickel Metal	2B
,	oxicology Program)	
CAS: 10099-74-8	Lead Nitrate	R
CAS: 7440-02-0	Nickel Metal	R
· OSHA-Ca (Occup	oational Safety & Health Administration)	
None of the ingred	lients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

Printing date 11/14/2023 Reviewed on 11/14/2023

Trade name: Nickel 10 PPM, Copper 20 PPM, Lead 40 PPM Aqueous

(Contd. of page 5)

- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- \cdot **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:

14 Transport information

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, IATA	Not regulated	
\cdot <i>IMDG</i>	Not Regulated	
	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	

Not applicable.

Not applicable.

Not regulated

15 Regulatory information

· UN "Model Regulation":

· Special precautions for user

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

CAS: 7697-37-2 Nitric Acid

(Contd. on page 7)

Printing date 11/14/2023 Reviewed on 11/14/2023

Trade name: Nickel 10 PPM, Copper 20 PPM, Lead 40 PPM Aqueous

		(Contd. of pag
_	ific toxic chemical listings):	
	Nitric Acid	
CAS: 10099-74-8		
CAS: 7440-02-0		
•	stances Control Act):	
Water		ACTI
Nitric Acid		ACTI
Lead Nitrate		ACTIV
Nickel Metal		ACTIV
Hazardous Air Po		
CAS: 10099-74-8	Lead Nitrate	
Proposition 65		
Chemicals known		
CAS: 10099-74-8		
CAS: 7440-02-0	Nickel Metal	
	to cause reproductive toxicity for females:	
None of the ingred	lients is listed.	
Chemicals known	to cause reproductive toxicity for males:	
None of the ingred	lients is listed.	
Chemicals known	to cause developmental toxicity:	
None of the ingred	lients is listed.	
Carcinogenic cate	egories	
EPA (Environme	ntal Protection Agency)	
CAS: 10099-74-8	Lead Nitrate	i
TLV (Threshold I	Limit Value)	
CAS: 10099-74-8	Lead Nitrate	1
CAS: 7440-02-0	Nickel Metal	1
WORK G OV.	onal Institute for Occupational Safety and Health)	
NIOSH-Ca (Natio	Nickel Metal	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Hazard statements Not Applicable

· Date of preparation / last revision Revision 0.1, 11-14-2023: Updated Product Description. CMC/STN

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

Printing date 11/14/2023 Reviewed on 11/14/2023

Trade name: Nickel 10 PPM, Copper 20 PPM, Lead 40 PPM Aqueous

(Contd. of page 7)

11/14/2023

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

* Data compared to the previous version altered.

us ·