Printing date 11/09/2023

Reviewed on 11/09/2023


## **1** Identification

- · Product identifier
- · Trade name: Method 21 Level 2 Standard
- · Article number: ARL026
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator
   Sherman Nelson shermann@aquasolutions.org
   Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

## 2 Hazard(s) identification



(Contd. on page 2)

<sup>–</sup> US

Printing date 11/09/2023

Reviewed on 11/09/2023

## Trade name: Method 21 Level 2 Standard

· Signal word Danger	(Contd. of page 1)
· Hazard-determining components of labeling:	
Cyclohexane	
cycloocta-1,5-diene	
4-Vinyl-1-Cyclohexene	
octane	
· Hazard statements	
Highly flammable liquid and vapor.	
Toxic if swallowed.	
Causes skin irritation.	
Suspected of causing cancer.	
May cause drowsiness or dizziness.	
May be fatal if swallowed and enters airways.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/sho	)wpr
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	ations
· Classification system:	110115.
· NFPA ratings (scale 0 - 4)	
111 111 ruungs (seure 0 - 4)	
Health = 2	
Fire = $3$	
<b>2 0</b> Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 2 $Health = 2$	
FIRE 3 Fire = 3	
<b>REACTIVITY</b> $\bigcirc$ Reactivity = 0	

(Contd. on page 3) US

(Contd. of page 2)

80.0%

10.0%

5.0%

5.0%

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2023

Reviewed on 11/09/2023

#### Trade name: Method 21 Level 2 Standard

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

## **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 110-82-7 Cyclohexane

CAS: 111-65-9 octane

CAS: 100-40-3 4-Vinyl-1-Cyclohexene

CAS: 111-78-4 cycloocta-1,5-diene

#### 4 First-aid measures

#### · Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
   Environmental precautions:
- Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

<sup>-</sup> US

Printing date 11/09/2023

Reviewed on 11/09/2023

Trade name: Method 21 Level 2 Standard	Trade	name:	Method	21	Level	2	Standard
--	-------	-------	--------	----	-------	---	----------

• Methods and m	naterial for containment and cleaning up:	(Contd. of page
	uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	ninated material as waste according to section 13.	
Ensure adequa		
· Reference to ot		
•	or information on safe handling.	
	or information on personal protection equipment.	
	for disposal information.	
	on Criteria for Chemicals	
· PAC-1:		
CAS: 110-82-7	Cyclohexane	300 ppn
CAS: 111-65-9	octane	230 ppn
CAS: 100-40-3	4-Vinyl-1-Cyclohexene	0.3 ppm
CAS: 111-78-4	cycloocta-1,5-diene	1.8 ppm
· PAC-2:		
CAS: 110-82-7	Cyclohexane	1700* ppr
CAS: 111-65-9	octane	385 ppm
CAS: 100-40-3	4-Vinyl-1-Cyclohexene	210 ppm
CAS: 111-78-4	cycloocta-1,5-diene	19 ppm
• PAC-3:		
CAS: 110-82-7	Cyclohexane	10000** ppn
CAS: 111-65-9	octane	5000** ppm
CAS: 100-40-3	4-Vinyl-1-Cyclohexene	340 ppm
CAS: 111-78-4	cycloocta-1,5-diene	120 ppm

## 7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. • **Specific end use(s)** No further relevant information available.

(Contd. on page 5)

Printing date 11/09/2023

Reviewed on 11/09/2023

Trade name: Method 21 Level 2 Standard

(Contd. of page 4)

· Addit	ional information about design of technical systems: No further data; see section 7.
	ol parameters
	on parameters onents with limit values that require monitoring at the workplace:
	ollowing constituents are the only constituents of the product which have a PEL, TLV or other recommen
	ure limit.
	s time, the remaining constituent has no known exposure limits.
	110-82-7 Cyclohexane
PEL	Long-term value: 1050 mg/m <sup>3</sup> , 300 ppm
REL	Long-term value: 1050 mg/m <sup>3</sup> , 300 ppm
TLV	Long-term value: 100 ppm BEI
CAS:	111-65-9 octane
PEL	Long-term value: 2350 mg/m <sup>3</sup> , 500 ppm n-Octane only
REL	Long-term value: 350 mg/m <sup>3</sup> , 75 ppm
	Ceiling limit value: 1800* mg/m <sup>3</sup> , 385* ppm
TIV	*15 min
TLV	Long-term value: 300 ppm
	100-40-3 4-Vinyl-1-Cyclohexene
TLV	Long-term value: 0.1 ppm A3
WEFT	
	L Long-term value: 4.4 mg/m <sup>3</sup> , 1 ppm
-	dients with biological limit values:
	110-82-7 Cyclohexane
	NIC-50 mg/g creatinine
	LD50 Intraperitoneal: - Fime: end of shift at end of workweek
	D50: NIC-1.2-Cyclohexanediol (nonspecific)
	ional information: The lists that were valid during the creation were used as basis.
· Expos	sure controls nal protective equipment:
	nal protective equipment: ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing.
Wash	hands before breaks and at the end of work.
	protective clothing separately.
	contact with the skin.
	contact with the eyes and skin. hing equipment:
	e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure
respir	atory protective device that is independent of circulating air. ction of hands:
ſſ	
	Protective gloves
1115	
11115	

US

## Safety Data Sheet acc. to OSHA HCS

#### Printing date 11/09/2023

Reviewed on 11/09/2023

# (Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Trade name: Method 21 Level 2 Standard

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



\*

Tightly sealed goggles

· Body protection: Protective work clothing

Physical and chemical propert	
Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Organic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	6.4 °C (43.5 °F)
Boiling point/Boiling range:	81 °C (177.8 °F)
Flash point:	-18 °C (-0.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	260 °C (500 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	8.3 Vol %
Vapor pressure at 20 °C (68 °F):	104 hPa (78 mm Hg)
Vapor pressure at 50 °C (122 °F):	335 hPa (251.3 mm Hg)
Density at 20 °C (68 °F):	0.78051 g/cm³ (6.51336 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.

Printing date 11/09/2023

Reviewed on 11/09/2023

#### Trade name: Method 21 Level 2 Standard

		(Contd. of page 6
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water at 20 °C (68 °F):	0.05 g/l	
· Partition coefficient (n-octanol/wo	iter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	90.0 %	
VOC content:	90.00 %	
	702.5 g/l / 5.86 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

## · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 100 mg/kg Inhalative LC50/4h 220 mg/l

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 100-40-3 4-Vinyl-1-Cyclohexene

 $\cdot$  NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

2B

US

Printing date 11/09/2023

Reviewed on 11/09/2023

Trade name: Method 21 Level 2 Standard

(Contd. of page 7)

- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information UN-Number

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name	
·DOT	Flammable liquids, n.o.s. (Cyclohexane, octane, 4-Vinyl-1-
	Cyclohexene, cycloocta-1,5-diene)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Cyclohexane, octane, 4-Vinyl-1-
	Cyclohexene, cycloocta-1,5-diene)
· Transport hazard class(es)	
DOT	
RLAMMABLE LIQUO	
3	
×	
· Class	3 Flammable liquids
	(Contd. on page 9

Printing date 11/09/2023

Reviewed on 11/09/2023

Trade name: Method 21 Level 2 Standard

	(Contd. of page
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Product contains environmentally hazardous substances
	Cyclohexane
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler cod	
EMS Number:	F-E,S-D
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (CYCLOHEXANI
-	OCTANE, 4-VINYL-1-CYCLOHEXENE, CYCLOOCTA-1,5
	DIENE), 3, II

#### \*

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 110-82-7 Cyclohexane

· TSCA (Toxic Substances Control Act):

Cyclohexane

octane

4-Vinyl-1-Cyclohexene

cycloocta-1,5-diene

ACTIVE (Contd. on page 10)

ACTIVE ACTIVE

ACTIVE

<sup>•</sup> US

Printing date 11/09/2023

Reviewed on 11/09/2023

Trade name: Method 21 Level 2 Standard

(Contd. of page 9)

Ι

A3

· Hazardous Air Pollutants

None of the ingredients is listed. • **Proposition 65** 

• Chemicals known to cause cancer:

CAS: 100-40-3 4-Vinyl-1-Cyclohexene

· Chemicals known to cause reproductive toxicity for females:

CAS: 100-40-3 4-Vinyl-1-Cyclohexene

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 110-82-7 Cyclohexane

· TLV (Threshold Limit Value)

CAS: 100-40-3 4-Vinyl-1-Cyclohexene

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Cyclohexane cycloocta-1,5-diene 4-Vinyl-1-Cyclohexene octane · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed. Causes skin irritation. Suspected of causing cancer. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 11)

<sup>-</sup> US

Printing date 11/09/2023

Reviewed on 11/09/2023

#### Trade name: Method 21 Level 2 Standard

(Contd. of page 10)
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Rinse mouth.
Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF exposed or concerned: Get medical advice/attention.
Call a poison center/doctor if you feel unwell.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department. • Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 0.0, 11-09-2023: creation date for SDS STN/CMC 11/09/2023
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA:** Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Skin Irritation 2: Skin corrosion/irritation – Category 2 Carcinogenicity 2: Carcinogenicity – Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Aspiration Hazard 1: Aspiration hazard - Category 1 • \* Data compared to the previous version altered.