



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: HOE048F			
GUR MID MULTI-ELEMENT STANDARD IN 4% NITRIC ACID (4L)			
Test	Target/UOM	Range	Result
PREPARED TO FORMULATION ON FILE	YES		YES
Sample ID			
Tested 03/21/24			
Tester AROS			
Recorded 03/21/24			
APPEARANCE AND COLOR	CLEAR TO SLIGHT AMBER COLOR APPEARANCE		PASS
Sample ID			
Tested 03/21/24			
Tester AROS			
Recorded 03/21/24			
INSTRUMENTS USED DURING PREPARATION	INSTRUMENT		GC,M108,VF4-N30
Sample ID			
Tested 03/21/24			
Tester JENC			
Recorded 03/21/24			
ALUMINUM MG/L (CALCULATED)	10.000 ± 0.001 MG/L		10.000
Sample ID			
Tested 03/21/24			
Tester JENC			
Recorded 03/21/24			
CALCIUM MG/L (CALCULATED)	20.000 ± 0.001 MG/L		20.000
Sample ID			
Tested 03/21/24			
Tester JENC			
Recorded 03/21/24			
IRON MG/L (CALCULATED)	3.000 ± 0.001 MG/L		3.000
Sample ID			
Tested 03/21/24			
Tester JENC			
Recorded 03/21/24			
MAGNESIUM MG/L (CALCULATED)	7.000 ± 0.001 MG/L (PPM)		7.000
Sample ID			
Tested 03/21/24			
Tester AROS			
Recorded 03/21/24			
TITANIUM MG/L (CALCULATED)	10.000 ± 0.001 MG/L		10.000
Sample ID			
Tested 03/21/24			
Tester AROS			
Recorded 03/21/24			



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

ZINC MG/L (CALCULATED)	30.000 ± 0.001	30.000
	PPM (MG/L)	
Sample ID		
Tested	03/21/24	
Tester	AROS	
Recorded	03/21/24	
EXPIRATION DATE	MM/DD/YYYY	09/30/2024
	MM/DD/YYYY	
Sample ID		
Tested	03/21/24	
Tester	AROS	
Recorded	03/21/24	
Lot #	4030464	
Made	03/21/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Quality Manager