



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: 4835			
IODINE MONOCHLORIDE WIJS SOLUTION AOAC FOR IODINE ABSORPTION			
Test	Target/UOM	Range	Result
TOTAL HALOGEN RATION (I/CL)	1.10	1.00 - 1.20	1.02
	NUMBER		
Sample ID			
Tested 04/15/24			
Tester JENC			
Recorded 04/15/24			
APPEARANCE AND COLOR	BROWN LIQUID APPEARANCE		PASS
Sample ID			
Tested 04/15/24			
Tester JENC			
Recorded 04/15/24			
PREPARED TO AOAC METHOD	YES YES		YES
Sample ID			
Tested 04/15/24			
Tester JENC			
Recorded 04/15/24			
INSTRUMENTS USED DURING PREPARATION	INSTRUMENT		M55,M112,T157MP359,BID064 19
Sample ID			
Tested 04/15/24			
Tester JENC			
Recorded 04/15/24			
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		10/30/25
Sample ID			
Tested 04/15/24			
Tester JENC			
Recorded 04/15/24			
NORMALITY OF PART A	0.2025 EQUIV/LITER	0.2015 - 0.2035	0.2029
Sample ID			
Tested 04/15/24			
Tester JENC			
Recorded 04/15/24			
NORMALITY OF PART A	0.2025 EQUIV/LITER	0.2015 - 0.2035	0.2029
Sample ID			
Tested 04/15/24			
Tester JENC			
Recorded 04/15/24			
NORMALITY OF PART B	0.6275 EQUIV/LITER	0.6050 - 0.6500	0.6144
Sample ID			
Tested 04/15/24			
Tester JENC			
Recorded 04/15/24			



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

Actual Density	1.06118	1.05998 - 1.06238	1.06099
	GM/ML		
Sample ID			
Tested	04/15/24		
Tester	JENC		
Recorded	04/15/24		
Lot #	4032829		
Made	04/15/24		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Quality Manager