



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: E2049			
ERIOCHROME BLACK T INDICATOR GRADE			
Test	Target/UOM	Range	Result
APPEARANCE	BROWNISH-BLACK POWDER		BLACK POWDER
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
INFRARED SPECTRUM	AUTHENTIC		CONFORMS
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
UV SPECTROMETRY	COMPLIES NM		COMPLIES
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
SUITABILITY AS COMPLEXOMETRIC INDICATOR	PASSES PASS		PASSES TEST
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		02/14/28
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
SHELF LIFE OF PRODUCT	SHELF LIFE TIME		5 YEARS
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
Lot #	309411		
Made	04/04/23		

Richard [Signature]

Quality Manager