



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> T8263			
2, 2, 4-TRIMETHYLPENTANE HPLC GRADE (ISO-OCTANE)			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	>= 99.5%		99.90%
	%		
Sample ID			
Tested	09/01/23		
Tester	TBUR		
Recorded	09/01/23		
<b>REFRACTIVE INDEX (20 DEG C)</b>	REFRACT		1.3915
Sample ID			
Tested	09/01/23		
Tester	TBUR		
Recorded	09/01/23		
<b>UV ABS @ 250 NM</b>	</= 0.005 AU		0.0068 AU
	NM		
Sample ID			
Tested	09/01/23		
Tester	TBUR		
Recorded	09/01/23		
<b>UV ABS @ 300 NM</b>	</= 0.005 AU		0.0023 AU
	NM		
Sample ID			
Tested	09/01/23		
Tester	TBUR		
Recorded	09/01/23		
<b>UV CUTOFF</b>	</= 200 NM		190 NM
	NM		
Sample ID			
Tested	09/01/23		
Tester	TBUR		
Recorded	09/01/23		
<b>WATER CONTENT</b>	</= 0.01%		0.003%
	%		
Sample ID			
Tested	09/01/23		
Tester	TBUR		
Recorded	09/01/23		
<b>EXPIRATION DATE</b>	MM/DD/YY		08/06/2024
	MM/DD/YYYY		
Sample ID			
Tested	09/01/23		
Tester	TBUR		
Recorded	09/01/23		
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE		2 YEARS
	TIME		
Sample ID			
Tested	09/01/23		
Tester	TBUR		
Recorded	09/01/23		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 09/01/23 at 10:31 AM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

MANUFACTURE DATE

MM/DD/YY  
MM/DD/YYYY

08/07/2022

Sample ID

Tested 09/01/23

Tester TBUR

Recorded 09/01/23

**Lot #** 324308

**Made** 08/31/23

**Quality Manager**