



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> H1905 HEPTANE LAB GRADE			
<b>SPECIFIC ROTATION [A] AT 25 DEG</b>	0.7223 DEGREES		0.70
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>COLOR</b>	> 28 PT-CO		30
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>ANILINE POINT</b>	PASS ANILINE		PASS
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>AROMATICS, VOL %</b>	PASS VOL%		PASS
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>DISTILLATION TEMP IBP °C</b>	>= 92 TEMP		94
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>DISTILLATION TEMP DP °C</b>	<=100 TEMP		100
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>APPEARANCE AND COLOR</b>	PASSES TEST APPEARANCE		PASSES TEST
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>BROMINE (BR) CONTENT</b>	< = 25 MG BROMINE		4 MG
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 03/29/23 at 1:10 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**DATE OF MANUFACTURE**

DD/MM/YYYY

02/06/23

Sample ID

Tested 03/29/23

Tester TBUR

Recorded 03/29/23

**Lot #** 308708

**Made** 03/28/23

**Quality Manager**