



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Test	Target/UOM	Range	Result
Packaged Product: S2675			
	SODIUM CHLORIDE REAGENT ACS CRYSTAL		
ASSAY OF MATERIAL	>= 99.0%		101.00%
	%		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
PH OF A 5% SOLUTION	5.0 - 9.0 AT 25 DEG C		<5 PPM
	PH		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
INSOLUBLE MATTER	MAX 0.005%		0.0010%
	%		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
IODIDE	MAX 0.002%		<0.0020%
	PPM		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
BROMIDE (BR)	MAX 0.01%		<0.010%
	PPM		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
PHOSPHATE CONTENT	MAX 5 PPM		<5PPM
	PPM		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
SULFATE (SO4) CONTENT	MAX 0.004%		<0.0040%
	MAX 60 MG/KG		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
BARIUM	PASSES TEST		PASS
	BARIUM		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

HEAVY METAL (AS PB)	MAX 5 PPM PPM	<2.0 PPM
Sample ID		
Tested	05/12/23	
Tester	TBUR	
Recorded	05/12/23	
IRON	MAX 2 PPM PPM	<2 PPM
Sample ID		
Tested	05/12/23	
Tester	TBUR	
Recorded	05/12/23	
CALCIUM CONTENT	MAX 0.002% PPM	0.0010%
Sample ID		
Tested	05/12/23	
Tester	TBUR	
Recorded	05/12/23	
MAGNESIUM (MG) CONTENT	MAX 0.001% PPM	<0.0010%
Sample ID		
Tested	05/12/23	
Tester	TBUR	
Recorded	05/12/23	
POTASSIUM CONTENT	MAX 0.005% PPM	0.0020%
Sample ID		
Tested	05/12/23	
Tester	TBUR	
Recorded	05/12/23	
DATE OF MANUFACTURE	DD/MM/YYYY	09/30/22
Sample ID		
Tested	05/12/23	
Tester	TBUR	
Recorded	05/12/23	
Lot #	312303	
Made	05/03/23	

Quality Manager