



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> B7002			
BROMINE REAGENT (160mls = 500gms)			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	MIN 99.5%		>=99.9%
	%		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>APPEARANCE AND COLOR</b>	CLEAR DARK REDDISH-BROWN APPEARANCE		DARK RED-BROWN LIQUID
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>CHLORINE COMPOUNDS (AS CL)</b>	MAX 0.05%		=<0.5%
	PPM		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>HEAVY METAL (AS PB)</b>	MAX 2 PPM		=<1 PPM
	PPM		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>IODINE-CONSUMING SUBSTANCES</b>	MAX 0.001%		=<0.00005%
	%		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>NICKEL (NI) CONTENT</b>	MAX 5 PPM		=<0.02 PPM
	NICKEL		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>SULFUR COMPOUNDS (AS S)</b>	MAX 0.001%		=<0.0005%
	%		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>RESIDUE AFTER EVAPORATION</b>	MAX 0.005%		=<0.0005%
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	03/11/26
Sample ID		
Tested	02/27/23	
Tester	TBUR	
Recorded	02/27/23	
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE TIME	5 YEARS
Sample ID		
Tested	02/27/23	
Tester	TBUR	
Recorded	02/27/23	
<b>Lot #</b>	305412	
<b>Made</b>	02/23/23	

**Quality Manager**