



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: M5000			
METHYL ETHYL KETONE (2-BUTANONE) REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	MIN 99.0%		99.87%
	%		
Sample ID			
Tested	01/20/23		
Tester	TBUR		
Recorded	01/20/23		
COLOR	MAX 15 APHA PT-CO		1 APHA
Sample ID			
Tested	01/20/23		
Tester	TBUR		
Recorded	01/20/23		
TITRABLE ACID	MAX 0.0005 MEQ/G T ACID		0.0001 MEQ/G
Sample ID			
Tested	01/20/23		
Tester	TBUR		
Recorded	01/20/23		
WATER CONTENT	MAX 0.20%		0.02%
	%		
Sample ID			
Tested	01/20/23		
Tester	TBUR		
Recorded	01/20/23		
RESIDUE AFTER EVAPORATION	MAX 0.0025%		0.0000%
Sample ID			
Tested	01/20/23		
Tester	TBUR		
Recorded	01/20/23		
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		10/17/25
Sample ID			
Tested	01/20/23		
Tester	TBUR		
Recorded	01/20/23		
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY		10/18/22
Sample ID			
Tested	01/20/23		
Tester	TBUR		
Recorded	01/20/23		
SHELF LIFE OF PRODUCT	3 YEARS TIME		3 YEARS
Sample ID			
Tested	01/20/23		
Tester	TBUR		
Recorded	01/20/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 01/20/23 at 9:54 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Lot #	301612
Made	01/16/23

Quality Manager