



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> H1905			
HEPTANE LAB GRADE			
<b>Test</b>	<b>Target/UOM</b>	<b>Range</b>	<b>Result</b>
<b>SPECIFIC ROTATION [A] AT 25 DEG</b>	0.7223		0.70
	DEGREES		
Sample ID			
Tested 03/02/23			
Tester TBUR			
Recorded 03/02/23			
<b>COLOR</b>	> 28		30
	PT-CO		
Sample ID			
Tested 03/02/23			
Tester TBUR			
Recorded 03/02/23			
<b>ANILINE POINT</b>	PASS		PASS
	ANILINE		
Sample ID			
Tested 03/02/23			
Tester TBUR			
Recorded 03/02/23			
<b>AROMATICS, VOL %</b>	PASS		PASS
	VOL%		
Sample ID			
Tested 03/02/23			
Tester TBUR			
Recorded 03/02/23			
<b>DISTILLATION TEMP IBP °C</b>	>= 92		94
	TEMP		
Sample ID			
Tested 03/02/23			
Tester TBUR			
Recorded 03/02/23			
<b>DISTILLATION TEMP DP °C</b>	<= 100		99
	TEMP		
Sample ID			
Tested 03/02/23			
Tester TBUR			
Recorded 03/02/23			
<b>APPEARANCE AND COLOR</b>	PASSES TEST		PASS
	APPEARANCE		
Sample ID			
Tested 03/02/23			
Tester TBUR			
Recorded 03/02/23			
<b>BROMINE (BR) CONTENT</b>	< = 25 MG		<= 2
	BROMINE		
Sample ID			
Tested 03/02/23			
Tester TBUR			
Recorded 03/02/23			



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 03/02/23 at 4:23 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**DATE OF MANUFACTURE**

DD/MM/YYYY

01/09/23

Sample ID

Tested 03/02/23

Tester TBUR

Recorded 03/02/23

**Lot #** 305901

**Made** 02/28/23

**Quality Manager**