



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product:		D4771	
		DIISOPROPYLAMINE 99.5% (319LBS/DRUM)	
Test	Target/UOM	Range	Result
PURITY, WT%	>= 99.5%		99.98%
	% W/W		
Sample ID			
Tested	03/31/23		
Tester	TBUR		
Recorded	03/31/23		
WATER CONTENT	<0.1%		0.004%
	%		
Sample ID			
Tested	03/31/23		
Tester	TBUR		
Recorded	03/31/23		
COLOR	<= 15		4 APHA
	PT-CO		
Sample ID			
Tested	03/31/23		
Tester	TBUR		
Recorded	03/31/23		
MONOETHANOLAMINE	<= 0.1%		<0.0030%
	%		
Sample ID			
Tested	03/31/23		
Tester	TBUR		
Recorded	03/31/23		
N-ISOPROPYLIDENE-ISOPROPYLAMINE	<=0.1%		<0.0030%
	%		
Sample ID			
Tested	03/31/23		
Tester	TBUR		
Recorded	03/31/23		
ACETONE %	<=0.10%		<0.0030%
	%		
Sample ID			
Tested	03/31/23		
Tester	TBUR		
Recorded	03/31/23		
ISOPROPANOL	<=0.2% WT		<0.0030%
	%		
Sample ID			
Tested	03/31/23		
Tester	TBUR		
Recorded	03/31/23		
FREE FROM SUSPENDED MATTER	OK		OK
	PASS		
Sample ID			
Tested	03/31/23		
Tester	TBUR		
Recorded	03/31/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 03/31/23 at 9:22 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Lot #	308902
Made	03/30/23

Quality Manager