



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: S9191			
SULFURIC ACID (95.0-98.0%) (SP GR 1.84) REAGENT ACS			
Test	Target/UOM	Range	Result
ACTUAL ASSAY OF MATERIAL	95 - 98% AS H2SO4 W/W%		96.9%
Sample ID			
Tested	01/13/23		
Tester	TBUR		
Recorded	01/13/23		
RESIDUE AFTER IGNITION	MAX 5 PPM %		<5 PPM
Sample ID			
Tested	01/13/23		
Tester	TBUR		
Recorded	01/13/23		
CHLORIDE CONTENT	MAX 0.2 PPM PPM		<0.2 PPM
Sample ID			
Tested	01/13/23		
Tester	TBUR		
Recorded	01/13/23		
HEAVY METALS (AS LEAD)	MAX 1.0 PPM PPM		<1 PPM
Sample ID			
Tested	01/13/23		
Tester	TBUR		
Recorded	01/13/23		
IRON	MAX 0.2 PPM PPM		<0.1 PPM
Sample ID			
Tested	01/13/23		
Tester	TBUR		
Recorded	01/13/23		
NITRATE (NO3) CONTENT	MAX 0.5 PPM PPM		<0.5 PPM
Sample ID			
Tested	01/13/23		
Tester	TBUR		
Recorded	01/13/23		
Ammonium (NH4)	MAX 2 PPM NH4		<2 PPM
Sample ID			
Tested	01/13/23		
Tester	TBUR		
Recorded	01/13/23		
ARSENIC CONTENT	MAX 0.01 PPM ARSENIC		<0.01 PPM
Sample ID			
Tested	01/13/23		
Tester	TBUR		
Recorded	01/13/23		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

COLOR	MAX 10 PT-CO	0
Sample ID		
Tested	01/13/23	
Tester	TBUR	
Recorded	01/13/23	
APPEARANCE AND COLOR	PASSES TEST APPEARANCE	PASSES TEST
Sample ID		
Tested	01/13/23	
Tester	TBUR	
Recorded	01/13/23	
MERCURY (HG) CONTENT	MAX 0.005 PPM (5 PPB) PPM	<5 PPB
Sample ID		
Tested	01/13/23	
Tester	TBUR	
Recorded	01/13/23	
SUBSTANCES REDUCING PERMANGANATE	MAX 2 PPM PASS	<2 PPM
Sample ID		
Tested	01/13/23	
Tester	TBUR	
Recorded	01/13/23	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	11/17/24
Sample ID		
Tested	01/13/23	
Tester	TBUR	
Recorded	01/13/23	
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	2 YEARS
Sample ID		
Tested	01/13/23	
Tester	TBUR	
Recorded	01/13/23	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	11/18/22
Sample ID		
Tested	01/13/23	
Tester	TBUR	
Recorded	01/13/23	

Lot # 301202

Made 01/12/23



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 3

Date: 01/13/23 at 2:39 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager