



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> M2523			
METHANOL HPLC GRADE			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	99.9%		99.98%
	%		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>APPEARANCE AND COLOR</b>	CLEAR		CLEAR, COLORLESS LIQUID
	APPEARANCE		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>WATER CONTENT</b>	<=0.1%		0.02%
	%		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>REFRACTIVE INDEX</b>	1.3260	0.0000 - 1.3280	1.3265
	REFRACTIVE INDE		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>SUBSTANCES DARKENED BY SULFURIC ACID</b>	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>SUBSTANCES REDUCING PERMANGANATE</b>	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>COLOR</b>	< 10		5 APHA
	PT-CO		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		
<b>SOLUBILITY</b>	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	02/27/23		
Tester	TBUR		
Recorded	02/27/23		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>CARBONYL COMPOUNDS</b>	< 0.001%	0.0001%
	CARBON COM	
Sample ID		
Tested	02/27/23	
Tester	TBUR	
Recorded	02/27/23	
<b>TITRABLE ACID</b>	< 0.0003 MEQ/G	0.0003 MEQ/G
	T ACID	
Sample ID		
Tested	02/27/23	
Tester	TBUR	
Recorded	02/27/23	
<b>TITRABLE BASE</b>	< 0.0002 MEQ/G	0.00004 MEQ/G
	T BASE	
Sample ID		
Tested	02/27/23	
Tester	TBUR	
Recorded	02/27/23	
<b>REFRACTIVE INDEX (20 DEG C)</b>	1.3280 - 1.3290	1.3265
	REFRACT	
Sample ID		
Tested	02/27/23	
Tester	TBUR	
Recorded	02/27/23	
<b>EXPIRATION DATE</b>	MM/DD/YY	10/31/27
	MM/DD/YYYY	
Sample ID		
Tested	02/27/23	
Tester	TBUR	
Recorded	02/27/23	
<b>MANUFACTURE DATE</b>	MM/DD/YY	10/27/22
	MM/DD/YYYY	
Sample ID		
Tested	02/27/23	
Tester	TBUR	
Recorded	02/27/23	
<b>SHELF LIFE OF PRODUCT</b>	5 YEARS	5 YEARS
	TIME	
Sample ID		
Tested	02/27/23	
Tester	TBUR	
Recorded	02/27/23	

**Lot #** 305506

**Made** 02/24/23



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 02/27/23 at 2:11 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Quality Manager**