



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> B8285			
BUTYLAMINE, 99.5%			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	>= 99.4% %		99.9%
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
<b>APPEARANCE AND COLOR</b>	CLEAR LIQUID APPEARANCE		CLEAR LIQUID
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
<b>WATER CONTENT</b>	< 0.1% %		0.06%
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
<b>REFRACTIVE INDEX</b>	1.4000 REFRACTIVE INDE	0.0000 - 1.4020	1.4010
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY		04/12/24
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
<b>SHELF LIFE OF PRODUCT</b>	5 YEARS TIME		2 YEARS
Sample ID			
Tested	04/10/23		
Tester	TBUR		
Recorded	04/10/23		
<b>Lot #</b>	309406		
<b>Made</b>	04/04/23		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 04/10/23 at 10:33 AM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Quality Manager**