



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> H1950 HEXANES REAGENT ACS (>60% n-HEXANE)			
Test	Target/UOM	Range	Result
<b>COLOR</b>	MAX 10 APHA PT-CO		<10 APHA
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
<b>WATER-SOLUBLE TITRABLE ACID</b>	MAX 0.0003 MEQ/G WATER SOL		0.00020 MEQ/G
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
<b>SULFUR COMPOUNDS (AS S)</b>	MAX 0.005% %		<0.0050%
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
<b>THIOPHENE</b>	PASSES TEST PPM		PASSES TEST
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
<b>RESIDUE AFTER EVAPORATION</b>	MAX 0.001%		<0.0001%
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
<b>ASSAY N-HEXANE (%)</b>	55.00 %	45.00 - 99.99	68.53
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
<b>TOTAL HEXANE ISOMERS + METHYLCYCLOPENTAN</b>	100.00 %	98.50 - 100.00	99.77
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
<b>Lot #</b>	327631		
<b>Made</b>	10/03/23		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 10/04/23 at 1:28 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Quality Manager**