



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> C3605 CHLOROFORM REAGENT ACS (ETHANOL STABILIZED)			
<b>ASSAY OF MATERIAL</b>	>= 99.8% %		99.99%
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>RESIDUE AFTER EVAPORATION</b>	MAX 0.001% RESEVAP		<0.0001%
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>APHA COLOR</b>	10 UNITS APHA	0 - 10	10
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>ACETONE AND ALDEHYDE</b>	PASSES TEST ACETON		PASSES TEST
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>ACID AND CHLORIDE</b>	PASSES TEST ACID		PASSES TEST
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>FREE CHLORINE (CL)</b>	PASSES TEST PPM		PASSES TEST
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>LEAD (PB) CONTENT</b>	MAX PPM 0.05 MG/L		<0.05 PPM
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
<b>SUBSTANCES DARKENED BY SULFURIC ACID</b>	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>DENSITY TO 3 DEC PLACES</b>	1.480	1.465 - 1.480	1.473
	GM/CM3		
Sample ID			
Tested	03/29/23		
Tester	TBUR		
Recorded	03/29/23		
<b>MANUFACTURE DATE</b>	MM/DD/YYYY		11/17/2022
Sample ID			
Tested	03/29/23		
Tester	TBUR		
Recorded	03/29/23		
<b>Lot #</b>	308610		
<b>Made</b>	03/27/23		

**Quality Manager**