



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

| Packaged Product: D4771 | | | |
|--|------------|-------|----------|
| DIISOPROPYLAMINE 99.5% (319LBS/DRUM) | | | |
| Test | Target/UOM | Range | Result |
| PURITY, WT% | >= 99.5% | | 99.91% |
| | % W/W | | |
| Sample ID | | | |
| Tested | 04/24/23 | | |
| Tester | TBUR | | |
| Recorded | 04/24/23 | | |
| WATER CONTENT | <0.1% | | 0.010% |
| | % | | |
| Sample ID | | | |
| Tested | 04/24/23 | | |
| Tester | TBUR | | |
| Recorded | 04/24/23 | | |
| COLOR | <= 15 | | 4 APHA |
| | PT-CO | | |
| Sample ID | | | |
| Tested | 04/24/23 | | |
| Tester | TBUR | | |
| Recorded | 04/24/23 | | |
| MONOETHANOLAMINE | <= 0.1% | | <0.0030% |
| | % | | |
| Sample ID | | | |
| Tested | 04/24/23 | | |
| Tester | TBUR | | |
| Recorded | 04/24/23 | | |
| N-ISOPROPYLIDENE-ISOPROPYLAMINE | <=0.1% | | 0.0150% |
| | % | | |
| Sample ID | | | |
| Tested | 04/24/23 | | |
| Tester | TBUR | | |
| Recorded | 04/24/23 | | |
| ACETONE % | <=0.10% | | <0.0030% |
| | % | | |
| Sample ID | | | |
| Tested | 04/24/23 | | |
| Tester | TBUR | | |
| Recorded | 04/24/23 | | |
| ISOPROPANOL | <=0.2% WT | | <0.0030% |
| | % | | |
| Sample ID | | | |
| Tested | 04/24/23 | | |
| Tester | TBUR | | |
| Recorded | 04/24/23 | | |
| FREE FROM SUSPENDED MATTER | OK | | OK |
| | PASS | | |
| Sample ID | | | |
| Tested | 04/24/23 | | |
| Tester | TBUR | | |
| Recorded | 04/24/23 | | |



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 04/24/23 at 9:29 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

| | |
|--------------|----------|
| Lot # | 311103 |
| Made | 04/21/23 |

Quality Manager