



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: M5000			
METHYL ETHYL KETONE (2-BUTANONE) REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	MIN 99.0%		99.97%
	%		
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
COLOR	MAX 15 APHA PT-CO		1 APHA
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
TITRABLE ACID	MAX 0.0005 MEQ/G T ACID		0.0001 MEQ/G
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
WATER CONTENT	MAX 0.20%		0.03%
	%		
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		04/23/2026
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY		04/24/2023
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
SHELF LIFE OF PRODUCT	3 YEARS TIME		3 YEARS
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
Lot #	400502		
Made	01/05/24		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 01/12/24 at 8:54 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager