



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> I7600			
ISOPROPYL ALCOHOL REAGENT ACS			
Test	Target/UOM	Range	Result
<b>ACETONE %</b>	<=0.002 %		0.002%
Sample ID			
Tested	12/19/23		
Tester	TBUR		
Recorded	12/19/23		
<b>ASSAY OF MATERIAL</b>	>= 99.5% %		99.9%
Sample ID			
Tested	12/19/23		
Tester	TBUR		
Recorded	12/19/23		
<b>COLOR</b>	MAX 10 APHA PT-CO		5 APHA
Sample ID			
Tested	12/19/23		
Tester	TBUR		
Recorded	12/19/23		
<b>SOLUBILITY</b>	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	12/19/23		
Tester	TBUR		
Recorded	12/19/23		
<b>WATER CONTENT</b>	MAX 0.2% %		0.03%
Sample ID			
Tested	12/19/23		
Tester	TBUR		
Recorded	12/19/23		
<b>TITRABLE ACID</b>	MAX 0.0001 MEQ/G T ACID		0.0001 MEQ/G
Sample ID			
Tested	12/19/23		
Tester	TBUR		
Recorded	12/19/23		
<b>TITRABLE BASE</b>	MAX 0.0001 MEQ/G T BASE		0.0001 MEQ/G
Sample ID			
Tested	12/19/23		
Tester	TBUR		
Recorded	12/19/23		
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY		10/31/2027
Sample ID			
Tested	12/19/23		
Tester	TBUR		
Recorded	12/19/23		



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>SHELF LIFE OF PRODUCT</b>	<b>SHELF LIFE TIME</b>	<b>5 YEARS</b>
Sample ID		
Tested 12/19/23		
Tester TBUR		
Recorded 12/19/23		
<b>MANUFACTURE DATE</b>	<b>MM/DD/YY MM/DD/YYYY</b>	<b>10/22/2022</b>
Sample ID		
Tested 12/19/23		
Tester TBUR		
Recorded 12/19/23		
<b>Lot #</b> 332605		
<b>Made</b> 11/22/23		

**Quality Manager**