



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: D4653			
DICHLOROMETHANE REAGENT A.C.S.			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.5%		99.95%
	%		
Sample ID			
Tested	02/09/23		
Tester	TBUR		
Recorded	02/09/23		
TITRABLE ACID	MAX 0.0003 MEQ/G		0.00008 MEQ/G
	T ACID		
Sample ID			
Tested	02/09/23		
Tester	TBUR		
Recorded	02/09/23		
FREE HALOGENS	PASSES TEST		PASSES TEST
	FREE		
Sample ID			
Tested	02/09/23		
Tester	TBUR		
Recorded	02/09/23		
WATER CONTENT	MAX 0.02%		0.0026%
	%		
Sample ID			
Tested	02/09/23		
Tester	TBUR		
Recorded	02/09/23		
COLOR	MAX 10 APHA		<10 APHA
	PT-CO		
Sample ID			
Tested	02/09/23		
Tester	TBUR		
Recorded	02/09/23		
RESIDUE AFTER EVAPORATION	MAX 0.002%		<0.0002%
Sample ID			
Tested	02/09/23		
Tester	TBUR		
Recorded	02/09/23		
DATE OF MANUFACTURE	DD/MM/YYYY		09/02/2022
Sample ID			
Tested	02/09/23		
Tester	TBUR		
Recorded	02/09/23		
Lot #	303819		
Made	02/07/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 02/09/23 at 10:16 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager