



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A2700			
REAGENT ALCOHOL ACS, DENATURED ETHYL ALCOHOL			
Test	Target/UOM	Range	Result
ASSAY (ETHANOL+METHANOL)	94.0-96.0%		95.35%
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
PERCENT ETHANOL	89 TO 91% %ETHANOL		91.52%
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
METHANOL	4.0 TO 5.0% %		3.83%
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
ISOPROPYL ALCOHOL	4.0 - 6.0% %		4.65%
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
WATER CONTENT	MAX 0.5% %		0.024%
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
COLOR	MAX 10 APHA PT-CO		<10 APHA
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
RESIDUE AFTER EVAPORATION	MAX 0.001%		0.0004%
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			
FORM	CLEAR LIQUID FORM		CLEAR LIQUID
Sample ID			
Tested 03/29/23			
Tester TBUR			
Recorded 03/29/23			



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
 Customer PO # :

INFRARED SPECTRUM

CONFORMS

CONFORMS

Sample ID
 Tested 03/29/23
 Tester TBUR
 Recorded 03/29/23

MANUFACTURED DATE OF MATERIAL

MM/DD/YY
 MM/DD/YYYY

08/24/22

Sample ID
 Tested 03/29/23
 Tester TBUR
 Recorded 03/29/23

Lot # 308608
Made 03/27/23

Quality Manager