



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A2700			
REAGENT ALCOHOL ACS, DENATURED ETHYL ALCOHOL			
Test	Target/UOM	Range	Result
ASSAY (ETHANOL+METHANOL)	94.0-96.0%		95.20%
Sample ID			
Tested	01/24/24		
Tester	TBUR		
Recorded	01/24/24		
PERCENT ETHANOL	89 TO 91% %ETHANOL		91.28%
Sample ID			
Tested	01/24/24		
Tester	TBUR		
Recorded	01/24/24		
METHANOL	3.5 - 5.5% %		3.82%
Sample ID			
Tested	01/24/24		
Tester	TBUR		
Recorded	01/24/24		
ISOPROPYL ALCOHOL	4.0 - 6.0% %		4.90%
Sample ID			
Tested	01/24/24		
Tester	TBUR		
Recorded	01/24/24		
WATER CONTENT	MAX 0.5% %		0.016%
Sample ID			
Tested	01/24/24		
Tester	TBUR		
Recorded	01/24/24		
COLOR	MAX 10 APHA PT-CO		<10 APHA
Sample ID			
Tested	01/24/24		
Tester	TBUR		
Recorded	01/24/24		
RESIDUE AFTER EVAPORATION	MAX 0.001%		<0.0001%
Sample ID			
Tested	01/24/24		
Tester	TBUR		
Recorded	01/24/24		
FORM	CLEAR LIQUID FORM		CLEAR LIQUID
Sample ID			
Tested	01/24/24		
Tester	TBUR		
Recorded	01/24/24		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
 Customer PO # :

INFRARED SPECTRUM

CONFORMS

CONFORMS

Sample ID
 Tested 01/24/24
 Tester TBUR
 Recorded 01/24/24

MANUFACTURED DATE OF

MM/DD/YY
 MM/DD/YYYY

07/05/2023

MATERIAL

Sample ID
 Tested 01/24/24
 Tester TBUR
 Recorded 01/24/24

Lot # 402201
Made 01/22/24

Quality Manager