



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> SPX031			
SODIUM ACETATE, TRIHYDRATE ACS (500G) (SPECIAL) (1.06267.0500)			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	99.0-101.0%		99.7%
	%		
Sample ID			
Tested	03/14/23		
Tester	TBUR		
Recorded	03/14/23		
<b>Insoluble matter</b>	<= 0.005%		<0.005%
	%		
Sample ID			
Tested	03/14/23		
Tester	TBUR		
Recorded	03/14/23		
<b>PH OF A 5% SOLUTION</b>	7.5-9.0		8.8
	PH		
Sample ID			
Tested	03/14/23		
Tester	TBUR		
Recorded	03/14/23		
<b>CHLORIDE CONTENT</b>	<= 0.0005%		<0.0005%
	PPM		
Sample ID			
Tested	03/14/23		
Tester	TBUR		
Recorded	03/14/23		
<b>PHOSPHATE CONTENT</b>	<= 0.0002%		<0.0002%
	PPM		
Sample ID			
Tested	03/14/23		
Tester	TBUR		
Recorded	03/14/23		
<b>SULFATE (SO4) CONTENT</b>	<= 0.002%		<0.002%
	MAX 60 MG/KG		
Sample ID			
Tested	03/14/23		
Tester	TBUR		
Recorded	03/14/23		
<b>HEAVY METALS (AS LEAD)</b>	<= 0.0005%		<0.0005%
	PPM		
Sample ID			
Tested	03/14/23		
Tester	TBUR		
Recorded	03/14/23		
<b>CALCIUM CONTENT</b>	<= 0.001%		<0.001%
	PPM		
Sample ID			
Tested	03/14/23		
Tester	TBUR		
Recorded	03/14/23		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>IRON</b>	<= 0.0005% PPM	<0.0005%
Sample ID		
Tested	03/14/23	
Tester	TBUR	
Recorded	03/14/23	
<b>POTASSIUM CONTENT</b>	<= 0.005% PPM	<0.005%
Sample ID		
Tested	03/14/23	
Tester	TBUR	
Recorded	03/14/23	
<b>MAGNESIUM (MG) CONTENT</b>	<= 0.0005% PPM	<0.0005%
Sample ID		
Tested	03/14/23	
Tester	TBUR	
Recorded	03/14/23	
<b>SUBSTANCES REDUCING PERMANGANATE</b>	PASSES TEST PASS	PASSES TEST
Sample ID		
Tested	03/14/23	
Tester	TBUR	
Recorded	03/14/23	
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	09/30/23
Sample ID		
Tested	03/14/23	
Tester	TBUR	
Recorded	03/14/23	
<b>MANUFACTURE DATE</b>	MM/DD/YY MM/DD/YYYY	10/14/21
Sample ID		
Tested	03/14/23	
Tester	TBUR	
Recorded	03/14/23	
<b>SHELF LIFE OF PRODUCT</b>	2 YEARS TIME	2 YEARS
Sample ID		
Tested	03/14/23	
Tester	TBUR	
Recorded	03/14/23	

**Lot #** 307238

**Made** 03/13/23



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 03/13/23 at 12:35 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Quality Manager**