



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A4270			
2-AMINOETHANOL DISTILLED (GFS#12005)			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	MIN 99.0%		>99.9%
	%		
Sample ID			
Tested	06/20/23		
Tester	TBUR		
Recorded	06/20/23		
COLOR	MAX 15 APHA PT-CO		<15 APHA
Sample ID			
Tested	06/20/23		
Tester	TBUR		
Recorded	06/20/23		
PERCENT WATER (WT%)	0.15	0.00 - 0.30	0.30
	%H2O		
Sample ID			
Tested	06/20/23		
Tester	TBUR		
Recorded	06/20/23		
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		02/26/24
Sample ID			
Tested	06/20/23		
Tester	TBUR		
Recorded	06/20/23		
SHELF LIFE OF PRODUCT	1 YEAR TIME		1 YEAR
Sample ID			
Tested	06/20/23		
Tester	TBUR		
Recorded	06/20/23		
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY		02/27/23
Sample ID			
Tested	06/20/23		
Tester	TBUR		
Recorded	06/20/23		
Lot #	317009		
Made	06/19/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 06/20/23 at 12:42 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager