



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: I7600			
ISOPROPYL ALCOHOL REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.5%		99.94%
	%		
Sample ID			
Tested	03/09/23		
Tester	TBUR		
Recorded	03/09/23		
COLOR	MAX 10 APHA PT-CO		<10 APHA
Sample ID			
Tested	03/09/23		
Tester	TBUR		
Recorded	03/09/23		
SOLUBILITY	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	03/09/23		
Tester	TBUR		
Recorded	03/09/23		
WATER CONTENT	MAX 0.2%		0.040%
	%		
Sample ID			
Tested	03/09/23		
Tester	TBUR		
Recorded	03/09/23		
RESIDUE AFTER EVAPORATION	< = 0.001%		<0.0001%
Sample ID			
Tested	03/09/23		
Tester	TBUR		
Recorded	03/09/23		
CARBONYL AS PROPRIONALDEHYDE%	<= 0.002 WT%		<0.002%
Sample ID			
Tested	03/09/23		
Tester	TBUR		
Recorded	03/09/23		
TITRABLE ACID	MAX 0.0001 MEQ/G T ACID		0.00010 MEQ/G
Sample ID			
Tested	03/09/23		
Tester	TBUR		
Recorded	03/09/23		
TITRABLE BASE	MAX 0.0001 MEQ/G T BASE		<0.00001 MEQ/G
Sample ID			
Tested	03/09/23		
Tester	TBUR		
Recorded	03/09/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 03/09/23 at 9:53 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

MANUFACTURE DATE

MM/DD/YY
MM/DD/YYYY

02/06/23

Sample ID

Tested 03/09/23

Tester TBUR

Recorded 03/09/23

Lot # 306516

Made 03/06/23

Quality Manager