



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: B8285			
BUTYLAMINE, 99+%			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.4% %		99.9%
Sample ID			
Tested 01/10/24			
Tester TBUR			
Recorded 01/10/24			
APPEARANCE AND COLOR	CLEAR LIQUID APPEARANCE		CLEAR LIQUID
Sample ID			
Tested 01/10/24			
Tester TBUR			
Recorded 01/10/24			
INFRARED	AUTHENTIC INFRARED		CONFORMS
Sample ID			
Tested 01/10/24			
Tester TBUR			
Recorded 01/10/24			
WATER CONTENT	< 0.1% %		0.04% (K.F.)
Sample ID			
Tested 01/10/24			
Tester TBUR			
Recorded 01/10/24			
REFRACTIVE INDEX	1.4000 REFRACTIVE INDE	0.0000 - 1.4020	1.4009
Sample ID			
Tested 01/10/24			
Tester TBUR			
Recorded 01/10/24			
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		11/16/2025
Sample ID			
Tested 01/10/24			
Tester TBUR			
Recorded 01/10/24			
Lot #	332504		
Made	11/21/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536

Website: www.aquasolutions.org

Page: 2

Date: 01/10/24 at 4:47 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager