



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: C0595			
CALCIUM CARBONATE REAG ACS POWDER			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.0%		99.00%
	%		
Sample ID			
Tested	01/21/14		
Tester	LEAT		
Recorded	01/21/14		
CHLORIDE CONTENT	MAX 0.001%		<0.001%
	PPM		
Sample ID			
Tested	01/21/14		
Tester	LEAT		
Recorded	01/21/14		
FLUORIDE (F)	MAX 0.0015%		<0.0015%
	PPM		
Sample ID			
Tested	01/21/14		
Tester	LEAT		
Recorded	01/21/14		
SULFATE (SO4) CONTENT	MAX 0.01%		<0.01%
	MAX 60 MG/KG		
Sample ID			
Tested	01/21/14		
Tester	LEAT		
Recorded	01/21/14		
Ammonium (NH4)	MAX 0.003%		<0.003%
	NH4		
Sample ID			
Tested	01/21/14		
Tester	LEAT		
Recorded	01/21/14		
BARIUM	MAX 0.01%		<0.01%
	BARIUM		
Sample ID			
Tested	01/21/14		
Tester	LEAT		
Recorded	01/21/14		
HEAVY METAL (AS PB)	MAX 0.001%		<0.0002%
	PPM		
Sample ID			
Tested	01/21/14		
Tester	LEAT		
Recorded	01/21/14		
IRON	MAX 0.003%		<0.001%
	PPM		
Sample ID			
Tested	01/21/14		
Tester	LEAT		
Recorded	01/21/14		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

MAGNESIUM (MG) CONTENT	MAX 0.02% PPM	<0.0088%
Sample ID		
Tested	01/21/14	
Tester	LEAT	
Recorded	01/21/14	
POTASSIUM CONTENT	MAX 0.01% PPM	<0.01%
Sample ID		
Tested	01/21/14	
Tester	LEAT	
Recorded	01/21/14	
SODIUM CONTENT	MAX 0.1% %	<0.1%
Sample ID		
Tested	01/21/14	
Tester	LEAT	
Recorded	01/21/14	
STRONTIUM CONTENT	MAX 0.1% %	<0.1%
Sample ID		
Tested	01/21/14	
Tester	LEAT	
Recorded	01/21/14	
INSOLUBLE IN DILUTE HYDROCHLORIC ACID	MAX 0.01% %	PASSES TEST
Sample ID		
Tested	01/21/14	
Tester	LEAT	
Recorded	01/21/14	

Lot # 318204
Made 07/01/13

Quality Manager