



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> A4750			
AMMONIUM HYDROXIDE REAGENT ACS			
Test	Target/UOM	Range	Result
<b>APPEARANCE AND COLOR</b>	COLORLESS APPEARANCE		PASSES TEST
Sample ID			
Tested	03/23/23		
Tester	TBUR		
Recorded	03/23/23		
<b>ASSAY AS NH3 % W/W</b>	29.0 W/W%	28.0 - 30.0	29.6
Sample ID			
Tested	03/23/23		
Tester	TBUR		
Recorded	03/23/23		
<b>CARBON DIOXIDE</b>	0.002% MAX CARBON DIO		<0.002%
Sample ID			
Tested	03/23/23		
Tester	TBUR		
Recorded	03/23/23		
<b>CHLORIDE</b>	0.5PPM MAX CHLORID		<0.5 PPM
Sample ID			
Tested	03/23/23		
Tester	TBUR		
Recorded	03/23/23		
<b>HEAVY METALS (AS LEAD)</b>	0.5 PPM MAX PPM		<0.5 PPM
Sample ID			
Tested	03/23/23		
Tester	TBUR		
Recorded	03/23/23		
<b>IRON CONTENT PPM</b>	0.2 PPM MAX PPM		<0.2 PPM
Sample ID			
Tested	03/23/23		
Tester	TBUR		
Recorded	03/23/23		
<b>NITRATE (NO3) CONTENT</b>	2 PPM MAX PPM		<2 PPM
Sample ID			
Tested	03/23/23		
Tester	TBUR		
Recorded	03/23/23		
<b>PHOSPHATE CONTENT</b>	2 PPM MAX PPM		<2 PPM
Sample ID			
Tested	03/23/23		
Tester	TBUR		
Recorded	03/23/23		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>RES. AFTER IGNITION</b>	0.002% MAX RES. AFTER	<0.002%
Sample ID		
Tested	03/23/23	
Tester	TBUR	
Recorded	03/23/23	
<b>SUBSTANCES REDUCING PERMANGANATE</b>	PASSES TEST PASS	PASSES TEST
Sample ID		
Tested	03/23/23	
Tester	TBUR	
Recorded	03/23/23	
<b>SULFATE (SO4) CONTENT</b>	< 2 PPM MAX 60 MG/KG	<2 PPM
Sample ID		
Tested	03/23/23	
Tester	TBUR	
Recorded	03/23/23	
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	02/19/25
Sample ID		
Tested	03/23/23	
Tester	TBUR	
Recorded	03/23/23	
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE TIME	2 YEARS
Sample ID		
Tested	03/23/23	
Tester	TBUR	
Recorded	03/23/23	
<b>MANUFACTURE DATE</b>	MM/DD/YY MM/DD/YYYY	02/20/23
Sample ID		
Tested	03/23/23	
Tester	TBUR	
Recorded	03/23/23	
<b>Lot #</b>	308024	
<b>Made</b>	03/21/23	

**Quality Manager**