



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> H2505			
HYDROCHLORIC ACID 36.5-38% REAGENT ACS			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	36.5 - 38.0% AS HCL %		37.6%
Sample ID			
Tested	06/13/23		
Tester	TBUR		
Recorded	06/13/23		
<b>RESIDUE AFTER IGNITION</b>	MAX 5 PPM %		<5 PPM
Sample ID			
Tested	06/13/23		
Tester	TBUR		
Recorded	06/13/23		
<b>SULFATE (SO4) CONTENT</b>	MAX 1 PPM MAX 60 MG/KG		<0.1 PPM
Sample ID			
Tested	06/13/23		
Tester	TBUR		
Recorded	06/13/23		
<b>Sulfite (SO3)</b>	1.00 PPM	0.00 - 1.00	0.10
Sample ID			
Tested	06/13/23		
Tester	TBUR		
Recorded	06/13/23		
<b>Ammonium (NH4)</b>	MAX 3 PPM NH4		<3 PPM
Sample ID			
Tested	06/13/23		
Tester	TBUR		
Recorded	06/13/23		
<b>ARSENIC CONTENT</b>	MAX 0.01 PPM ARSENIC		<0.01 PPM
Sample ID			
Tested	06/13/23		
Tester	TBUR		
Recorded	06/13/23		
<b>HEAVY METALS (AS LEAD)</b>	MAX 1 PPM PPM		<0.01 PPM
Sample ID			
Tested	06/13/23		
Tester	TBUR		
Recorded	06/13/23		
<b>IRON</b>	MAX 0.2 PPM PPM		<0.01 PPM
Sample ID			
Tested	06/13/23		
Tester	TBUR		
Recorded	06/13/23		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>BROMIDE IN %</b>	MAX 0.005%	<0.005%
	%BROMIDE	
Sample ID		
Tested	06/13/23	
Tester	TBUR	
Recorded	06/13/23	
<b>CHLORINE COMPOUNDS (AS CL)</b>	MAX 1 PPM	<0.5 PPM
	PPM	
Sample ID		
Tested	06/13/23	
Tester	TBUR	
Recorded	06/13/23	
<b>MANUFACTURE DATE</b>	MM/DD/YY	05/16/23
	MM/DD/YYYY	
Sample ID		
Tested	06/13/23	
Tester	TBUR	
Recorded	06/13/23	
<b>RECOMMENDED RETEST DATE</b>	MM/DD/YYYY	05/15/25
	MM/DD/YYYY	
Sample ID		
Tested	06/13/23	
Tester	TBUR	
Recorded	06/13/23	
<b>SHELF LIFE OF PRODUCT</b>	2 YEARS	2 YEARS
	TIME	
Sample ID		
Tested	06/13/23	
Tester	TBUR	
Recorded	06/13/23	
<b>Lot #</b>	316309	
<b>Made</b>	06/12/23	

*Richard [Signature]*

**Quality Manager**