Printing date 11/04/2024

Reviewed on 11/04/2024

1 Identification	
· Product identifier	
• Trade name: <u>Monochloroacetic Acid Buffer</u> (MCAA Buffer) pH 2.8	
· Article number: DOW742	
\cdot Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	
Aqua Solutions, Inc.	SOLUTIONS
6913 Highway 225 DEER PARK, TX 77536	SOLUTIONS
USA	
800-256-2586	
· Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
· Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Canutec: 013-990-0000	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS05 Corrosion	
GHS05 Corrosion Skin Corrosion 1B H314 Causes severe skin burns and eye a	lamage.
Skin Corrosion 1B H314 Causes severe skin burns and eye a	lamage.
Skin Corrosion 1B H314 Causes severe skin burns and eye a	lamage.
Skin Corrosion 1BH314 Causes severe skin burns and eye aEye Damage 1H318 Causes serious eye damage.	lamage.
Skin Corrosion 1B H314 Causes severe skin burns and eye a	amage.
Skin Corrosion 1BH314 Causes severe skin burns and eye aEye Damage 1H318 Causes serious eye damage.GHS07	lamage.
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed.	'amage.
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. Image 2 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Image 2 Image 2 Image 3 Image 3 Image 4 H302 Harmful if swallowed. Image 4 Image 3 Image 5 Image 3 <	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. Image 2 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Image 2 Image 2 Image 3 Image 3 Image 4 H302 Harmful if swallowed. Image 4 Image 3 Image 5 Image 3 <	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. Image 2 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Image 2 Image 2 Image 2 Image 2 Image 3 Image 2 Image 4 H302 Harmful if swallowed. Image 4 Image 4 Image 5 Image 5 Image 5 Image 5 Image 5 Image 5 Image 6 Image 5 Image 7 Image 5 Image 7 Image 5 Image 7 Image 5 Image 5 Image 5 <	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. Image 2 Image 2	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. Image 2 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Image 2 Image 2 Image 3 Image 3 Image 4 H302 Harmful if swallowed. Image 4 Image 3 Image 5 Image 3 <	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. Image 2 Image 2	
Skin Corrosion 1B Eye Damage 1 H314 Causes severe skin burns and eye a H318 Causes serious eye damage. GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements GHS label elements The product is classified and labeled accord Hazard pictograms GHS05 GHS07 Signal word Danger	
Skin Corrosion 1B Eye Damage 1 H314 Causes severe skin burns and eye a H318 Causes serious eye damage. GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Label elements GHS label elements The product is classified and labeled accord Hazard pictograms GHS05 GHS07	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. Image 1 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Image 1 Hasard pictograms Image 2 Image 2 Image 3 Image 3 Image 4 Image 3 Image 5 Imag	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. Image 1 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Image 1 Hasard pictograms Image 2 Image 2 Image 3 Image 3 Image 4 Hasard determining components of labeling: Chloroacetic Acid 99% Hazard statements Harmful if swallowed. Image 4	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. Image 2 Image 1 Image 2 Image 2 Image 2	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. Image 2 Image 2 Image 2 Image 2<	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. With the series GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. • Label elements The product is classified and labeled accord • Hazard pictograms GHS05 • GHS05 GHS07 • Signal word Danger • Hazard-determining components of labeling: Chloroacetic Acid 99% • Hazard statements Harmful if swallowed. Causes severe skin burns and eye damage. • Precautionary statements Do not breathe dusts or mists.	
Skin Corrosion 1B H314 Causes severe skin burns and eye a Eye Damage 1 H318 Causes serious eye damage. With the series GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. • Label elements GHS01 • GHS label elements The product is classified and labeled accord • Hazard pictograms GHS05 • GHS05 GHS07 • Signal word Danger Hazard-determining components of labeling: Chloroacetic Acid 99% • Hazard statements Harmful if swallowed. Causes severe skin burns and eye damage. • Precautionary statements Harmful eye damage.	

Printing date 11/04/2024

Reviewed on 11/04/2024

Trade name: Monochloroacetic Acid Buffer (MCAA Buffer) pH 2.8

	(Contd. of page 1)
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present a	nd easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 1	
$\frac{3}{Reactivity} = 0$	
Keacuvity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH *3 Health = $*3$	
FIRE 1 Fire = 1	
$\frac{1}{\text{REACTIVITY}} \begin{bmatrix} 0 \\ 0 \end{bmatrix} Reactivity = 0$	
KLACHWIT D Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
• · · · · · · · · · · · · · · · · · · ·	
· Dangerous components:	14 4220 (
CAS: 79-11-8 Chloroacetic Acid 99%	14.432%
• Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water	74.504%

CAS: 127-09-3 Sodium Acetate Anhydrous

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

11.064%

Printing date 11/04/2024

Reviewed on 11/04/2024

Trade name: Monochloroacetic Acid Buffer (MCAA Buffer) pH 2.8

(Contd. of page 2)

- After swallowing: Immediately call a doctor. Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal preca 	utions, protective equipment and emergency procedures	
Mount respirate	pry protective device.	
Wear protective	equipment. Keep unprotected persons away.	
· Environmental		
Do not allow pr	oduct to reach sewage system or any water course.	
	ve authorities in case of seepage into water course or sewage system.	
Dilute with pler		
	enter sewers/ surface or ground water.	
	aterial for containment and cleaning up:	
	uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizin		
	inated material as waste according to section 13.	
Ensure adequat		
Reference to ot		
	r information on safe handling.	
	r information on personal protection equipment.	
	for disposal information.	
Protective Action	on Criteria for Chemicals	
• PAC-1:		
CAS: 79-11-8	Chloroacetic Acid 99%	1.5 ppm
CAS: 127-09-3	Sodium Acetate Anhydrous	11 mg/m ³
· PAC-2:		
CAS: 79-11-8	Chloroacetic Acid 99%	6.6 ppm
	Chioroacene Acta 7970	
CAS: 127-09-3	Sodium Acetate Anhydrous	120 mg/m ³
		120 mg/m ³
CAS: 127-09-3 • PAC-3: CAS: 79-11-8		120 mg/m ³

(Contd. on page 4)

Printing date 11/04/2024

Reviewed on 11/04/2024

Trade name: Monochloroacetic Acid Buffer (MCAA Buffer) pH 2.8

(Contd. of page 3)

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 79-11-8 Chloroacetic Acid 99%

TLV Long-term value: 0.5* ppm Skin;*as inhalable fraction and vapor, A4 WEEL Long-term value: 0.5 ppm

Skin

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 11/04/2024

Reviewed on 11/04/2024

Trade name: Monochloroacetic Acid Buffer (MCAA Buffer) pH 2.8

(Contd. of page 4)

• **Penetration time of glove material** The exact break through time has

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:	y	
Form:	Liquid	
Color:	Clear	
· Odor: · Odor threshold:	Pungent Not determined.	
• pH-value at 20 •C (68 •F):	2.8	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	126 °C (258.8 °F)	
Flammability:	Not applicable.	
Auto igniting:	470 °C (878 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Vapor pressure at 50 $\cdot C$ (122 $\cdot F$):	2 hPa (1.5 mm Hg)	
Density at 20 °C (68 °F):	1.07043 g/cm ³ (8.93274 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	

JS ·

Printing date 11/04/2024

Reviewed on 11/04/2024

Trade name: Monochloroacetic Acid Buffer (MCAA Buffer) pH 2.8

		(Contd. of page 5
Kinematic:	Not determined.	
· Solvent content:		
Water:	74.5 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	25.5 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 626 mg/kg (rat)

 Dermal
 LD50
 2,113 mg/kg (rat)

 Inhalative
 LC50/4h
 1,247 mg/l (rat)

· Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 11/04/2024

Reviewed on 11/04/2024

Trade name: Monochloroacetic Acid Buffer (MCAA Buffer) pH 2.8

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information • UN-Number UN1750 • DOT, IMDG, IATA UN1750 • UN proper shipping name Chloroacetic acid, solution • DOT ChloroACETIC ACID SOLUTION • Transport hazard class(es) DOT • DOT Conserver the substances • Class 6.1 Toxic substances

Printing date 11/04/2024

Reviewed on 11/04/2024

Trade name: Monochloroacetic Acid Buffer (MCAA Buffer) pH 2.8

	(Contd. of p
Label	6.1, 8
IMDG	
Class	6.1 Toxic substances
Label	6.1/8
ΙΑΤΑ	
Class	6.1 Toxic substances
Label	6.1 (8)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code	
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	С
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
Zummy minimutoris	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	100 ml
Excepted quantities (EQ)	Code: E4
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1750 CHLOROACETIC ACID SOLUTION, 6.1 (8), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US

Printing date 11/04/2024

Reviewed on 11/04/2024

Trade name: Monochloroacetic Acid Buffer (MCAA Buffer) pH 2.8

Sara	(Contd. of page
Section 355 (extremely hazardous substances):	
CAS: 79-11-8 Chloroacetic Acid 99%	
Section 313 (Specific toxic chemical listings):	
CAS: 79-11-8 Chloroacetic Acid 99%	
TSCA (Toxic Substances Control Act):	
Water	ACTIV
Chloroacetic Acid 99%	ACTIV
Sodium Acetate Anhydrous	ACTIV
Hazardous Air Pollutants	
CAS: 79-11-8 Chloroacetic Acid 99%	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
	Α
CAS: 79-11-8 Chloroacetic Acid 99%	
CAS: 79-11-8 Chloroacetic Acid 99% NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.	



· Signal word Danger

• Hazard-determining components of labeling: Chloroacetic Acid 99%

• **Hazard statements** Harmful if swallowed.

Causes severe skin burns and eye damage.

• Precautionary statements

Do not breathe dusts or mists. Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Printing date 11/04/2024

Reviewed on 11/04/2024

Trade name: Monochloroacetic Acid Buffer (MCAA Buffer) pH 2.8

(Contd. of page 9)

Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.1, 11/04/2024: Reviewed SDS for accuracy. CMC/STN 11/04/2024 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 • * Data compared to the previous version altered.