Printing date 04/19/2024

Reviewed on 04/19/2024

## **1** Identification

- · Product identifier
- · Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric
- · Article number: VEN005
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

AQUA

- Information department: Technical Coordinator
   Sherman Nelson shermann@aquasolutions.org
   Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

## 2 Hazard(s) identification

· Classification of the substance or mixture



 $\checkmark$ 

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

*Eye Damage 1* H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

 Hazard-determining components of labeling: Nitric Acid
 Hazard statements

Causes severe skin burns and eye damage.

• **Precautionary statements** Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

(Contd. on page 2)

<sup>-</sup> US

Printing date 04/19/2024

Reviewed on 04/19/2024

## Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric

(Contd. of page 1)

Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• Classification system: • NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \textbf{Health} = 3\\ Fire = 0\\ Reactivity = 0 \end{array}$ 

· HMIS-ratings (scale 0 - 4)

HEALTH3Health = 3FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous compo	onents:	
CAS: 7697-37-2	Nitric Acid	7.844%
• Table of Nonhaza	rdous Ingredients	
CAS: 7732-18-5	Water	92.07%
CAS: 13446-18-9	Magnesium Nitrate	0.021%
CAS: 7782-61-8	Ferric Nitrate	0.014%
CAS: 16919-19-0	Ammonium hexafluorosilicate	0.012%
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	0.009%
CAS: 7631-99-4	Sodium Nitrate	0.007%
CAS: 19004-19-4	Cupric Nitrate Hydrate	0.007%
CAS: 7757-79-1	Potassium Nitrate	0.005%
CAS: 471-34-1	Calcium Carbonate	0.005%
CAS: 10099-74-8	Lead Nitrate	0.003%
CAS: 7440-66-6	Zinc Metal	0.002%
CAS: 7664-39-3	Hydrofluoric Acid 49-51% Aqueous Solution	0.001%

## 4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

US

Printing date 04/19/2024

Reviewed on 04/19/2024

### Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric

(Contd. of page 2)

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- **Protective equipment:** Mouth respiratory protective device.

### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 13446-18-9	Magnesium Nitrate	16 mg/m <sup>3</sup>
CAS: 7782-61-8	Ferric Nitrate	22 mg/m <sup>3</sup>
CAS: 16919-19-0	Ammonium hexafluorosilicate	12 mg/m <sup>3</sup>
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	13 mg/m <sup>3</sup>
CAS: 7631-99-4	Sodium Nitrate	4.1 mg/m <sup>3</sup>
CAS: 19004-19-4	Cupric Nitrate Hydrate	42 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium Nitrate	9 mg/m <sup>3</sup>
CAS: 471-34-1	Calcium Carbonate	45 mg/m <sup>3</sup>
CAS: 10099-74-8	Lead Nitrate	0.24 mg/m <sup>3</sup>
CAS: 7440-66-6	Zinc Metal	6 mg/m <sup>3</sup>
CAS: 7664-39-3	Hydrofluoric Acid 49-51% Aqueous Solution	1.0 ppm
· PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 13446-18-9	Magnesium Nitrate	180 mg/m <sup>3</sup>
		(Contd. on page 4)

Printing date 04/19/2024

Reviewed on 04/19/2024

#### Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric

		(Contd. of page 2
CAS: 7782-61-8	Ferric Nitrate	110 mg/m <sup>3</sup>
CAS: 16919-19-0	Ammonium hexafluorosilicate	130 mg/m <sup>3</sup>
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	22 mg/m <sup>3</sup>
CAS: 7631-99-4	Sodium Nitrate	45 mg/m <sup>3</sup>
CAS: 19004-19-4	Cupric Nitrate Hydrate	150 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium Nitrate	100 mg/m <sup>3</sup>
CAS: 471-34-1	Calcium Carbonate	210 mg/m <sup>3</sup>
CAS: 10099-74-8	Lead Nitrate	180 mg/m <sup>3</sup>
CAS: 7440-66-6	Zinc Metal	21 mg/m <sup>3</sup>
CAS: 7664-39-3	Hydrofluoric Acid 49-51% Aqueous Solution	24 ppm
· PAC-3:	·	
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 13446-18-9	Magnesium Nitrate	1,100 mg/m <sup>2</sup>
CAS: 7782-61-8	Ferric Nitrate	640 mg/m <sup>3</sup>
CAS: 16919-19-0	Ammonium hexafluorosilicate	780 mg/m <sup>3</sup>
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	740 mg/m <sup>3</sup>
CAS: 7631-99-4	Sodium Nitrate	270 mg/m <sup>3</sup>
CAS: 19004-19-4	Cupric Nitrate Hydrate	240 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium Nitrate	600 mg/m <sup>3</sup>
CAS: 471-34-1	Calcium Carbonate	1,300 mg/m <sup>-</sup>
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m <sup>2</sup>
CAS: 7440-66-6	Zinc Metal	120 mg/m <sup>3</sup>
01101 / 110 00 0		

## 7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

<sup>-</sup>US -

Printing date 04/19/2024

Reviewed on 04/19/2024

## Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric

(Contd. of page 4)

Com	ponents with limit values that require monitoring at the workplace:
CAS:	: 7697-37-2 Nitric Acid
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm
	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: (4) NIC-0.025* ppm
	Long-term value: (2) ppm
	*inh. fraction + vapor, NIC-A4
Addi	tional information: The lists that were valid during the creation were used as basis.
Expo	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
	d contact with the eyes.
	d contact with the eyes and skin.
	thing equipment:
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u ratory protective device that is independent of circulating air.
	ection of hands:
Due chem Selec <b>Mate</b> The s varie the g <b>Pene</b>	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the tical mixture. etion of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>trial of gloves</b> selection of the suitable gloves does not only depend on the material, but also on further marks of quality ar is from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance love material can not be calculated in advance and has therefore to be checked prior to the application. <b>tration time of glove material</b> exact break through time has to be found out by the manufacturer of the protective gloves and has to be rved.
	Tightly sealed goggles
y	r

Printing date 04/19/2024

\*

Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric

(Contd. of page 5)

Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Liquid
Form: Color:	Liquid Clear
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 83 °C (181.4 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.03255 g/cm <sup>3</sup> (8.61663 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	pr): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	02.1.9
Water:	92.1 %
VOC content:	0.00%
	0.0 g/l / 0.00 lb/gal
Solids content:	0.1 %
Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 7)

US

(Contd. of page 6)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/19/2024

Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

## **11** Toxicological information

· Information on toxicological effects

### • Acute toxicity:

### · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)InhalativeLC50/4h38.2 mg/l

### · Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 10099-74-8 Lead Nitrate	2A
· NTP (National Toxicology Program)	
CAS: 10099-74-8 Lead Nitrate	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

## **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)

US

Printing date 04/19/2024

Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric

• Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
· DOT, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot DOT$	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitra Acid)
· Transport hazard class(es)	
·DOT	
CORROSIVE B	
· Class	8 Corrosive substances
· Label	8
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
$\cdot$ Hazard identification number (Keml	
· EMS Number:	F-A,S-B
<ul> <li>Segregation groups</li> </ul>	(SGG1) Acids
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides

(Contd. of page 7)

Printing date 04/19/2024

Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric

(Contd. of page 8
Not applicable.
On passenger aircraft/rail: 1 L
On cargo aircraft only: 30 L
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID), 8, II

# **15 Regulatory information**

\*

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

CAS: 7697-37-2 Nitric Acid		
CAS: 7664-39-3 Hydrofluoric Acid 49-51% A	queous Solution	
Section 313 (Specific toxic chemical listings)		
CAS: 7697-37-2 Nitric Acid		
CAS: 13446-18-9 Magnesium Nitrate		
CAS: 7782-61-8 Ferric Nitrate		
CAS: 7757-79-1 Potassium Nitrate		
CAS: 10099-74-8 Lead Nitrate		
CAS: 7440-66-6 Zinc Metal		
CAS: 7664-39-3 Hydrofluoric Acid 49-51%	Aqueous Solution	
TSCA (Toxic Substances Control Act):		
Water		ACTI
Nitric Acid		ACTI
Ammonium hexafluorosilicate		ACTI
Sodium Nitrate		ACTI
Potassium Nitrate		ACTI
Calcium Carbonate		ACTI
Lead Nitrate		ACTI
Zinc Metal		ACTI
Hydrofluoric Acid 49-51% Aqueous Solution		ACTI
Hazardous Air Pollutants		
CAS: 10099-74-8 Lead Nitrate		
CAS: 7664-39-3 Hydrofluoric Acid 49-51%	Aqueous Solution	

B2 D, I, II

AЗ

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/19/2024

Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric

	(Contd. of page 9)
· Proposition 65	
· Chemicals known to cause cancer:	
CAS: 10099-74-8 Lead Nitrate	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 10099-74-8 Lead Nitrate

CAS: 7440-66-6 Zinc Metal

· TLV (Threshold Limit Value)

CAS: 10099-74-8 Lead Nitrate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Nitric Acid	components of labeling:
Hazard statements	
Causes severe skin b	urns and eye damage.
Precautionary stater	nents
Do not breathe dusts	or mists.
Wash thoroughly aft	er handling.
	es/protective clothing/eye protection/face protection.
	nouth. Do NOT induce vomiting.
0	Take off immediately all contaminated clothing. Rinse skin with water/shower.
	ve person to fresh air and keep comfortable for breathing.
	tiously with water for several minutes. Remove contact lenses, if present and easy to do
Continue rinsing.	
Immediately call a p	pison center/doctor.
Specific treatment (s	
· · · ·	clothing before reuse.
Store locked up.	
1	container in accordance with local/regional/national/international regulations.
	essment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

Printing date 04/19/2024

Reviewed on 04/19/2024

Trade name: Mixed ICP Standard 20.0 ppm in 5% Nitric

(Contd. of page 10)

#### **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 0.0 04-19-2024: Creation date for SDS. CMC/STN 04/19/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 $\cdot$ \* Data compared to the previous version altered.