
Printing date 04/02/2024

Reviewed on 04/02/2024

1 Identification

- · Product identifier
- · Trade name: Sodium Methoxide 0.1 Normal
- · Article number: LUB001
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA
- 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/02/2024

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

Reactivity = 0



(Contd. on page 3)

⁻ US

Printing date 04/02/2024

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

(Contd. of page 2)

76.304%

23.055%

0.64%

· HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 108-88-3 Toluene

CAS: 67-56-1 Methanol

· Table of Nonhazardous Ingredients

CAS: 124-41-4 Sodium Methoxide (Sodium Methylate)

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US -

Printing date 04/02/2024

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

• Protective Action Criteria for Chemicals

| · PAC-1: | | |
|---------------|-------------------------------------|-----------------------|
| CAS: 108-88-3 | Toluene | 67 ppm |
| CAS: 67-56-1 | Methanol | 530 ppm |
| CAS: 124-41-4 | Sodium Methoxide (Sodium Methylate) | 6.1 mg/m ³ |
| · PAC-2: | | |
| CAS: 108-88-3 | Toluene | 560 ppm |
| CAS: 67-56-1 | Methanol | 2,100 ppm |
| CAS: 124-41-4 | Sodium Methoxide (Sodium Methylate) | 67 mg/m ³ |
| · PAC-3: | | |
| CAS: 108-88-3 | Toluene | 3700* ppm |
| CAS: 67-56-1 | Methanol | 7200* ppm |
| CAS: 124-41-4 | Sodium Methoxide (Sodium Methylate) | 400 mg/m ³ |

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.*

(Contd. of page 3)

(Contd. on page 5)

⁻ US

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

Printing date 04/02/2024

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

| - | nents with limit values that require monitoring at the workplace: 08-88-3 Toluene | |
|---------|--|-----------------|
| | | |
| | ong-term value: 200 ppm | |
| | eiling limit value: 300; 500* ppm | |
| | 10-min peak per 8-hr shift | |
| REL S | hort-term value: 560 mg/m³, 150 ppm | |
| L | ong-term value: 375 mg/m ³ , 100 ppm | |
| | ong-term value: 20 ppm | |
| | EI, OTO, A4 | |
| | 7-56-1 Methanol | |
| | ong-term value: 260 mg/m ³ , 200 ppm | |
| | · · · · · | |
| | hort-term value: 325 mg/m^3 , 250 ppm | |
| | ong-term value: 260 mg/m³, 200 ppm | |
| | kin | |
| | hort-term value: 250 ppm | |
| | ong-term value: 200 ppm | |
| S | kin; BEI | |
| Ingred | ients with biological limit values: | |
| CAS: 1 | 08-88-3 Toluene | |
| BEI 0. | 02 mg/L | |
| | D50 Intraperitoneal: blood | |
| | me: prior to last shift of workweek | |
| | D50: Toluene | |
| | | |
| | 03 mg/L | |
| | D50 Intraperitoneal: urine | |
| | me: end of shift | |
| Ll | D50: Toluene | |
| 0 | 3 mg/g creatinine | |
| | D50 Intraperitoneal: urine | |
| | | |
| | me: end of shift | |
| | D50: o-Cresol with hydrolysis (background) | |
| | 7-56-1 Methanol | |
| BEI 15 | | |
| | D50 Intraperitoneal: urine | |
| | me: end of shift | |
| Ll | D50: Methanol (background, nonspecific) | |
| Additio | nal information: The lists that were valid during the creation were used as basis. | |
| | | (Contd. on page |

(Contd. of page 4)

— US

Printing date 04/02/2024

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

(Contd. of page 5)

- · Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and General Information | chemical properties | |
|--|------------------------|--|
| · Appearance: | | |
| Form: | Liquid | |
| Color: | Clear to slightly hazy | |
| · Odor: | Toluene | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| · Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 64.4 °C (147.9 °F) | |
| · Flash point: | 4 °C (39.2 °F) | |

Printing date 04/02/2024

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

| | (Contd. of page |
|---|---|
| · Flammability (solid, gaseous): | Highly flammable. |
| · Auto igniting: | 455 °C (851 °F) |
| · Decomposition temperature: | Not determined. |
| · Ignition temperature: | Product is not selfigniting. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapo mixtures are possible. |
| · Explosion limits: | |
| Lower: | 1.2 Vol % |
| Upper: | 44 Vol % |
| · Vapor pressure at 20 °C (68 °F): | 128 hPa (96 mm Hg) |
| · Vapor pressure at 50 °C (122 °F): | 124 hPa (93 mm Hg) |
| · Density at 20 °C (68 °F): | 0.85291 g/cm ³ (7.11753 lbs/gal) |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| Water: | Not miscible or difficult to mix. |
| · Partition coefficient (n-octanol/wate | r): Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | <i>99.4</i> % |
| VOC content: | 99.36 % |
| | 847.4 g/l / 7.07 lb/gal |
| Solids content: | 0.6 % |
| • Other information | No further relevant information available. |

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

US

Printing date 04/02/2024

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

(Contd. of page 7)

| 11 Toxicolo | gical inf | formation |
|--|--|---|
| • Informatio • Acute toxic | | cological effects |
| | • | t are relevant for classification: |
| ATE (Acut | | |
| Oral | LD50 | 434 mg/kg |
| Dermal | LD50 | 1,301 mg/kg |
| Inhalative | LC50/4h | 13 mg/l |
| • Additional The produc Harmful Irritant | on: No ser toxicolog at shows th | nsitizing effects known. ical information: he following dangers according to internally approved calculation methods for preparations: |
| · Carcinoger | | |
| | | Agency for Research on Cancer) |
| CAS: 108-8 | | |
| | | cology Program) |
| None of the | e ingredier | nts is listed. |

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- \cdot **Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

US

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

Printing date 04/02/2024

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

| Transport information | | |
|--|---|--|
| UN-Number DOT, IMDG, IATA | UN1993 | |
| UN proper shipping name DOT IMDG, IATA | Flammable liquids, n.o.s. (Toluene, Methanol) FLAMMABLE LIQUID, N.O.S. (Toluene, Methanol) | |
| Transport hazard class(es) | | |
| DOT | | |
| PRAMANEE COLOR | | |
| Class | 3 Flammable liquids | |
| Label IMDG, IATA | 3 | |
| | | |
| Class Label | 3 Flammable liquids 3 | |
| | 5 | |
| Packing group DOT, IMDG, IATA | II | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Warning: Flammable liquids | |
| Hazard identification number (Kemler code): | | |
| EMS Number: Stowage Category | F-E,S-D B | |
| Transport in bulk according to Annex II of | ~ | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| Transport/Additional information: | | |
| DOT | | |
| Quantity limitations | On passenger aircraft/rail: 5 L | |
| | On cargo aircraft only: 60 L | |
| IMDG Limited quantities (LQ) | 5L | |
| Excepted quantities (EQ) | Code: E2 | |
| (<u>~</u>) | Maximum net quantity per inner packaging: 30 ml | |
| | Maximum net quantity per outer packaging: 500 ml | |

Printing date 04/02/2024

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

(Contd. of page 9)

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (TOLUENE, METHANOL), 3, II

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

| None of the ingra | | |
|-------------------|---|----------|
| Soction 313 (Sna | • / • • • • • • • • • • • | |
| · - | cific toxic chemical listings): | |
| CAS: 108-88-3 | | |
| CAS: 67-56-1 | | |
| , | bstances Control Act): | |
| Toluene | | ACTIV |
| Methanol | | ACTIV |
| Sodium Methoxid | le (Sodium Methylate) | ACTIV |
| Hazardous Air H | Pollutants | |
| CAS: 108-88-3 | Toluene | |
| CAS: 67-56-1 | Methanol | |
| Proposition 65 | | |
| Chemicals know | n to cause cancer: | |
| None of the ingre | edients is listed. | |
| Chemicals know | n to cause reproductive toxicity for females: | |
| None of the ingre | edients is listed. | |
| Chemicals know | n to cause reproductive toxicity for males: | |
| None of the ingre | edients is listed. | |
| Chemicals know | n to cause developmental toxicity: | |
| CAS: 108-88-3 | Toluene | |
| CAS: 67-56-1 | Methanol | |
| Carcinogenic ca | tegories | |
| EPA (Environm | ental Protection Agency) | |
| CAS: 108-88-3 | Toluene | L |
| TLV (Threshold | Limit Value) | |
| CAS: 108-88-3 | Toluene | A |
| NIOSH-Ca (Nat | ional Institute for Occupational Safety and Health) | · |
| None of the ingre | edients is listed. | |

Printing date 04/02/2024

· Hazard pictograms

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

(Contd. of page 10)

| GHS02 GHS07 | GHS08 |
|------------------------|---|
| Signal word Danger | |
| - | components of labeling: |
| Methanol | components of tubeting. |
| Toluene | |
| Hazard statements | |
| Highly flammable lid | uid and vapor |
| | l, in contact with skin or if inhaled. |
| Causes skin irritation | |
| | ng fertility or the unborn child. |
| | e central nervous system and the visual organs. |
| May cause drowsine | |
| 2 | o organs through prolonged or repeated exposure. |
| | wed and enters airways. |
| Precautionary stater | |
| Obtain special instru | |
| | Il safety precautions have been read and understood. |
| | t/sparks/open flames/hot surfaces No smoking. |
| | ner and receiving equipment. |
| | electrical/ventilating/lighting/equipment. |
| Use only non-sparki | |
| | neasures against static discharge. |
| | fume/gas/mist/vapors/spray. |
| Wash thoroughly aft | er handling. |
| Do not eat, drink or | smoke when using this product. |
| Use only outdoors of | in a well-ventilated area. |
| Wear protective glov | es/protective clothing/eye protection/face protection. |
| If swallowed: Immed | iately call a poison center/doctor. |
| Specific treatment (s | ee on this label). |
| Do NOT induce vom | |
| | Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| | ve person to fresh air and keep comfortable for breathing. |
| | ned: Get medical advice/attention. |
| | ttention if you feel unwell. |
| Rinse mouth. | |
| | d clothing and wash it before reuse. |
| 0 | rs: Get medical advice/attention. |
| | CO2, powder or water spray to extinguish. |
| | ated place. Keep container tightly closed. |
| | ated place. Keep cool. |
| Store locked up. | |
| Dispose of contents/ | container in accordance with local/regional/national/international regulations. |

(Contd. on page 12)

Printing date 04/02/2024

Reviewed on 04/02/2024

Trade name: Sodium Methoxide 0.1 Normal

(Contd. of page 11)

| 16 Other information | |
|---|------------|
| This information is based on our present knowledge. However, this shall not constitute a guarante | ee for any |
| specific product features and shall not establish a legally valid contractual relationship. | |
| · Department issuing SDS: Environment protection department. | |
| · Contact: | |
| Date of Preparation / Last Revision: | |
| · Date of preparation / last revision | |
| Revision 0.1, 04/02/2024: Creation date of SDS. CMC/STN | |
| 04/02/2024 | |
| ,, | |
| · Abbreviations and acronyms: | |
| IMDG: International Maritime Code for Dangerous Goods | |
| DOT: US Department of Transportation | |
| IATA: International Air Transport Association | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| BEI: Biological Exposure Limit | |
| Flammable Liquids 2: Flammable liquids – Category 2 | |
| Acute Toxicity - Oral 4: Acute toxicity – Category 4 | |
| Skin Irritation 2: Skin corrosion/irritation – Čategory 2 | |
| Toxic to Reproduction 2: Reproductive toxicity – Category 2 | |
| Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1 | |
| Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2 | |
| Aspiration Hazard 1: Aspiration hazard – Category 1 | |