
Printing date 06/05/2024

Reviewed on 06/05/2024

1 Identification

- · Product identifier
- · Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable
- · Article number: KM008
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225
- DEER PARK, TX 77536 USA 800-256-2586
- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification





US

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable

• Signal word Danger
· Hazard-determining components of labeling:
Hydrochloric Acid
Methanol
· Hazard statements
Highly flammable liquid and vapor.
Causes severe skin burns and eye damage.
May cause damage to the central nervous system and the visual organs.
May cause damage to organs through prolonged or repeated exposure.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Call a poison center/doctor.
Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
Wash contaminated clothing before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool. Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3
Fire = 3
$\frac{3}{Reactivity} = 0$
HMIS-ratings (scale 0 - 4)
HEALTH 2 $Health = 2$
FIRE 3 Fire = 3
$\frac{1}{1} \frac{1}{1} \frac{1}$
· Other hazards
· Results of PBT and vPvB assessment
• PBT : Not applicable.
· vPvB: Not applicable.

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable

(Contd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	84.671%
CAS: 7647-01-0	Hydrochloric Acid	5.934%
CAS: 67-56-1	Methanol	4.717%
CAS: 67-63-0	Isopropanol	4.678%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
• Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

(Contd. on page 4)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable

		(Contd. of page 3
· Reference to oth		
	information on safe handling.	
	information on personal protection equipment.	
	r disposal information. • Criteria for Chemicals	
· PAC-1:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 67-56-1	Methanol	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm
· PAC-2:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppm
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 67-63-0	Isopropanol	2000* ppm
· PAC-3:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppm

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
 Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable

mponents with limit values that require monitoring at the workplace: S: 64-17-5 Ethyl Alcohol, Absolute 200 Proof L L Long-term value: 1900 mg/m³, 1000 ppm A3 S: 7647-01-0 Hydrochloric Acid OSH RECOMENDED EXP LIMI Ceiling limit value: 7.0 mg/m³, 5 ppm Ceiling limit value: 7 mg/m³, 5 ppm Ceiling limit value: 7 mg/m³, 5 ppm Ceiling limit value: 2 ppm A4 S: 67-56-1 Methanol L L Long-term value: 200 mg/m³, 200 ppm Long-term value: 200 mg/m³, 200 ppm Short-term value: 200 mg/m³, 200 ppm Long-term value: 200 mg/m³, 200 ppm Short-term value: 250 ppm Long-term value: 250 ppm Long-term value: 250 ppm Long-term value: 200 ppm Skin; BEI S: 67-63-0 Isopropanol L Short-term value: 980 mg/m³, 400 ppm Long-term value: 200 ppm Long-term value: 200 ppm Short-term value: 200 ppm Short-term value: 200 ppm D1 Long-term value: 200 ppm Long-term value: 200 ppm D1 Long-term value: 200 ppm Long-term value: 200 ppm D2 Long-term value: 200 ppm Long-term value: 200 ppm D3 Intraperitoneal: urine Time: end of shift 1 5 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50 Accetone (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Accetone (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Accetone (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Accetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective and hygienic measures: end any forective and hygienic measures: end any forective and hygienic measures: end any for controls	Control parameters		(Contd. of pa
S: 64-17-5 Ethyl Alcohol, Absolute 200 Proof L Long-term value: 1900 mg/m³, 1000 ppm L Long-term value: 1900 mg/m³, 1000 ppm L Long-term value: 1900 mg/m³, 1000 ppm V Short-term value: 1000 ppm A3 Stort-term value: 1000 ppm S: 7647-01-0 Hydrochloric Acid Ceiling limit value: 7 mg/m³, 5 ppm C Ceiling limit value: 7 mg/m³, 5 ppm L Ceiling limit value: 7 mg/m³, 5 ppm C Ceiling limit value: 2 ppm A4 Stort-term value: 260 mg/m³, 200 ppm S: 67-56-1 Methanol Long-term value: 260 mg/m³, 200 ppm L Short-term value: 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin V Short-term value: 200 ppm Skin Long-term value: 200 ppm Skin Long-term value: 980 mg/m³, 400 ppm Long-term value: 400 ppm Long-term value: 400 ppm Skort-term value: 200 ppm Eng-term value: 200 ppm Sc 67-56-1 Methanol Intraperitoneal: urine Time: end of shift Long-term value: 200 ppm Long-term value: 200 ppm BEI, A4 Sc 67-56-1 Methanol Stort-term value: 200 ppm </th <th></th> <th>require monitoring at the workplace:</th> <th></th>		require monitoring at the workplace:	
L Long-term value: 1900 mg/m³, 1000 ppm L Long-term value: 1900 mg/m³, 1000 ppm N Short-term value: 1000 ppm A3 Stort-term value: 70 mg/m³ mg/m³ L Ceiling limit value: 7.0 mg/m³ mg/m³ L Ceiling limit value: 7 mg/m³, 5 ppm L Ceiling limit value: 7 mg/m³, 5 ppm L Ceiling limit value: 2 ppm X Ceiling limit value: 200 ppm L Short-term value: 250 mg/m³, 200 ppm Long-term value: 250 ppm Long-term value: 250 ppm Long-term value: 250 ppm Long-term value: 200 ppm Skin BEI Stort-term value: 280 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 200 ppm Stort-term value: 200 ppm Long-term value: 200 ppm BEI, A4 Three red of shift LD50 Intraperitoneal: urine Time: end of shift at end of workweek <tr< th=""><th>-</th><th></th><th></th></tr<>	-		
L Long-term value: 1900 mg/m³, 1000 ppm Short-term value: 1000 ppm A3 S: 7647-01-0 Hydrochlorie Acid DSH RECOMENDED EXP LIMI Ceiling limit value: 7.0 mg/m³ mg/m³ L C Ceiling limit value: 7 mg/m³, 5 ppm C Ceiling limit value: 2 ngm A4 S: 67-56-1 Methanol L Long-term value: 260 mg/m³, 200 ppm L Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin V Short-term value: 250 ppm Long-term value: 250 ppm Skin S: 67-63-0 Isopropanol L Long-term value: 250 ppm Long-term value: 200 ppm Skin, BEI S: 67-63-0 Isopropanol L Short-term value: 1225 mg/m³, 500 ppm Long-term value: 200 ppm Short-term value: 200 ppm Skin, A4 redients with biological limit values: S: 67-56-1 Methanol I I5 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50. Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50. Intraperitoneal: urine Time: end of shift LD50. Methanol (background, nonspecific) S: 67-50-1 Usintraperitoneal: urine Time: end of shift LD50. Methanol (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective and hygienic measures: end and hygienic measures: end and protective and hygienic measures: end protective and hygienic measures: end protective and hygienic measures: end protective and hygienic measures: end protecti	PEL		
V Short-term value: 1000 ppm A3 Sr. 7647-01-0 Hydrochloric Acid OSH RECOMENDED EXP LIMI Ceiling limit value: 7 mg/m³, 5 ppm L Ceiling limit value: 7 mg/m³, 5 ppm L Ceiling limit value: 2 ppm A4 S: 67-56-1 Methanol L Long-term value: 260 mg/m³, 200 ppm L Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin Short-term value: 250 ppm Long-term value: 250 ppm Long-term value: 250 ppm Long-term value: 200 ppm Skin, BEI S: 67-63-0 Isopropanol L Short-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 200 ppm BEI, A4 redients with biological limit values: S: 67-56-1 Methanol I Is mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-50-1 Sopropanol I 40 mg/L LD50: Intraperitoneal: urine	REL		
A3 If S: 7647-01-0 Hydrochloric Acid Ceiling limit value: 7.0 mg/m3 mg/m3 Calling limit value: 7 mg/m3, 5 ppm Ceiling limit value: 7 mg/m3, 5 ppm Ceiling limit value: 7 mg/m3, 5 ppm Ceiling limit value: 2 ppm V Ceiling limit value: 2 ppm X Colling limit value: 2 for mg/m3, 200 ppm L Long-term value: 260 mg/m3, 200 ppm L Short-term value: 250 ppm Long-term value: 250 ppm Long-term value: 200 ppm Skin Short-term value: 200 ppm Skin; BEI Short-term value: 200 ppm L Short-term value: 980 mg/m3, 400 ppm Long-term value: 980 mg/m3, 400 ppm Long-term value: 980 mg/m3, 400 ppm Long-term value: 200 ppm Bort-term value: 200 ppm Long-term value: 200 ppm Long-term value: 200 ppm Long-term value: 200 ppm Bort-term value: 200 ppm Long-term value: 200 ppm Bort-term value: 200 ppm Long-term value: 200 ppm Long-term value: 200 ppm Long-term value: 200 ppm Bort-term value: 200 ppm Long-term value: 200 ppm Bort-term value: 200 ppm Long-term value: 200 ppm Stort-term value: 200 ppm Stort-ter	TLV	· · · · ·	
OSH RECOMENDED EXP LIMI Ceiling limit value: 7.0 mg/m³, 5pm L Ceiling limit value: 7 mg/m³, 5 ppm L Ceiling limit value: 7 mg/m³, 5 ppm V Ceiling limit value: 2 ppm A4 S: 67-56-1 Methanol L Long-term value: 260 mg/m³, 200 ppm L Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin Skin Short-term value: 250 ppm Long-term value: 200 ppm Skin; Skin; BEI Short-term value: 200 ppm Skin; BEI Short-term value: 980 mg/m³, 400 ppm L Short-term value: 980 mg/m³, 400 ppm L Short-term value: 980 mg/m³, 400 ppm Short-term value: 980 mg/m³, 400 ppm Short-term value: 980 mg/m³, 400 ppm Long-term value: 200 ppm Short-term value: 200 ppm Long-term value: 200 ppm Short-term value: 200 ppm Long-term value: 200 ppm Short-term value: 200 ppm S: 67-56.1 Methanol Inge-term value: 200 ppm I Isgret Stort-term value: 200 ppm ES: 67-61.0 Isopropanol IDSO Intraperitoneal: urine Time: end of shift at end of workweek LDSO: Methanol (background, no			
L Ceiling limit value: 7 mg/m³, 5 ppm L Ceiling limit value: 7 mg/m³, 5 ppm V Ceiling limit value: 2 ppm A4 A4 S: 67-56-1 Methanol L L Long-term value: 260 mg/m³, 200 ppm L Short-term value: 325 mg/m³, 250 ppm L Short-term value: 260 mg/m³, 200 ppm Skin Short-term value: 250 ppm V Short-term value: 200 ppm Skin Skin V Short-term value: 200 ppm Skin Short-term value: 200 ppm Skin; BEI Stort-term value: 980 mg/m³, 400 ppm L Short-term value: 980 mg/m³, 400 ppm L Short-term value: 200 ppm Sci 67-63-0 Isopropanol Long-term value: 200 ppm V Short-term value: 200 ppm Sci 67-56-1 Methanol I I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50 Intraperitoneal: urine	CAS: 7647-01-0 Hydrochloric Acid		
L Ceiling limit value: 7 mg/m³, 5 ppm V Ceiling limit value: 2 ppm A4 S: 67-56-1 Methanol L Long-term value: 260 mg/m³, 200 ppm L Short-term value: 325 mg/m³, 250 ppm Long-term value: 250 ppm Long-term value: 250 ppm Long-term value: 250 ppm Short-term value: 250 ppm V Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI S: 67-63-0 Isopropanol L L Long-term value: 980 mg/m³, 400 ppm L Short-term value: 980 mg/m³, 400 ppm V Short-term value: 980 mg/m³, 400 ppm V Short-term value: 980 mg/m³, 400 ppm L Short-term value: 980 mg/m³, 400 ppm V Short-term value: 200 ppm V Short-term value: 200 ppm BEI, A4 Term value: 200 ppm BEI, A4 Term value: 200 ppm Stort-term value: 200 ppm BEI, A4 Time: end of shift LD50: Methanol I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) Stitonal information: The l	NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³	
V Ceiling limit value: 2 ppm A4 S: 67-56-1 Methanol Long-term value: 260 mg/m³, 200 ppm L Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin V Short-term value: 250 ppm Long-term value: 200 ppm Skin V Short-term value: 200 ppm Skin BEI Stort-term value: 200 ppm Skin; BEI Stort-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 500 ppm L Short-term value: 980 mg/m³, 400 ppm V Short-term value: 200 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm V Short-term value: 200 ppm Long-term value: 200 ppm Long-term value: 200 ppm V Short-term value: 200 ppm Dong-term value: 200 ppm El, A4 greedients with biological limit values: Stort-term value: 200 ppm S: 67-56-1 Methanol I I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) Stort-teration were used as basis. Stoposure controls Spoint areaupi	PEL	Ceiling limit value: 7 mg/m³, 5 ppm	
A4 A4 S: 67-56-1 Methanol Long-term value: 260 mg/m³, 200 ppm L Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin V Short-term value: 260 ppm Long-term value: 200 ppm Skin V Short-term value: 200 ppm Skin; BEI Stort-term value: 200 ppm Stort-term value: 200 ppm Skin; BEI Stort-term value: 1225 mg/m³, 400 ppm Long-term value: 1225 mg/m³, 500 ppm L Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm Short-term value: 980 mg/m³, 400 ppm V Short-term value: 200 ppm Earth value: 200 ppm BEI, A4 redients with biological limit values: Ss S: 67-56-1 Methanol I I 15 mg/L LD50: Intraperitoneal: urine LD50: Methanol (background, nonspecific) S: S: 67-63-0 Isopropanol I I 40 mg/L LD50 Intraperitoneal: urine LD50: Acetone (background, nonspecific) Sio: Acetone (background, nonspecific) S: 67-63-0 Isopropanol I I 40 mg/L LD50 Intraperitoneal: urine	REL	Ceiling limit value: 7 mg/m ³ , 5 ppm	
S: 67-56-1 Methanol L L Long-term value: 260 mg/m², 200 ppm Long-term value: 325 mg/m², 250 ppm Long-term value: 260 mg/m², 200 ppm Skin; 200 ppm Skin; 300 ppm Long-term value: 200 ppm Skin; 300 ppm Long-term value: 200 ppm Long-term value: 200 ppm Long-term value: 1225 mg/m², 400 ppm Long-term value: 1225 mg/m², 500 ppm Long-term value: 980 mg/m², 400 ppm Long-term value: 980 mg/m², 400 ppm Short-term value: 200 ppm Short-term value: 200 ppm Long-term value: 200 ppm Short-term value: 200 ppm Short-term value: 200 ppm Long-term value: 980 mg/m², 400 ppm Long-term value: 900 mg/m², 400 ppm Long-term value: 200 ppm Short-term value: 200 ppm Short-term value: 200 ppm Long-term value: 200 ppm Short-term value: 200 ppm Short-term value: 200 ppm Long-term value: 200 ppm Short-term value: 200 ppm Short-term value: 200 ppm Long-term value: 200 ppm Long-term value: 200 ppm Long-term value: 200 ppm Long-term value: 200 ppm Short-term value: 200 ppm Long-term value: 200 ppm Short-term value: 200 ppm Long-term value: 200 ppm Short-term value: 200 ppm Long-term value: 200 ppm Strite value: 200 ppm Long-term value: 200 ppm Strite value: 2	TLV	Ceiling limit value: 2 ppm	
L Long-term value: 260 mg/m³, 200 ppm L Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin V Short-term value: 250 ppm Long-term value: 200 ppm Skin: Skin: BEI Stort-term value: 200 ppm Skin: BEI Stort-term value: 200 ppm Skin: Short-term value: 200 ppm L Long-term value: 980 mg/m³, 400 ppm L Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm V Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 200 ppm BEI, A4 Short-term value: 200 ppm Yredients with biological limit values: Stort-term value: 200 ppm St 67-56-1 Methanol I 1 J5 mg/L LD50 Intraperitoneal: urine Time: end of shift Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) Stort-acetter (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls sposure controls <td></td> <td>A4</td> <td></td>		A4	
L Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin V Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI S: 67-63-0 Isopropanol Long-term value: 980 mg/m³, 400 ppm Long-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm Short-term value: 980 mg/m³, 400 ppm Short-term value: 200 ppm BEI, A4 redeints with biological limit values: Stort-term value: 200 ppm BEI, A4 redeints with biological limit values: Stort-term value: 200 ppm BEI, A4 redeints with biological limit values: Stort-term value: 200 ppm BEI, A4 redeints with biological limit values: Stort-term value: 200 ppm BEI, A4 redeints with biological limit values: Stort-term value: 200 ppm BEI, A4 redeints with biological limit values: Stort-term value: 200 ppm BEI, A4 redeints with biological limit values: Stort-term value: 200 ppm BEI, A4 redeints with biological limit values: Stort-term value: 200 ppm BEI, A4 redeints with biological limit values: Stort-term value: 200 ppm BEI, A4 redeints with biological limit values: Stort-term value: 200 ppm BEI, A4 I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) Stort-term value: 200 ppm BEI, A4 ditional information: The lists that were valid during the creation were used as basis.	CAS: 67-56-1 Methanol		
Long-term value: 260 mg/m³, 200 ppm Skin Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI S: 67-63-0 Isopropanol L L Long-term value: 980 mg/m³, 400 ppm L Short-term value: 1225 mg/m³, 500 ppm L Short-term value: 980 mg/m³, 400 ppm L Short-term value: 980 mg/m³, 400 ppm L Short-term value: 200 ppm V Short-term value: 200 ppm BEI, A4 Long-term value: 200 ppm gredients with biological limit values: Stort-term value: 200 ppm S: 67-56-1 Methanol I I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50 Intraperitoneal: urine Stort-term value: LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: nereal protective equipment: nereal protective and	PEL	Long-term value: 260 mg/m³, 200 ppm	
Skin Skin Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI Skin; BEI Si 67-63-0 Isopropanol Long-term value: 980 mg/m³, 400 ppm L Short-term value: 1225 mg/m³, 500 ppm L Short-term value: 980 mg/m³, 400 ppm V Short-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm V Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4 gredients with biological limit values: S S: 67-56-1 Methanol I 1 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50! Methanol (background, nonspecific) S S: 67-63-0 Isopropanol I 1 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: reneral protective equipment: neresures: ep away from foodstuffs, beverages and feed.	REL		
V Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI S: 67-63-0 Isopropanol Long-term value: 980 mg/m³, 400 ppm L Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm V Short-term value: 980 mg/m³, 400 ppm Long-term value: 200 ppm BEI, A4 gredients with biological limit values: S: 67-56-1 Methanol I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective equipment: neral protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.			
Long-term value: 200 ppm Skin; BEI S: 67-63-0 Isopropanol L Long-term value: 980 mg/m³, 400 ppm L Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm V Short-term value: 980 mg/m³, 400 ppm V Short-term value: 900 ppm Long-term value: 900 ppm BEI, A4 gredients with biological limit values: S: 67-56-1 Methanol I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective equipment: neral protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.			
Skin; BEI S: 67-63-0 Isopropanol L Long-term value: 980 mg/m³, 400 ppm L Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm V Short-term value: 980 mg/m³, 400 ppm V Short-term value: 200 ppm BEI, A4 gredients with biological limit values: S: 67-56-1 Methanol I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I Quark LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50. Methanol (background, nonspecific) S: 67-63-0 Isopropanol I I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective equipment: neral protective and hygienic measures: ep away from foodstuffs, b	TLV		
S: 67-63-0 Isopropanol L L Long-term value: 980 mg/m ³ , 400 ppm Long-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm Short-term value: 980 mg/m ³ , 400 ppm U N Short-term value: 980 mg/m ³ , 400 ppm BEI, A4 reredients with biological limit values: S: 67-56-1 Methanol I I 5 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.			
L Long-term value: 980 mg/m³, 400 ppm L Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm V Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4 redients with biological limit values: S: 67-56-1 Methanol I I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.	CAS: 67-63-0 Isopropanol		
L Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm V Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4 gredients with biological limit values: S S: 67-56-1 Methanol I 1 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S S: 67-63-0 Isopropanol I 1 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) I 1 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) I ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed. I	PEL	Long-term value: 980 mg/m ³ , 400 ppm	
V Long-term value: 980 mg/m³, 400 ppm Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4 gredients with biological limit values: S: 67-56-1 Methanol I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50 S. Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.	REL		
Long-term value: 200 ppm BEI, A4 gredients with biological limit values: S: 67-56-1 Methanol II 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol II 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: meral protective and hygienic measures: ep away from foodstuffs, beverages and feed.			
BEI, A4 gredients with biological limit values: S: 67-56-1 Methanol I I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.	TLV	Short-term value: 400 ppm	
gredients with biological limit values: S: 67-56-1 Methanol I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.			
S: 67-56-1 Methanol I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.		BEI, A4	
 I 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed. 	Ingredients with biological limit va	lues:	
LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.	CAS: 67-56-1 Methanol		
Time: end of shift LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.	BEI 15 mg/L		
LD50: Methanol (background, nonspecific) S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.			
S: 67-63-0 Isopropanol I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.		nonspecific)	
 I 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed. 		nonspecific)	
LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.			
Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.			
ditional information: The lists that were valid during the creation were used as basis. posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.	*	⁻ kweek	
posure controls rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.			
rsonal protective equipment: neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.	Additional information: The lists th	at were valid during the creation were used as basis.	
neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.	Exposure controls		
ep away from foodstuffs, beverages and feed.	Personal protective equipment:		
mediately remove all soiled and contaminated clothing.			
ish hands before breaks and at the end of work.			

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable

(Contd. of page 5)

Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and a General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Alcohol	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	13 °C (55.4 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	

US

Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable

	(Contd. of page	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
Explosion limits:		
Lower:	3.5 Vol %	
Upper:	15 Vol %	
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)	
Density at 20 °C (68 °F):	0.8042 g/cm ³ (6.71105 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	94.1 %	
VOC content:	94.07 %	
	756.5 g/l / 6.31 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50	values tha	t are relevant for classification:
ATE (Acu	te Toxicity	y Estimate)
Oral	LD50	2,120 mg/kg
Dermal	LD50	2,120 mg/kg 6,360 mg/kg
Inhalative	LC50/4h	63.6 mg/l
		(Contd. on page 8)

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable

(Contd. of page 7)

1

3

- Primary irritant effect:
- \cdot on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- \cdot Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 9)

US ·

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2024

*

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable

• Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name · DOT	Flammable liquids, n.o.s. (Ethanol, Methanol, Isopropanol
· IMDG, IATA) FLAMMABLE LIQUID, N.O.S. (Ethanol, Methanol, Isopropano)
· Transport hazard class(es)	
· Class · Label	3 Flammable liquids 3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards: · Marine pollutant:	No
 Special precautions for user Hazard identification number (Kemler cod EMS Number: Segregation groups Stowage Category 	Warning: Flammable liquids de): 338 F-E, <u>S-E</u> (SGG1) Acids B
• Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	of Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· IMDG · Limited quantities (LQ)	0

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name:	Hydrochloric Acid 0.5 Normal
	in Ethanol, NIST Traceable

	(Contd. of page 9)
· Excepted quantities (EQ)	Code: E3 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 300 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL, METHANOL, ISOPROPANOL), 3, II

15 Regulatory information

*

Sara Section 355 (exi	tremely hazardous substances):	
None of the ingr		
, 3	ecific toxic chemical listings):	
CAS: 67-56-1 M	• • •	
CAS: 67-63-0 I		
	ubstances Control Act):	
,	bsolute 200 Proof	ACTIVI
Hydrochloric Ad	•	ACTIVI
Methanol		ACTIVI
Isopropanol		ACTIVI
Hazardous Air	Pollutants	
-	Hydrochloric Acid	
CAS: 67-56-1 Methanol		
Proposition 65	1	
Chemicals know	vn to cause cancer:	
None of the ingr	edients is listed.	
Chemicals know	vn to cause reproductive toxicity for females:	
None of the ingr	edients is listed.	
Chemicals know	vn to cause reproductive toxicity for males:	
None of the ingr	redients is listed.	
Chemicals know	vn to cause developmental toxicity:	
	Ethyl Alcohol, Absolute 200 Proof	
CAS: 67-56-1 N	1ethanol	
Carcinogenic co	ategories	
-	nental Protection Agency)	
None of the ingr	redients is listed.	
TLV (Threshold	(Limit Value)	
TLV (Threshold CAS: 64-17-5 E	l Limit Value) Ethyl Alcohol, Absolute 200 Proof	A

(Contd. on page 11) US

Printing date 06/05/2024

Reviewed on 06/05/2024

(Contd. of page 10)

Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Hydrochloric Acid Methanol · Hazard statements Highly flammable liquid and vapor. Causes severe skin burns and eye damage. May cause damage to the central nervous system and the visual organs. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. *Keep container tightly closed.* Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Call a poison center/doctor. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

(Contd. on page 12)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 0.5 Normal in Ethanol, NIST Traceable

	(Contd. of page 11)
· Contact:	
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 04-09-2021: Creation date for SDS. STN	
06/05/2024	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Permissione Exposure Limit REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) – Category 2	
Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2	
\cdot * Data compared to the previous version altered.	
Dum computer to the previous version uncrea.	10