Printing date 03/03/2025

Reviewed on 03/03/2025

ONS

1 Identification

- · Product identifier
- Trade name: <u>Hydroxylamine 0.1M in IPA</u>
- Article number: ND730
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225
- DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
Carcinogenicity 2	H351 Suspected of causing cancer.
GHS07	
Eye Irritation 2A	H319 Causes serious eye irritation.
Sensitization - Skin 1 Specific Target Organ Toxicity - Single Exposu	H317 May cause an allergic skin reaction. re 3 H336 May cause drowsiness or dizziness.
 Label elements GHS label elements The product is classified a Hazard pictograms GHS02 GHS07 GHS08 	nd labeled according to the Globally Harmonized System (GHS).
• Signal word Danger	
• Hazard-determining components of labeling: Isopropanol	
Hydroxylamine Hydrochloride	(Contd. on page 2)

Printing date 03/03/2025

Reviewed on 03/03/2025

Trade name: Hydroxylamine 0.1M in IPA

(Contd. of page 1)
• Hazard statements Highly flammable liquid and vapor.
Causes serious eye irritation.
May cause an allergic skin reaction.
Suspected of causing cancer.
May cause drowsiness or dizziness.
· Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Call a poison center/doctor if you feel unwell.
Specific treatment (see on this label).
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system: · NFPA ratings (scale 0 - 4)
ATTA Tungs (scure 0 - 4)
$\frac{1}{3}$ Health = 2
Fire = 3
2 0 Reactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH 2 $Health = 2$
FIRE 3 $Fire = 3$
REACTIVITY O Reactivity = 0

· Other hazards

• Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.

(Contd. on page 3)

US

Printing date 03/03/2025

Reviewed on 03/03/2025

Trade name: Hydroxylamine 0.1M in IPA

(Contd. of page 2)

	terization: Mixtures ture of the substances listed below with nonhazardous additions.	
· Dangerous comp	ponents:	
CAS: 67-63-0	Isopropanol	75.21%
CAS: 5470-11-1	Hydroxylamine Hydrochloride	0.838%
· Table of Nonhaz	ardous Ingredients	
CAS: 7732-18-5	Water	23.952%

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

• Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.

(Contd. on page 4)

Printing date 03/03/2025

Reviewed on 03/03/2025

Trade name: Hydroxylamine 0.1M in IPA

See Section 13 fo	n information on personal protection equipment. For disposal information. For Criteria for Chemicals	(Contd. of page 3)
· PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 5470-11-1	Hydroxylamine Hydrochloride	$0.42 mg/m^3$
· PAC-2:		
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 5470-11-1	Hydroxylamine Hydrochloride	$4.7 mg/m^3$
· PAC-3:		
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 5470-11-1	Hydroxylamine Hydrochloride	28 mg/m ³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Store in cool, ary conditions in well sealed receptacies. $\mathbf{S}_{\mathbf{r}} = \mathbf{s}_{\mathbf{r}}^{\mathbf{r}} \mathbf{f}_{\mathbf{r}} = \mathbf{s}_{\mathbf{r}}^{\mathbf{r}} \mathbf{f}_{\mathbf{r}}$

 \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS:	CAS: 67-63-0 Isopropanol		
PEL	Long-term value: 980 mg/m³, 400 ppm		
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm		
	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4		
	(Contd. on page 5)		

Printing date 03/03/2025

Reviewed on 03/03/2025

Trade name: Hydroxylamine 0.1M in IPA

	(Contd. of page
Ingredients with biologi	ical limit values:
CAS: 67-63-0 Isopropa	nol
BEI 40 mg/L	
LD50 Intraperiton	eal: urine
Time: end of shift a	
	uckground, nonspecific)
	: The lists that were valid during the creation were used as basis.
• Exposure controls	
· Personal protective equ	inmont
• General protective and	
Keep away from foodstu	
	soiled and contaminated clothing.
	iks and at the end of work.
Store protective clothing	
Avoid contact with the e	
Avoid contact with the e	
Breathing equipment:	
	e or low pollution use respiratory filter device. In case of intensive or longer exposure u
	evice that is independent of circulating air.
• Protection of hands:	
Due to missing tests no chemical mixture. Selection of the glove ma Material of gloves The selection of the suita varies from manufacture the glove material can no Penetration time of glow The exact break throug observed. Eye protection: Tightly sealed	ch time has to be found out by the manufacturer of the protective gloves and has to a
• Body protection: Protect	ctive work clothing
Physical and chemi	cal properties
Information on basic pl	hysical and chemical properties
• General Information	- • •
· Appearance:	
Form:	Liquid
~ ~	Clear
Color:	Cicui
Color: • Odor:	Alcohol

Printing date 03/03/2025

Reviewed on 03/03/2025

Trade name: Hydroxylamine 0.1M in IPA

	(Contd. of page	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 82 °C (179.6 °F)	
· Flash point:	13 °C (55.4 °F)	
· Flammability:	Highly flammable.	
Auto igniting:	425 °C (797 °F)	
• Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
Explosion limits: Lower: Upper:	2 Vol % 12 Vol %	
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)	
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.84392 g/cm ³ (7.04251 lbs/gal) Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
· Solvent content:		
Organic solvents:	75.2 %	
Water:	24.0 %	
VOC content:	75.21 % 634.7 g/l / 5.30 lb/gal	
Solids content:	0.8 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

3

Safety Data Sheet acc. to OSHA HCS

Printing date 03/03/2025

Reviewed on 03/03/2025

Trade name: Hydroxylamine 0.1M in IPA

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 11,929 mg/kg

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

• Sensitization: Sensitization possible through skin contact.

 \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

-US

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/03/2025

Trade name: Hydroxylamine 0.1M in IPA

· Uncleaned packagings:

Printing date 03/03/2025

• *Recommendation: Disposal must be made according to official regulations.*

UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT	Flammable liquids, n.o.s. (Isopropanol
IMDG, IATA) FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Transport hazard class(es)	
DOT	
RUMARE LOOP	
Class	3 Flammable liquids
Label	3
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	
Stowage Category	F-E, <u>S-E</u> B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ)	1L

Printing date 03/03/2025

Reviewed on 03/03/2025

Trade name: Hydroxylamine 0.1M in IPA

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

· Section 355	(extremely	hazardous	substances):
---------------	------------	-----------	--------------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 Isopropanol

· TSCA (Toxic Substances Control Act):	
Isopropanol	ACTIVE
Water	ACTIVE
Hydroxylamine Hydrochloride	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 67-63-0 Isopropanol

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

A4

Printing date 03/03/2025

· Hazard pictograms

Reviewed on 03/03/2025

Trade name: Hydroxylamine 0.1M in IPA

(Contd. of page 9)

AN I	
GHS02 G	HS07 GHS08
· Signal word	Danger
Isopropanol	mining components of labeling:
· Hazard state	
	able liquid and vapor. us eye irritation.
May cause an	n allergic skin reaction. causing cancer.
	rowsiness or dizziness.
Obtain specie	al instructions before use. I until all safety precautions have been read and understood.
Keep away fr	om heat/sparks/open flames/hot surfaces No smoking. I container and receiving equipment.
Use explosion	n-proof electrical/ventilating/lighting/equipment. -sparking tools.
Take precaut	ionary measures against static discharge. ing dust/fume/gas/mist/vapors/spray
Wash thoroug	ghly after handling. doors or in a well-ventilated area.
Contaminated	d work clothing must not be allowed out of the workplace.
If on skin (or	ive gloves/protective clothing/eye protection/face protection. hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If in eyes: R	: Remove person to fresh air and keep comfortable for breathing. inse cautiously with water for several minutes. Remove contact lenses, if present and easy to de
	r concerned: Get medical advice/attention.
Specific treat	e center/doctor if you feel unwell. ment (see on this label).
	ion or rash occurs: Get medical advice/attention. on persists: Get medical advice/attention.
	inated clothing before reuse. e: Use CO2, powder or water spray to extinguish.
Store in a we	ll-ventilated place. Keep container tightly closed. ll-ventilated place. Keep cool.
Store locked	
	fety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

(Contd. on page 11)

Printing date 03/03/2025

Reviewed on 03/03/2025

Trade name: Hydroxylamine 0.1M in IPA

	(Contd. of page 10)
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 0.0, 03-03-2025: Creation date for SDS CMC/STN	
03/03/2025 / -	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Sensitization - Skin 1: Skin sensitisation – Category 1	
Carcinogenicity 2: Carcinogenicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
	US