Printing date 02/21/2025

Reviewed on 02/21/2025

1 Identification

- · Product identifier
- · Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard
- · Article number: VEN036
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

AQUA

- Information department: Technical Coordinator
 Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- Hazard-determining components of labeling: Nitric Acid
 Hazard statements
- Causes severe skin burns and eye damage.
- **Precautionary statements** Do not breathe dusts or mists.

Wash thoroughly after handling.

- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

(Contd. on page 2)

⁻ US

Printing date 02/21/2025

Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard

(Contd. of page 1) Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 0 Fire = 0FIRE **REACTIVITY** 0 *Reactivity* = 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures · Description: Mixture of the substances listed below with nonhazardous additions. · Dangerous components: CAS: 7697-37-2 Nitric Acid 7.404% · Table of Nonhazardous Ingredients CAS: 7732-18-5 Water 92.595% CAS: 7647-01-0 Hydrochloric Acid 0.0005%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

US

Printing date 02/21/2025

Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

• Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 7782-61-8	Ferric Nitrate	22 mg/m ³
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	13 mg/m ³
CAS: 7631-99-4	Sodium Nitrate	3.8 mg/m3
CAS: 19004-19-4	Cupric Nitrate Hydrate	42 mg/m ³
CAS: 10099-74-8	Lead Nitrate	0.24 mg/m
CAS: 7440-47-3	chromium	1.5 mg/m ³
CAS: 7440-66-6	Zinc Metal	6 mg/m ³
PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 7782-61-8	Ferric Nitrate	110 mg/m
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	22 mg/m ³
CAS: 7631-99-4	Sodium Nitrate	42 mg/m3
CAS: 19004-19-4	Cupric Nitrate Hydrate	150 mg/m
CAS: 10099-74-8	Lead Nitrate	180 mg/m
CAS: 7440-47-3	chromium	17 mg/m ³
CAS: 7440-66-6	Zinc Metal	40 mg/m3
PAC-3:		<u> </u>
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 7782-61-8	Ferric Nitrate	640 mg/m ³
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	740 mg/m ³

(Contd. of page 2)

Printing date 02/21/2025

Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard

		(Contd. of page 3)
CAS: 7631-99-4	Sodium Nitrate	250 mg/m3
	Cupric Nitrate Hydrate	240 mg/m ³
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m ³
CAS: 7440-47-3	chromium	99 mg/m ³
CAS: 7440-66-6	Zinc Metal	240 mg/m3

7 Handling and storage

· Handling:

• Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm NIC-A4

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US –

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/21/2025

Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c General Information	hemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability:	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.02955 g/cm³ (8.59159 lbs/gal)	

Printing date 02/21/2025

Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard

		(Contd. of page 2
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with	1	
Water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	92.6 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 40.5 mg/l

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

US

Printing date 02/21/2025

Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard

		(Contd. of page 6)
Canainagania agt	an a mine	(Conta. of page 0)
Carcinogenic cat	0	
IARC (Internatio	nal Agency for Research on Cancer)	
CAS: 10099-74-8	Lead Nitrate	2A
CAS: 7440-47-3	chromium	3
	oxicology Program)	
CAS: 10099-74-8	Lead Nitrate	R
OSHA-Ca (Occu	pational Safety & Health Administration)	
None of the ingre	dients is listed.	

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot DOT$	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitra
, ,	Acid)

Printing date 02/21/2025

Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard

	(Contd. of pag
• Transport hazard class(es)	
·DOT	
· Class · Label	8 Corrosive substances 8
· IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: 	Warning: Corrosive substances 80 F-A,S-B
Segregation groups	(SGG1) Acids
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	**
· DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	1L
$\cdot Excepted$ quantities ($\widetilde{E}Q$)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (NITRIC ACID), 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US

Printing date 02/21/2025

Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard

Sara		
	emely hazardous substances):	
CAS: 7697-37-2		
· •	ific toxic chemical listings):	
CAS: 7697-37-2	Nitric Acid	
CAS: 7782-61-8	Ferric Nitrate	
CAS: 10099-74-8		
CAS: 7440-47-3	chromium	
CAS: 7440-66-6	Zinc Metal	
· TSCA (Toxic Sul	stances Control Act):	
Water		ACTIV
Nitric Acid		ACTIV
Hydrochloric Aci	l	ACTIV
Sodium Nitrate		ACTIV
Lead Nitrate		ACTIV
chromium		ACTIV
Zinc Metal		ACTIV
Hazardous Air P	llutants	
CAS: 7647-01-0	Hydrochloric Acid	
CAS: 10099-74-8	Lead Nitrate	
Proposition 65		
· Chemicals know	to cause cancer:	
CAS: 10099-74-8	Lead Nitrate	
Chemicals know	to cause reproductive toxicity for females:	
None of the ingre		
	to cause reproductive toxicity for males:	
None of the ingre		
	to cause developmental toxicity:	
None of the ingre	lients is listed.	
· Carcinogenic cat	egories	
· EPA (Environme	ntal Protection Agency)	
CAS: 10099-74-8	Lead Nitrate	B2
CAS: 7440-47-3	chromium	D
CAS: 7440-66-6	Zinc Metal	D, I, I
· TLV (Threshold	Limit Value)	
CAS: 10099-74-8	Lead Nitrate	Α
CAS: 7440-47-3	chromium	A
NIOSH-Ca (Nati	onal Institute for Occupational Safety and Health)	
	lients is listed.	

- US

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/21/2025

Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard · Hazard pictograms

GHS05 · Signal word Danger · Hazard-determining components of labeling: Nitric Acid · Hazard statements Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 0.0, 02-21-2025: Creation date for SDS CMC/STN 02/21/2025 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

(Contd. on page 11)

US

Printing date 02/21/2025

Reviewed on 02/21/2025

Trade name: Mixed Metals ICP 100ppb(0.1ppm) Standard

REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 (Contd. of page 10)

us —