Printing date 11/20/2017

Reviewed on 11/20/2017

Identification	
· Product identifier	
• Trade name: <u>Bromothymol Blue 0.1%</u> w/v in 50% Methanol	
• Article number: GEI015	
· Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	AQUA
Aqua Solutions, Inc. 6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
• <b>Information department:</b> Technical Coordinator	
Sherman Nelson sherman@aquasolutions.org	
· Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. Label elements	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. Label elements GHS label elements The product is classified and labeled accompany.	ording to the Globally Harmonized System (GHS
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. Label elements GHS label elements The product is classified and labeled accompany.	ording to the Globally Harmonized System (GHS
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. Label elements GHS label elements The product is classified and labeled accompany.	ording to the Globally Harmonized System (GHS
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard	ording to the Globally Harmonized System (GHS
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. Label elements GHS label elements The product is classified and labeled acco Hazard pictograms	ording to the Globally Harmonized System (GHS
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. Label elements GHS label elements The product is classified and labeled accord	ording to the Globally Harmonized System (GHS
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard STOT SE 1 H370 Causes damage to organs. Label elements GHS label elements The product is classified and labeled acco Hazard pictograms GHS02 GHS06 GHS08	ording to the Globally Harmonized System (GHS
<ul> <li>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</li> <li>GHS06 Skull and crossbones</li> <li>Acute Tox. 3 H331 Toxic if inhaled.</li> <li>GHS08 Health hazard</li> <li>STOT SE 1 H370 Causes damage to organs.</li> <li>Label elements GHS label elements The product is classified and labeled accord Hazard pictograms</li> <li>GHS02 GHS06 GHS08</li> <li>Signal word Danger</li> </ul>	ording to the Globally Harmonized System (GHS
<ul> <li>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</li> <li>GHS06 Skull and crossbones</li> <li>Acute Tox. 3 H331 Toxic if inhaled.</li> <li>GHS08 Health hazard</li> <li>STOT SE 1 H370 Causes damage to organs.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled accordinate to the product is classified accor</li></ul>	ording to the Globally Harmonized System (GHS
<ul> <li>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</li> <li>GHS06 Skull and crossbones</li> <li>Acute Tox. 3 H331 Toxic if inhaled.</li> <li>GHS08 Health hazard</li> <li>GHS08 Health hazard</li> <li>STOT SE 1 H370 Causes damage to organs.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled accordinate to the product is classified accordinate to the product is classified</li></ul>	ording to the Globally Harmonized System (GHS
<ul> <li>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</li> <li>GHS06 Skull and crossbones</li> <li>Acute Tox. 3 H331 Toxic if inhaled.</li> <li>GHS08 Health hazard</li> <li>GHS08 Health hazard</li> <li>STOT SE 1 H370 Causes damage to organs.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled accord Hazard pictograms</li> <li>GHS02 GHS06 GHS08</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Methanol (Methyl Alcohol)</li> </ul>	ording to the Globally Harmonized System (GHS

Printing date 11/20/2017

CAS: 76-59-5

CAS: 7732-18-5 Water

Bromothymol Blue

Reviewed on 11/20/2017

### Trade name: Bromothymol Blue 0.1% w/v in 50% Methanol

Causes damages to engage	(Contd. of page 1)
Causes damage to organs.	
• <b>Precautionary statements</b> Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Specific treatment (see on this label).	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	0
• Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 1 Fire = 3 Reactivity = 0 $\cdot$ HMIS-ratings (scale 0 - 4) HEALTH 2 FIRE 3 REACTIVITY $\circ$ Reactivity = 0 $\cdot$ Other hazards $\cdot$ Results of PBT and vPvB assessment $\cdot$ PBT: Not applicable. $\cdot$ vPvB: Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	44.171%
Table of Nonhazardous Ingredients	
Tuone of thomaduraous ingreatents	

(Contd. on page 3)

0.112%

55.717%

US

*Printing date 11/20/2017* 

Reviewed on 11/20/2017

#### Trade name: Bromothymol Blue 0.1% w/v in 50% Methanol

(Contd. of page 2)

## 4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 8 for high matter on personal projection equipment. See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	530 ppm
CAS: 76-59-5 Bromothymol Blue	30 mg/m <sup>3</sup>
· PAC-2:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	2,100 ppm
CAS: 76-59-5 Bromothymol Blue	330 mg/m <sup>3</sup>
	(Contd. on page 4)

Printing date 11/20/2017

Reviewed on 11/20/2017

Trade name: Bromothymol Blue 0.1% w/v in 50% Methanol

(Contd. of page 3)

· PAC-3:			
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm	
CAS: 76-59-5	Bromothymol Blue	2,000 mg/m <sup>3</sup>	

## 7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- $\cdot$  Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
CAS	: 67-56-1 Methanol (Methyl Alcohol)
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm Long-term value: 260 mg/m <sup>3</sup> , 200 ppm Skin
TLV	Short-term value: 328 mg/m <sup>3</sup> , 250 ppm Long-term value: 262 mg/m <sup>3</sup> , 200 ppm Skin; BEI
0	edients with biological limit values: : 67-56-1 Methanol (Methyl Alcohol)
	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)
· Expo · Perso · Gene	<b>itional information:</b> The lists that were valid during the creation were used as basis. <b>osure controls</b> <b>onal protective equipment:</b> <b>eral protective and hygienic measures:</b> <b>o</b> away from foodstuffs, beverages and feed.

(Contd. on page 5)

<sup>-</sup> US

Printing date 11/20/2017

Reviewed on 11/20/2017

Trade name: Bromothymol Blue 0.1% w/v in 50% Methanol

(Contd. of page 4)

Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
· Breathing equipment:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· Protection of hands:
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· Eye protection:
Tightly sealed goggles
· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Reddish-orange
Odor:	Methanol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
<b>Boiling point/Boiling range:</b>	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.

*Printing date 11/20/2017* 

Reviewed on 11/20/2017

#### Trade name: Bromothymol Blue 0.1% w/v in 50% Methanol

		(Contd. of page
Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44 Vol %	
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Density at 20 °C (68 °F):	0.89595 g/cm <sup>3</sup> (7.4767 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	44.2 %	
Water:	55.7 %	
VOC content:	44.17 %	
	395.8 g/l / 3.30 lb/gl	
Solids content:	0.1 %	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 6.79 mg/l

CAS: 67-56-1 Methanol (Methyl Alcohol)

*Oral LD50 5,628 mg/kg (rat)* 

Dermal LD50 15,800 mg/kg (rabbit)

Inhalative LC50/4 h 3 mg/l (ATE)

(Contd. on page 7)

US -

Printing date 11/20/2017

Reviewed on 11/20/2017

#### Trade name: Bromothymol Blue 0.1% w/v in 50% Methanol

(Contd. of page 6)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Toxic
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

### **12** Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### **14 Transport information**

· UN-Number · DOT, IMDG, IATA

UN1993

(Contd. on page 8)

US

Printing date 11/20/2017

Reviewed on 11/20/2017

Trade name:	Bromothymol Blue 0.1%
	w/v in 50% Methanol

	(Contd. of pag
UN proper shipping name DOT IMDG, IATA	Flammable liquids, n.o.s. (Methanol) FLAMMABLE LIQUID, N.O.S. (METHANOL)
Transport hazard class(es)	
DOT	
RAMMARE LOOP	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	336
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	В
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
-	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (METHANOL), 3, II

(Contd. on page 9)

Printing date 11/20/2017

Reviewed on 11/20/2017

#### Trade name: Bromothymol Blue 0.1% w/v in 50% Methanol

(Contd. of page 8)

### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 $\cdot$  Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

· TSCA (Toxic Substances Control Act):

Methanol (Methyl Alcohol)

Bromothymol Blue

Water

· TSCA new (21st Century Act) (Substances not listed)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• *Hazard-determining components of labeling: Methanol (Methyl Alcohol)* 

Hazard statements
Highly flammable liquid and vapor.
Toxic if inhaled.
Causes damage to organs.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 10)

*Printing date 11/20/2017* 

Reviewed on 11/20/2017

#### Trade name: Bromothymol Blue 0.1% w/v in 50% Methanol

(Contd. of page 9)

	Ground/bond container and receiving equipment.
	Use explosion-proof electrical/ventilating/lighting/equipment.
	Use only non-sparking tools.
	Take precautionary measures against static discharge.
	Do not breathe dust/fume/gas/mist/vapors/spray.
	Wash thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Use only outdoors or in a well-ventilated area.
	Wear protective gloves/protective clothing/eye protection/face protection.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	Specific treatment (see on this label).
	In case of fire: Use for extinction: CO2, powder or water spray.
	Store in a well-ventilated place. Keep container tightly closed.
	Store in a well-ventilated place. Keep cool.
	Store locked up.
	Dispose of contents/container in accordance with local/regional/national/international regulations.
	• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
_	

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing SDS: Environment protection department.
 Contact:
 Date of preparation / last revision 11-20-2017: review SDS for accuracy. STN

Revision 0.0, 05-06-2015: Creation date for SDS. STN

11/20/2017 / -• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1