Printing date 05/21/2024 Reviewed on 05/21/2024

1 Identification

· Product identifier

· Trade name: Bromine Index Solvent Modified with Chloroform

· Article number: MOB077

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer.

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure 2 H371 May cause damage to the central nervous system and the visual organs.

Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system

through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



Acute Toxicity - Oral 4

Acute Toxicity - Dermal 4

Acute Toxicity - Inhalation 4

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

(Contd. on page 2)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent

Modified with Chloroform

(Contd. of page 1)

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02

GHS05

5 GHS07

07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

Acetic Acid, Glacial

Chloroform

Methanol

Sulfuric Acid 96 - 98%

· Hazard statements

Highly flammable liquid and vapor.

Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause cancer.

Suspected of damaging fertility or the unborn child.

May cause damage to the central nervous system and the visual organs.

Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

 $Use\ explosion-proof\ electrical/ventilating/lighting/equipment.$

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

(Contd. on page 3)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent Modified with Chloroform

(Contd. of page 2)

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 2Reactivity = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|-------------------------------------|------------------------|---------|
| CAS: 64-19-7 | Acetic Acid, Glacial | 69.828% |
| CAS: 67-66-3 | Chloroform | 18.418% |
| CAS: 67-56-1 | Methanol | 9.851% |
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | 0.508% |
| · Table of Nonhazardous Ingredients | | |

| CAS: 7732-18-5 Water | 1.396% | l |
|------------------------|--------|---|
|------------------------|--------|---|

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

(Contd. on page 4)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent

Modified with Chloroform

(Contd. of page 3)

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| | contentation circums | |
|----------------|------------------------|----------------------|
| · PAC-1: | | |
| CAS: 64-19-7 | Acetic Acid, Glacial | 5 ppm |
| CAS: 67-66-3 | Chloroform | 2 ppm |
| CAS: 67-56-1 | Methanol | 530 ppm |
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | $0.20 mg/m^3$ |
| · PAC-2: | | |
| CAS: 64-19-7 | Acetic Acid, Glacial | 35 ppm |
| CAS: 67-66-3 | Chloroform | 64 ppm |
| CAS: 67-56-1 | Methanol | 2,100 ppm |
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | 8.7 mg/m^3 |
| · PAC-3: | | |
| CAS: 64-19-7 | Acetic Acid, Glacial | 250 ppm |
| | | (Contd. on page 5) |

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent Modified with Chloroform

| | | (Contd. of page 4) |
|----------------|------------------------|--------------------|
| CAS: 67-66-3 | Chloroform | 3,200 ppm |
| CAS: 67-56-1 | Methanol | 7200* ppm |
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | 160 mg/m³ |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.

| | rol parameters |
|-------|---|
| · Com | ponents with limit values that require monitoring at the workplace: |
| CAS. | : 64-19-7 Acetic Acid, Glacial |
| PEL | Long-term value: 25 mg/m³, 10 ppm |
| REL | Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm |
| TLV | Short-term value: 15 ppm Long-term value: 10 ppm |
| CAS | : 67-66-3 Chloroform |
| PEL | Ceiling limit value: 240 mg/m³, 50 ppm |
| REL | Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A |
| TLV | Long-term value: 10 ppm A3 |
| CAS | : 67-56-1 Methanol |
| PEL | Long-term value: 260 mg/m³, 200 ppm |
| REL | Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin |
| | (Contd. on page |

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent Modified with Chloroform

(Contd. of page 5)

TLV Short-term value: 250 ppm Long-term value: 200 ppm

Skin; BEI

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m³
REL Long-term value: 1 mg/m³
TLV Long-term value: 0.2* mg/m³
*as thoracic fraction, A2

· Ingredients with biological limit values:

CAS: 67-56-1 Methanol

BEI 15 mg/L

LD50 Intraperitoneal: urine

Time: end of shift

LD50: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 7)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent
Modified with Chloroform

· Body protection: Protective work clothing

(Contd. of page 6)

| · Information on basic physical and c | hemical properties |
|---|---|
| · General Information | |
| · Appearance: | |
| Form: | Liquid |
| Color: | Clear |
| · Odor: | Vinegar |
| · Odor threshold: | Not determined. |
| · pH-value: | Not determined. |
| · Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 64 °C (147.2 °F) |
| · Flash point: | 0 °C (32 °F) |
| · Flammability (solid, gaseous): | Highly flammable. |
| · Auto igniting: | 455 °C (851 °F) |
| Decomposition temperature: | Not determined. |
| · Ignition temperature: | Product is not selfigniting. |
| · Danger of explosion: | Product is not explosive. However, formation of explosive air/vapmixtures are possible. |
| · Explosion limits: | |
| Lower: | 4 Vol % |
| Upper: | 17 Vol % |
| · Vapor pressure at 20 °C (68 °F): | 210 hPa (157.5 mm Hg) |
| · Density at 20 °C (68 °F): | 1.0767 g/cm³ (8.98506 lbs/gal) |
| Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| · Partition coefficient (n-octanol/wate | r): Not determined. |
| · Viscosity: | No. London |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | 5 0 5 6 |
| Organic solvents: | 79.7 % |
| Water: | 1.4 % |
| VOC content: | 79.68 % 857.9 g/l / 7.16 lb/gal |
| Solids content: | 0.0 % |

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent
Modified with Chloroform

(Contd. of page 7)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 1 | · LD/LC50 values that are relevant for classification: | | |
|-------------|--|-------------|--|
| ATE (Acu | ATE (Acute Toxicity Estimate) | | |
| | | 739 mg/kg | |
| Dermal | LD50 | 1,013 mg/kg | |
| Inhalative | LC50/4h | 10.6 mg/l | |

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

| · IARC (Internatio | onal Agency for Research on Cancer) | |
|--------------------|--|------------|
| CAS: 67-66-3 | Chloroform | 2 <i>B</i> |
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | 1 |
| · NTP (National T | Toxicology Program) | |
| CAS: 67-66-3 | Chloroform | R |
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | K |
| · OSHA-Ca (Occu | pational Safety & Health Administration) | |
| None of the ingre | edients is listed. | |

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent

Modified with Chloroform

(Contd. of page 8)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- $\cdot \textit{UN-Number}$
- · DOT, IMDG, IATA

UN3286

· UN proper shipping name

 $\cdot DOT$

Flammable liquid, toxic, corrosive, n.o.s. (Acetic Acid, Glacial

, Methanol, Chloroform)

· IMDG, IATA

FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Acetic

Acid, Glacial

, Methanol, Chloroform)

- · Transport hazard class(es)
- $\cdot DOT$







Class 3 Flammable liquids

(Contd. on page 10)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent

Modified with Chloroform

(Contd. of page 9) · Label 3, 8, 6.1 · IMDG · Class 3 Flammable liquids · Label 3/8/6.1 \cdot IATA · Class 3 Flammable liquids · Label 3 (8, 6.1) · Packing group · DOT, IMDG, IATA II · Environmental hazards: · Marine pollutant: No · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 338 · EMS Number: F-E,S-C(SGG1) Acids · Segregation groups · Stowage Category · Stowage Code SW2 Clear of living quarters. SG5 Segregation as for class 3 · Segregation Code SG8 Stow "away from" class 4.1 · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L · IMDG · Limited quantities (LQ) 1LCode: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (ACETIC ACID, GLACIAL , METHANOL, CHLOROFORM), 3 (8+6.1), II

US -

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent
Modified with Chloroform

(Contd. of page 10)

| · Safety, health · Sara | and environmental regulations/legislation specific for the su | bstance or mixture |
|----------------------------|---|--------------------|
| Section 355 (e | xtremely hazardous substances): | |
| CAS: 67-66-3 | Chloroform | |
| CAS: 7664-93 | 9 Sulfuric Acid 96 - 98% | |
| · Section 313 (S | pecific toxic chemical listings): | |
| CAS: 67-66-3 | Chloroform | |
| CAS: 67-56-1 | Methanol | |
| CAS: 7664-93 | 9 Sulfuric Acid 96 - 98% | |
| · TSCA (Toxic) | Substances Control Act): | |
| Acetic Acid, G | lacial | ACTIVE |
| Chloroform | | ACTIVE |
| Methanol | | ACTIVE |
| Water | | ACTIVE |
| Sulfuric Acid 9 | 06 - 98% | ACTIVE |
| · Hazardous Ai | · Pollutants | |
| CAS: 67-66-3 | · · | |
| CAS: 67-56-1 | | |
| Proposition 65 | | |
| | own to cause cancer: | |
| CAS: 67-66-3 | Chloroform | |
| | own to cause reproductive toxicity for females: | |
| None of the in | gredients is listed. | |
| · Chemicals kno | own to cause reproductive toxicity for males: | |
| None of the in | gredients is listed. | |
| · Chemicals kno | own to cause developmental toxicity: | |
| CAS: 67-66-3 | · · · · · · · · · · · · · · · · · · · | |
| CAS: 67-56-1 | Methanol | |
| Carcinogenic | categories | |
| · EPA (Environ | mental Protection Agency) | |
| CAS: 67-66-3 | Chloroform | B2, L, NI |
| TLV (Thresho | ld Limit Value) | |
| CAS: 67-66-3 | Chloroform | A3 |
| CAS: 7664-93 | 9 Sulfuric Acid 96 - 98% | A2 |
| · NIOSH-Ca (N | ational Institute for Occupational Safety and Health) | |
| | - · · · · · · · · · · · · · · · · · · · | |

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent Modified with Chloroform

(Contd. of page 11)

· Hazard pictograms









GHS02

GHS07

GHS05

· Signal word Danger

· Hazard-determining components of labeling:

Acetic Acid, Glacial

Chloroform

Methanol

Sulfuric Acid 96 - 98%

· Hazard statements

Highly flammable liquid and vapor.

Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause cancer.

Suspected of damaging fertility or the unborn child.

May cause damage to the central nervous system and the visual organs.

Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

(Contd. on page 13)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: Bromine Index Solvent

Modified with Chloroform

(Contd. of page 12)

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 05/21/2024: Reviewed SDS for accuracy. MH/STN

Creation date for SDS 12-03-2015. STN

05/21/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

 $PBT: Persistent, \, Bioaccumulative \, and \, Toxic$

 $vPvB: \ very \ Persistent \ and \ very \ Bioaccumulative$

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Corrosion 1B: Skin corrosion/irritation - Category 1B

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Sensitization - Skin 1: Skin sensitisation - Category 1

Carcinogenicity 1A: Carcinogenicity – Category 1A
Toxic to Reproduction 2: Reproductive toxicity – Category 2

Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2

Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category I

* Data compared to the previous version altered.