Printing date 05/21/2024 Reviewed on 05/21/2024

1 Identification

· Product identifier

· Trade name: UAN Nitrogen Std #5 28.00% N

Nitrogen Source: Urea: Ammonium Nitrate

· Article number: MID105

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300

Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS03 Flame over circle

Oxidizing Liquids 1 H271 May cause fire or explosion; strong oxidizer.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS03

- · Signal word Danger
- · Hazard statements

May cause fire or explosion; strong oxidizer.

· Precautionary statements

Keep/Store away from clothing and other combustible materials

Take any precaution to avoid mixing with combustibles.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear fire/flame resistant/retardant clothing.

If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

In case of fire: Use CO2, powder or water spray to extinguish.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: UAN Nitrogen Std #5 28.00% N

Nitrogen Source: Urea: Ammonium Nitrate

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | | | | | |
|-------------------------|-------------------------------------|------------------|---------|--|--|--|
| | CAS: 57-13-6 | Urea | 37.513% | | | |
| | CAS: 6484-52-2 | Ammonium Nitrate | 30.01% | | | |
| Γ | · Table of Nonhazardous Ingredients | | | | | |
| | CAS: 7732-18-5 | Water | 32.477% | | | |

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: UAN Nitrogen Std #5 28.00% N

Nitrogen Source: Urea: Ammonium Nitrate

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1: | | | | | |
|----------------|------------------|------------------------|--|--|--|
| CAS: 57-13-6 | Urea | 30 mg/m³ | | | |
| CAS: 6484-52-2 | Ammonium Nitrate | 6.7 mg/m ³ | | | |
| · PAC-2: | | | | | |
| CAS: 57-13-6 | Urea | 280 mg/m³ | | | |
| CAS: 6484-52-2 | Ammonium Nitrate | 73 mg/m ³ | | | |
| · PAC-3: | | | | | |
| CAS: 57-13-6 | Urea | $1,700 \text{ mg/m}^3$ | | | |
| CAS: 6484-52-2 | Ammonium Nitrate | 440 mg/m³ | | | |

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

(Contd. on page 4)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: UAN Nitrogen Std #5 28.00% N

Nitrogen Source: Urea: Ammonium Nitrate

(Contd. of page 3)

At this time, the remaining constituent has no known exposure limits.

CAS: 57-13-6 Urea

WEEL Long-term value: 10 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

| | | | properti | |
|--|--|--|----------|--|
| | | | | |
| | | | | |

| Information | on hagia n | hygical and | lahamiaa | nronortice |
|---------------------------------|------------|-------------|-----------|------------|
| Information | on vasic p | пумии ини | і спетиси | properties |

· General Information

· Appearance:

Color:

Form: Liquid with possible crystals in bottle

Clear

· Odor: **Odorless** · Odor threshold: Not determined. · pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F)

· Flash point: Not applicable.

Not applicable. · Flammability (solid, gaseous): · Decomposition temperature: Not determined.

· Ignition temperature: Product is not selfigniting.

Product does not present an explosion hazard. · Danger of explosion:

Explosive when mixed with combustible material.

(Contd. on page 5)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: UAN Nitrogen Std #5 28.00% N

Nitrogen Source: Urea: Ammonium Nitrate

| | (Contd. of p | pag |
|---|--|-----|
| · Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) | |
| · Density at 20 °C (68 °F): | 1.34174 g/cm³ (11.19682 lbs/gal) | |
| · Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| · Partition coefficient (n-octanol/wate | e r): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| Water: | 32.5 % | |
| VOC content: | 0.00 % | |
| | 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 67.5 % | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 6)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: UAN Nitrogen Std #5 28.00% N

Nitrogen Source: Urea: Ammonium Nitrate

(Contd. of page 5)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN3139

- · UN proper shipping name
- $\cdot DOT$

Oxidizing liquid, n.o.s. (Ammonium Nitrate)

· IMDG, IATA

OXIDIZING LIQUID, N.O.S. (Ammonium Nitrate)

- · Transport hazard class(es)
- $\cdot DOT$



· Class 5.1 Oxidizing substances

(Contd. on page 7)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: UAN Nitrogen Std #5 28.00% N

Nitrogen Source: Urea: Ammonium Nitrate

(Contd. of page 6) · Label 5.1 · IMDG, IATA 5.1 Oxidizing substances · Class · Label 5.1 · Packing group · DOT, IMDG, IATA III· Environmental hazards: · Marine pollutant: No · Special precautions for user Warning: Oxidizing substances · Hazard identification number (Kemler code): 51 · EMS Number: F-A,S-Q· Stowage Category · Segregation Code SG38 Stow "separated from" SGG2-ammonium compounds. SG49 Stow "separated from" SGG6-cyanides SG60 Stow "separated from" SGG16-peroxides · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": UN 3139 OXIDIZING LIQUID, N.O.S. (AMMONIUM NITRATE), 5.1. III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

| · Section 355 (extremely hazardous sub | stances). |
|--|-----------|
|--|-----------|

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 6484-52-2 Ammonium Nitrate

· TSCA (Toxic Substances Control Act):

Urea ACTIVE
Water Ammonium Nitrate ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 8)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: UAN Nitrogen Std #5 28.00% N

Nitrogen Source: Urea: Ammonium Nitrate

(Contd. of page 7)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 57-13-6 Urea

II

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS03

- · Signal word Danger
- · Hazard statements

May cause fire or explosion; strong oxidizer.

· Precautionary statements

Keep/Store away from clothing and other combustible materials

Take any precaution to avoid mixing with combustibles.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear fire/flame resistant/retardant clothing.

If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

In case of fire: Use CO2, powder or water spray to extinguish.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 05/21/2024: Reviewed SDS for accuracy. MH/STN

Revision 0.1, 07-31-2018: Creation date for SDS. STN

05/21/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)

Printing date 05/21/2024 Reviewed on 05/21/2024

Trade name: UAN Nitrogen Std #5 28.00% N

Nitrogen Source: Urea: Ammonium Nitrate

(Contd. of page 8)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Oxidizing Liquids 1: Oxidizing liquids - Category 1

* Data compared to the previous version altered.
