Printing date 08/31/2021

Reviewed on 08/31/2021

1 Identification

- · Product identifier
- Trade name: <u>Redox Buffer</u> +220 $\pm 5 \text{ mV} @25^{\circ}C$
- · Article number: DEL044A
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225

DEER PARK, TX 77536 USA 800-256-2586

- Information department: Technical Coordinator
 Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 *Hazard*(*s*) *identification*



• *Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).*

- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements
- If swallowed: Call a poison center/doctor if you feel unwell.
- If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Redox Buffer

 $+220 \pm 5 mV @25^{\circ}C$

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components: Not Applicable

· Table of Nonhazardous Ingredients		
CAS: 7732-18-5		98.709%
	Potassium Ferrocyanide	0.525%
CAS: 13746-66-2	Potassium Ferricyanide	0.409%
CAS: 7782-85-6	Sodium Phosphate Dibasic Heptahydrate	0.19%
CAS: 7778-77-0	Potassium Phosphate Monobasic	0.168%

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 3)

US

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Redox Buffer

 $+220 \pm 5 mV @25^{\circ}C$

	(Contd. of page 2)
Protective Action Criteria for Chemicals PAC-1:	
CAS: 14459-95-1 Potassium Ferrocyanide	16 mg/m ³
CAS: 13746-66-2 Potassium Ferricyanide	13 mg/m ³
CAS: 7778-77-0 Potassium Phosphate Monobasic	9.6 mg/m ³
· PAC-2:	<u>_</u>
CAS: 14459-95-1 Potassium Ferrocyanide	23 mg/m ³
CAS: 13746-66-2 Potassium Ferricyanide	18 mg/m ³
CAS: 7778-77-0 Potassium Phosphate Monobasic	110 mg/m ³
· PAC-3:	
CAS: 14459-95-1 Potassium Ferrocyanide	140 mg/m ³
CAS: 13746-66-2 Potassium Ferricyanide	110 mg/m ³
CAS: 7778-77-0 Potassium Phosphate Monobasic	630 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Redox Buffer +220 $\pm 5 \text{ mV} @25^{\circ}C$

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be

observed. • Eye protection: Goggles recommended during refilling.

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	Yellow	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0061 g/cm ³ (8.3959 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	

US

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Redox Buffer +220 ± 5 mV @25°C

		(Contd. of page 4)
Kinematic:	Not determined.	
· Solvent content:		
Water:	98.7 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	1.3 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- *Bioaccumulative potential* No further relevant information available.

(Contd. on page 6)

US

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Redox Buffer +220 ± 5 mV @25°C

(Contd. of page 5)

- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
· UN-Number	Not more lated
· DOT, ADN, IMDG, IATA	Not regulated
· UN proper shipping name	
· DOT, ADN, IATA	Not regulated
·IMDG	Not Regulated
	Not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	Not regulated
· Packing group	
· DOT, IMDG, IATA	Not regulated
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 7)

US

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Redox Buffer

 $+220 \pm 5 mV @25^{\circ}C$

· Sara	(Contd. of page
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 13746-66-2 Potassium Ferricyanide	
• TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Potassium Ferricyanide	ACTIVE
Potassium Phosphate Monobasic	ACTIVE
· Hazardous Air Pollutants	
CAS: 13746-66-2 Potassium Ferricyanide	
Proposition 65 Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
CAS: 13746-66-2 Potassium Ferricyanide	Ι
• TLV (Threshold Limit Value)	
None of the ingredients is listed.	
• NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
• GHS label elements Not Applicable	
• Hazard pictograms Not Applicable	
• Signal word Not Applicable	
· Hazard statements Not Applicable	
· Precautionary statements	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pre	esent and easy to d
Continue rinsing.	-
Dispose of contents/container in accordance with local/regional/national/international regula	ations.
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Printing date 08/31/2021

Trade name: Redox Buffer +220 ± 5 mV @25°C

Reviewed on 08/31/2021

(Contd. of page 7)

US

<i>Revision 0.2, 04-11-19: Updated product description. STN</i> <i>Revision 1.0, 08-12-2021: upodated hazard information. STN</i>
Revision 1.0, 08-12-2021: upodated hazard information. STN
08/31/2021 / -
· Abbreviations and acronyms:
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit