Printing date 05/27/2021 Reviewed on 05/27/2021

1 Identification

· Product identifier

· Trade name: Nessler's Reagent Special for Acetone Test

· Article number: CG001

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05 GHS06

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: Sodium Hydroxide

(Contd. on page 2)

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent

Special for Acetone Test

(Contd. of page 1)

Mercuric Chloride

Potassium Iodide

· Hazard statements

Toxic if swallowed.

Causes severe skin burns and eye damage.

Suspected of causing genetic defects.

Suspected of damaging fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 0

Reactivity = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 1310	-73-2	Sodium Hydroxide	9.19%
CAS: 7681	-11-0	Potassium Iodide	4.411%
		(C1	on moon 2)

(Contd. on page 3)

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent

Special for Acetone Test

CAS: 7487-94-7 Mercuric Chloride	(Contd. of page 2) 1.666%
· Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water	84.733%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent Special for Acetone Test

· Protective Action Criteria for Chemicals		
· PAC-1:		
CAS: 1310-73-2 Sodium Hydroxide	0.5 mg/m^3	
CAS: 7681-11-0 Potassium Iodide	1.3 mg/m^3	
CAS: 7487-94-7 Mercuric Chloride	$0.1 \ mg/m^3$	
· PAC-2:	·	
CAS: 1310-73-2 Sodium Hydroxide	5 mg/m^3	
CAS: 7681-11-0 Potassium Iodide	15 mg/m^3	
CAS: 7487-94-7 Mercuric Chloride	0.14 mg/m ³	
PAC-3:		
CAS: 1310-73-2 Sodium Hydroxide	50 mg/m ³	
CAS: 7681-11-0 Potassium Iodide	87 mg/m³	
CAS: 7487-94-7 Mercuric Chloride	38 mg/m ³	

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Con	Control parameters		
· Con	· Components with limit values that require monitoring at the workplace:		
CAS	CAS: 1310-73-2 Sodium Hydroxide		
PEL	PEL Long-term value: 2 mg/m³		
REL	Ceiling limit value: 2 mg/m³		
TLV	Ceiling limit value: 2 mg/m³		
CAS	CAS: 7681-11-0 Potassium Iodide		
TLV	Long-term value: 0.015* mg/m³ Skin; *inhalation		

(Contd. on page 5)

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent

Special for Acetone Test

(Contd. of page 4)

CAS: 7487-94-7 Mercuric Chloride

PEL Long-term value: 0.1 mg/m³

as Hg; see OSHA standard interpretation memo

REL Long-term value: 0.05* mg/m³

Ceiling limit value: 0.1 mg/m³

as Hg; *Vapor; Skin

TLV Long-term value: 0.025 mg/m³

as Hg; Skin; BEI

· Ingredients with biological limit values:

CAS: 7487-94-7 Mercuric Chloride

BEI 35 μg/L

LD50 Intraperitoneal: urine

Time: prior to shift

LD50: Total inorganic mercury (background)

15 μg/L

LD50 Intraperitoneal: blood

Time: end of shift at end of workweek

LD50: Total inorganic mercury (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent Special for Acetone Test

(Contd. of page 5)

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

I.C	And the American Company of the Comp
Information on basic physical and of General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Yellow
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.10177 g/cm³ (9.19427 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	84.7 %
VOC content:	0.00 %

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent

Special for Acetone Test

(Contd. of page 6)

Solids content:	15.3 %	(Conta. or page o
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	Т

Oral LD50 59.7 mg/kg

Dermal LD50 2,460 mg/kg (rat)

CAS: 1310-73-2 Sodium Hydroxide

Oral LD50 500 mg/kg (ATE)

CAS: 7487-94-7 Mercuric Chloride

Oral LD50 5 mg/kg (ATE)
Dermal LD50 5 mg/kg (ATE)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

and stomach.

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7487-94-7 Mercuric Chloride

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent

Special for Acetone Test

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN2922
· UN proper shipping name	
·DOT	Corrosive liquids, toxic, n.o.s. (Sodium hydroxide, Mercuri chloride)
· IMDG, IATA	CORROSIVE LIQUID, TOXIC, N.O.S. (SODIUM HYDROXIDI MERCURIC CHLORIDE)

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent

Special for Acetone Test

(Contd. of page 8) · Transport hazard class(es) $\cdot DOT$ · Class 8 Corrosive substances · Label 8. 6.1 · IMDG · Class 8 Corrosive substances · Label 8/6.1 \cdot IATA · Class 8 Corrosive substances · Label 8 (6.1) · Packing group · DOT, IMDG, IATA II · Environmental hazards: · Marine pollutant: No Yes (DOT) · Special precautions for user Warning: Corrosive substances · Hazard identification number (Kemler code): 86 · EMS Number: F-A,S-B· Segregation groups Alkalis, heavy metals and their salts (including their organometallic compounds), mercury and mercury compounds · Stowage Category · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code · Transport/Additional information: On passenger aircraft/rail: 1 L · Quantity limitations On cargo aircraft only: 30 L Special marking with the symbol (fish and tree). · Remarks: · IMDG · Limited quantities (LQ) 1L(Contd. on page 10)

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent

Special for Acetone Test

	(Contd. of page 9)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (SODIUM HYDROXIDE, MERCURIC CHLORIDE), 8 (6.1), II

15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. · Sara · Section 355 (extremely hazardous substances): CAS: 7487-94-7 Mercuric Chloride · Section 313 (Specific toxic chemical listings): CAS: 7487-94-7 Mercuric Chloride · TSCA (Toxic Substances Control Act): Water ACTIVESodium Hydroxide **ACTIVE** Potassium Iodide **ACTIVE** Mercuric Chloride **ACTIVE** · Hazardous Air Pollutants CAS: 7487-94-7 Mercuric Chloride · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: CAS: 7487-94-7 Mercuric Chloride · Carcinogenic categories · EPA (Environmental Protection Agency) CAS: 7487-94-7 Mercuric Chloride C· TLV (Threshold Limit Value) CAS: 7487-94-7 Mercuric Chloride A4· NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent

Special for Acetone Test

(Contd. of page 10)

· Hazard pictograms







GHS05

GHS06

· Signal word Danger

· Hazard-determining components of labeling:

Sodium Hydroxide

Mercuric Chloride

Potassium Iodide

· Hazard statements

Toxic if swallowed.

Causes severe skin burns and eye damage.

Suspected of causing genetic defects.

Suspected of damaging fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 0.0, 08-30-2016, Creation date for SDS. STN

Revision 1.0 05-07-2021: updated hazard information. STN

05/27/2021 / 1.0

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 12)

Printing date 05/27/2021 Reviewed on 05/27/2021

Trade name: Nessler's Reagent Special for Acetone Test

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Muta. 2: Germ cell mutagenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

* Data compared to the previous version altered.

(Contd. of page 11)

US