Printing date 06/11/2021

**1** Identification

Reviewed on 06/11/2021

Product identifier     Trade name: <u>Mercuric Acetate</u> <u>0.001 Molar Solution</u>	
• Article number: CP008	
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Aqua Solutions, Inc.</li> <li>6913 Highway 225 DEER PARK, TX 77536 USA</li> <li>800-256-2586</li> </ul>	AQUA SOLUTIONS
• Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS06 Skull and crossbones	
Acute Tox. 3 H301 Toxic if swallowed.	
Acute Tox. 3 H311 Toxic in contact with skin.	
Acute Tox. 3 H331 Toxic if inhaled.	
GHS08 Health hazard	
STOT SE 1 H370 Causes damage to organs.	
GHS05 Corrosion	
Skin Corr. 1C H314 Causes severe skin burns and eye damage.	
<ul> <li>Label elements</li> <li>GHS label elements The product is classified and labeled accordin</li> <li>Hazard pictograms</li> </ul>	ng to the Globally Harmonized System (GHS).
GHS05 GHS06 GHS08	
· Signal word Danger	
· Hazard-determining components of labeling:	
Acetic Acid	(Contd. on page 2)
	US

Printing date 06/11/2021

Reviewed on 06/11/2021

#### Trade name: Mercuric Acetate 0.001 Molar Solution

(Contd. c	of page 1)
· Hazard statements	10 /
Toxic if swallowed, in contact with skin or if inhaled.	
Causes severe skin burns and eye damage.	
Causes damage to organs.	
· Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy	v to do
Continue rinsing.	<i>y 10 u0</i> .
IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
$\begin{array}{c} 0 \\ 3 \\ 0 \\ 0 \end{array} \begin{array}{c} Health = 3 \\ Fire = 0 \\ Reactivity = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH $3$ Health = 3FIRE $0$ Fire = 0REACTIVITY $0$ Reactivity = 0	
• Other hazards	
• Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
· · ·	5.981%
· Table of Nonhazardous Ingredients	
	3.988%
93 CAS. 7752-10-5 WUILET	,70070

93.988% (Contd. on page 3)

US

Printing date 06/11/2021

Reviewed on 06/11/2021

Trade name: Mercuric Acetate 0.001 Molar Solution

CAS: 1600-27-7 Mercuric Acetate

(Contd. of page 2) 0.032%

#### 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

*Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.* 

- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

US

*Printing date 06/11/2021* 

Reviewed on 06/11/2021

#### Trade name: Mercuric Acetate 0.001 Molar Solution

• Protective Action Criteria for Chemicals	(Contd. of page 3)
• PAC-1:	
CAS: 64-19-7 Acetic Acid	5 ppm
CAS: 1600-27-7 Mercuric Acetate	0.048 mg/m <sup>3</sup>
· PAC-2:	
CAS: 64-19-7 Acetic Acid	35 ppm
CAS: 1600-27-7 Mercuric Acetate	0.064 mg/m <sup>3</sup>
· PAC-3:	
CAS: 64-19-7 Acetic Acid	250 ppm
CAS: 1600-27-7 Mercuric Acetate	3.2 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with	i limit values	that reauire	monitoring	at the workplace:
r				

#### CAS: 64-19-7 Acetic Acid

PEL Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

REL Short-term value: 37 mg/m<sup>3</sup>, 15 ppm

Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

TLV Short-term value: 37 mg/m<sup>3</sup>, 15 ppm Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

• Additional information: The lists that were valid during the creation were used as basis.

## · Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

US

Printing date 06/11/2021

#### Trade name: Mercuric Acetate 0.001 Molar Solution

Reviewed on 06/11/2021

(Contd. of page 4)

- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Vinegar	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	40 °C (104 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	485 °C (905 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	

Printing date 06/11/2021

Reviewed on 06/11/2021

#### Trade name: Mercuric Acetate 0.001 Molar Solution

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
<i>Density at 20 °C (68 °F):</i>	1.00324 g/cm <sup>3</sup> (8.37204 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	6.0 %	
Water:	94.0 %	
VOC content:	5.98 %	
	60.0 g/l / 0.50 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

 $\cdot$  Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 17,724 mg/kg (rabbit)

$C_{\Delta}$	4 <i>S:</i>	1600	)-27-7	Me	rcur	ic A	cetate	
0			×		-	a	( )	

Oral	LDSU	S mg/kg (AIE)
Dermal	LD50	5 mg/kg (ATE)
Inhalative	LC50/4h	0.05 mg/l (ATE)

(Contd. on page 7)

– US

*Printing date 06/11/2021* 

Trade name: Mercuric Acetate 0.001 Molar Solution

(Contd. of page 6)

Reviewed on 06/11/2021

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Toxic
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

#### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN2927	

Printing date 06/11/2021

Reviewed on 06/11/2021

de name: Mercuric Acetate 0.001 Molar Solution	
	(Contd. of pa
UN proper shipping name DOT	Toxic liquids, corrosive, organic, n.o.s. (Mercury acetate, Aca acid, glacial)
IMDG, IATA	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (MERCU ACETATE, ACETIC ACID, GLACIAL)
Transport hazard class(es)	
DOT	
TOXIC 6 6	
Class Label	6.1 Toxic substances 6.1, 8
IMDG	
Class	6.1 Toxic substances
Label IATA	6.1/8
Class	6.1 Toxic substances
Label	6.1 (8)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code)	: 30
EMS Number:	F-A,S-B
Segregation groups Stowage Category	Acids A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	<i>TT</i>
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
IMDG Limited quantities (LQ)	5L

ACTIVE

ACTIVE

ACTIVE

#### Safety Data Sheet acc. to OSHA HCS

Printing date 06/11/2021

Reviewed on 06/11/2021

Trade	name:	Mercu	uric Ac	etate
		0.001	Molar	Solution

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2927 TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (MERCURY ACETATE, ACETIC ACID, GLACIAL), 6.1 (8), II

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

CAS: 1600-27-7 Mercuric Acetate

• Section 313 (Specific toxic chemical listings):

CAS: 1600-27-7 Mercuric Acetate

• TSCA (Toxic Substances Control Act): Water

Acetic Acid

Mercuric Acetate

· Hazardous Air Pollutants

CAS: 1600-27-7 Mercuric Acetate

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 1600-27-7 Mercuric Acetate

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

\_\_\_\_\_US

Printing date 06/11/2021

Reviewed on 06/11/2021

Trade name: Mercuric Acetate 0.001 Molar Solution

(Contd. of page 9) · Hazard pictograms GHS05 GHS06 GHS08 · Signal word Danger · Hazard-determining components of labeling: Acetic Acid · Hazard statements Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. Causes damage to organs. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision
   Revision 1.0 05-07-2021: updated hazard information. STN
   Revision 1.0, 05-07-2021: updated incorrect description of 20% to correct 25%. STN 06/11/2021 / Abbreviations and acronyms:
   IMDG: International Maritime Code for Dangerous Goods
   DOT: US Department of Transportation
   IATA: International Air Transport Association
   EINECS: European Inventory of Existing Commercial Chemical Substances
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)

(Contd. on page 11)

Printing date 06/11/2021

Reviewed on 06/11/2021

#### Trade name: Mercuric Acetate 0.001 Molar Solution

(Contd. of page 10)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1C: Skin corrosion/irritation – Category 1C STOT SE 1: Specific target organ toxicity (single exposure) – Category 1